INDEX OF AUTHORS' NAMES.

TRANSACTIONS, PROCEEDINGS, AND ABSTRACTS. 1909.

(Marked T., P., and A., i and A., ii respectively.)

A.

Abati, Gino, and Cesare de Horatiis, hydrophthalic acids. VII. Resolution of the racemic form of the fumaroid Δ^4 -tetrahydrophthalic acid, A., i, 386.

Abati, Gino, and F. de Notaris, relations between the chemical and physical characters and the constitution of isomeric amino-derivatives of camphoric acid, A., i, 783.

Abati, Gino, [with Mauro Solimene], hydrophthalic acids; velocity of addition of bromine to the tetrahydrophthalic anhydrides. VI., A., i, 104.

Abati, Gino, and Ernesto Vergari, hydrophthalic acids. VIII. Influence of presence and position of the ethylene grouping on the refraction and dispersion of hydrophthalic anhydrides, A., i, 386.

Abbott, G. A., rate of hydration of pyrophosphoric acid in aqueous solution. A., ii. 661.

tion, A., ii, 661. Abbott, G. A., and William C. Bray, ionisation relations of ortho- and pyrophosphoric acids and their sodium salts, A., ii, 660.

Abderhalden, Emil, partial hydrolysis of certain proteins, A., i, 273. composition of different silks, A., i,

275. polypeptides containing *l*-tryptophan,

A., i, 603. the products obtained by the partial hydrolysis of proteins, A., i, 859.

protein metabolism, A., ii, 413. the value of protein cleavage products

in metabolism. X., A., ii, 817.

Abderhalden, Emil, and Lotte Behrend, comparative investigation of the composition and structure of various kinds of silk. II. The mono-amino-acids of Canton silk. A., i, 343.

XCVI. ii.

Abderhalden, Emil, and Carl Brahm, fermentative cleavage of polypeptides. VI., A., i, 73.

mono-amino-acids in the muscular substances of Egyptian mummies, A., i, 750.

comparative investigation of the composition and structure of various kinds of silks. III. The monoamino-acids of Shantung tussore silk, A., i, 750.

metabolism of different classes of animals. II., A., ii, 904.

Abderhalden, Emil, Carl Brahm, and Alfred Schittenhelm, metabolism in various classes of animals. I., A., ii, 327.

Abderhalden, Emil, and G. Alessandro Brossa, synthesis of polypeptides: derivatives of p-iodophenylalanine, A., i, 800.

comparative investigations on the composition and cleavage products of different kinds of silk. V. Mono-amino-acids from Nièt ngō tsam silk from China, A., i, 859.

Abderhalden, Emil, G. Caemmerer, and Ludwig Pincussohn, fermentative cleavage of polypeptides. VII., A., i, 345.

Abderhalden, Emil, and H. R. Dean, formation of silk, A., ii, 418.

Abderhalden, Emil, and Hans Einbeck, the cleavage of histidine in the dog's organism, A., ii, 906.

Abderhalden, Emil, Franz Frank, and Alfred Schittenhelm, the value of protein-cleavage products in the human organism, A., ii, 1033.

Abderhalden, Emil, and Casimir Funk, estimation of sulphur in urine, A., ii, 263, 343.

the new formation of amino-acids in the animal organism, A., ii. 684.

71

- Abderhalden, Emil, and Markus Guggenheim, detection of glycine, A., ii, 448.
- Abderhalden, Emil, and Robert Heise, the occurrence of peptolytic enzymes in invertebrates, A., ii, 907.
- Abderhalden, Emil, Paul Hirsch, and Josef Schuler, synthesis of polypeptides: derivatives of isoleucine. I., A., i, 769.
- Abderhalden, Emil, and Karl Kautzsch, physiological action of l- and d-suprarenine. IV., A., ii, 751.
- renine. IV., A., ii, 751.

 Abderhalden, Emil, Karl Kautzsch, and Franz Müller, physiological behaviour of l- and d-suprarenine. V., A., ii, 1041.
- Abderhalden, Emil, A. H. Koelker, and Florentin Medigreceanu, the peptolytic enzymes in different forms of cancer and other tumours. II., A., ii, 915.
- Abderhalden, Emil, and E. S. London, protein metabolism, A., ii, 905
- Abderhalden, Emil, E. S. London, and Ludwig Pincussohn, the situation of kynurenic acid formation in the dog's organism, A., ii, 913.
- Abderhalden, Emil, E. S. London, and E. B. Reemlin, normal digestion of proteins in the dog's alimentary canal. V., A., ii, 326.
- Abderhalden, Emil, E. S. London, and Alfred Schittenhelm, nuclein metabolism in a dog with an Eck's fistula, A., ii, 818.
- Abderhalden, Emil, and Florentin Medigreceanu, oxyhæmoglobin of different animals. I., A., i, 342.
- Abderhalden, Emil, Florentin Medigreceanu, and E. S. London, normal digestion of proteins in the dog's alimentary canal. VI., A., ii, 326.
- Abderhalden, Emil, Florentin Medigreceanu, and Ludwig Pincussohn, comparative hydrolysis of silk by boiling, fuming hydrochloric acid, 25 per cent. sulphuric acid, 20 per cent. aqueous sodium hydroxide, and hot saturated baryta solution, A., i, 751.
- Abderhalden, Emil, Emil Messner, and Heinrich Windrath, the value of protein cleavage products in metabolism. IX., A., ii, 327.
- Abderhalden, Emil, and Franz Müller, the effect on blood-pressure of l-, d-, and dl-suprarenine (adrenaline), A., ii, 159.

- Abderhalden, Emil, and Ludwig Pincussohn, the amount of peptolytic ferments in rabbits' and dogs' plasma [and in the red blood corpuscles of these animals] under various conditions, A., ii, 816.
 - the amount of peptolytic enzymes in dogs' blood-serum under various conditions. III., A., ii, 904.
- Abderhalden, Emil, and Hans Pringsheim, specificity of peptolytic enzymes in different fungi, A., ii, 423.
- in different fungi, A., ii, 423.

 Abderhalden, Emil, and Auguste Rilliet, composition of different silks. I. Neuchang silk, A., i. 275.
- Neuchang silk, A., i, 275.

 Abderhalden, Emil, and Peter Rona, peptolytic enzymes in cancer, A., ii, 688.
- Abderhalden, Emil, and Alfred Schittenhelm, peptolytic enzymes in the stomach. II., A., ii, 414.
 - detection of peptolytic enzymes, A., ii, 840.
- Abderhalden, Emil, and James Sington. IV. Mono-amino-acids from Bengal silk, A., i, 750.
- Abderhalden, Emil, and Slavu, the serum proteins of different animals, A., i, 340.
 - physiological action of l-, d-, and dl-adrenalines. III., A., ii, 420.
 - exerction of iodine from the dog's organism, when given in the form of 3:5-di-iodo-l-tyrosine, 3:5-di-iodoglycyl-l-tyrosine, 3:5-di-iodopropionyl-l-tyrosine, and 3:5-di-iodopalmityl-l-tyrosine, A., ii, 820.
- Abderhalden, Emil, and Wladimir Spack. VI. Mono-amino-acids from Indian tussore silk, A., i, 859.
- Abderhalden, Emil, and Friedrich Thies, physiological actions of l., d., and dlsuprarenine (adrenaline). II., A., ii, 333.
- Abderhalden, Emil, and W. Völtz, composition of the membrane of the fat particles of milk, A., ii, 330.
- Abderhalden, Emil, and Wolfyang Weichardt, formation of silk, A., ii, 418.
 - the amount of peptolytic enzymes in rabbit's serum under varying conditions. II., A., ii, 903.
- ditions. II., A., ii, 903.

 Abderhalden, Emü, and Worms. VII.

 Mono-amino-acids from the gelatin (leim) of Canton silk, A., i, 859.
- Abegg, Richard [Wilhelm Heinrich], structural classification of oxides, oxygen acids, and their salts, A., ii, 994.
- Abegg, Richard, and J. Neustadt, oxidation potentials in non-aqueous solvents, A., ii, 462.

Abegg, Richard. See also J. Neustadt. Abelmann, Paul, action of organo-magnesium compounds on β-hydroxy-amethylbutaldehyde, A., i, 547.

Ablous, J. E., and E. Bardier, myosis and reduction of blood pressure caused by normal human urine, A., ii, 689.

Ach, Fritz, Ludwig Knorr, H. Lingenbrink, and Heinrich Hörlein, nitrocodeinic acid, an oxidation product of nitrocodeine and nitro-\psi-codeine, A., i, 950.

Ackermann, A. See Fritz Straus.

Ackermann, D., production of putrefac-

tion bases, A., i, 619.

Acree, Salomon Farby, catalysis. Formation of esters from amides and alcohols, A., ii, 652.

Acree, Salomon Farby, and E. A. Slagle, theory of indicators and reactions of phthaleins and their salts, A., i, 650.

Adams, Maxwell, and Eliza Overman, reduction of copper sulphate with hydroxylamine, A., ii, 578.

Addis, Thomas, coagulation-time of blood in man, A., ii, 68.

Adler, H. M. See Lawrence Joseph Henderson.

Adler, J. See Reginald Oliver Herzog. Adler, Oskar, compounds of benzidine with sugars, and a method for removing dextrose from mixtures of dextrose and lævulose, A., i, 517. alcaptonuria, A., ii, 914.

Adler, Wilhelm, preparation of an α-naphtholarsinic acid [4-hydroxy-[4-hydroxynaphthalenearsinic acid], A., i, 448.

Aerde, Maurice van, yy-dimethylallylcarbinol, A., i, 79.

Ageno, I. See Raffaelo Nasini.

Aggazzotti, Alberto. See Carlo Foà. Agnew, James Watson. See George Gerald Henderson.

Agrestini, Angelo, estimation of proteins in milk treated with formaldehyde; direct estimation of formaldehyde in milk, A., ii, 194.

Agulhon, H., influence of boric acid on diastatic actions, A., i, 621.

Ahrle, Hermann, synthesis and formula Caro's acid (monopersulphuric acid), A., ii, 395. Caro's acid, A., ii, 804.

Aktien-Gesellschaft für Anilin-Fabrikation, preparation of aniline and its homologues, A., i, 220.

preparation of sulphanilic acid, A., i, **2**20.

preparation of p-aminophenol and its \hat{N} -alkyl derivatives, \bar{A} ., i, 222.

preparation of p-aminophenol-2-sulphonic acid, A., i, 224.

Aktien-Gesellschaft für Anilin-Fabrikation, preparation of p-phenylenedi-

amine, A., i, 256.
preparation of p-phenylenediaminesulphonic acid, A., i, 256, 257.

preparation of 4-amino-4'-hydroxydiphenylamine, A., i, 257.

preparation of pyrogallol from 2:6-dichlorophenol-4-sulphonic acid, A., i, 469.

preparation of sulphonic derivatives of thioanilines, A., i, 737.

[sulphonation of 2':3-dichloro-4-amino-

azobenzene], A., i, 852. Albahary, Jacques M., and Karl Löffler, physiological effect of alkaloids from hemlock (Conium maculatum), A., ii, 81.

Alberda van Ekenstein, William, and Jan Johannes Blanksma, \(\beta\)-hydroxyδ-methylfurfuraldehyde as the cause of some colour reactions of hexoses, A., i, 288.

crystallised l-ribose, A., i, 457. Albert, August, some derivatives of δ-aminocaproic [hexoic] acid, A., i,

dicyclic quaternary bases, 178. Albert, Robert, estimation of soil acidity,

A., ii, 446. Albertini, Alberto. See Adolf Kauf-

mann. Alcock, (Miss) Mary. See Gilbert

Thomas Morgan.

Alders, H., and Arthur Stähler, the phosphates of lead, A., ii, 670. rapid electro-analysis, A., ii, 764.

Alefeld, Ernst, semi-aldehyde of succinic acid (a correction), A., i, 364.

gravimetric estimation of halogens by means of silver nitrate, A., ii, 262.

Alefeld, Ernst. See also Carl Dietrich Harries.

Alexander, D. Basil W., constant level reservoir, A., ii, 877.

Alexander, Thomas J. R. See Hermann

Pauly.

Wladimir, Alexandroff, qualitative analysis of sulphates, sulphites, and thiosulphates, A., ii, 264.

Allan, Francis B., barium salts of phthalic acid, A., i, 798.

Allemann, O. See Robert Burri.

Allen, Eugene T., and W. P. White, with optical study by Fred. Eugene Wright and Esper S. Larsen, diopside and its relations to calcium and magnesium metasilicates, A., ii, 247.

Allen, J. See Lionel Guy Radcliffe. Allers, Rudolf. See Sigmund Frankei. Allin, C. G., third methyl ester of

phthalic acid, A., i, 798.

Allmand, Arthur John, the electromotive behaviour of cuprous oxide and cupric hydroxide in alkaline electrolytes, T., 2151; P., 258. phase equilibrium of the red cupri-

ferrous sulphates, A., ii, 238.

Aloisi, Piero, adamite from Monte Valerio, Tuscany, A., ii, 587.

Alsberg, Carl Luca, globulins of eggyolk of selachians, A., ii, 499.

Alsberg, Carl Luca, and E. D. Clark, blood-clot of the king-crab, A., ii,

Alsberg, Carl Luca, and C. A. Hedblom, soluble chitin, A., i,

soluble chitin from Limulus polyphemus, and its osmotic behaviour, A., i, 946.

Alstyne, Eleanor van, and S. P. Beebe, absorption of iodine by the dog's

thyroid, A., ii, 504.

Altenburg, H. See Hans Rupe. Altmayer, V. See M. Mayer.

Alvares, J., passivity in acid solutions.

II., A., ii, 305. Alvares, J. See also Otto Sackur.

Alvarez. See Piñerûa Alvarez. Amadori, M. See Alessandro Borgo.

Amagat, Emile Hilaire, an hypothesis relative to the internal pressure in liquids, A., ii, 549.

Amann, J., ultramicroscopical investiga-

tions, A., ii, 983, 1056.

Amberg, Samuel, and W. P. Morrill, metabolism of a breast-fed infant, A., ii, 497.

Ampola, Gaspare, and Francesco Scurti, the sugars of the tobacco plant, A., ii,

Andersen, A. C., Bang's method of sugar estimation and its application in the analysis of urine, A., ii, 102.

Andersen, Erik Buch, metallic radiation, A., ii, 203.

Andersen, N. See Louis Pelet-Jolivet. Anderson, (Miss) Emma Alexander. See John Kerfoot Wood.

Anderson, Ernest, action of Fehling's solution on galactose, A., i, 881.

Anderson, John A. See Harry Clary Jones.

André, Gustave, the first stages in the development of perennial plants compared with those of annuals, A., ii, 174, 337.

elaboration of nitrogenous matter in the leaves of living plants, A., iı, 693.

André, Gustave, elaboration of phosphorus-containing material and saline substances in the leaves of living plants, A., ii, 754.

Andrew, John H., and C. A. Edwards, liquidus curves of the ternary system: aluminium-copper-tin, A., ii, 891.

Andrews, Launcelot Winchester, the presence of iodate in commercial potassium iodide, A., ii, 1050.

volumetric estimation of mercuric salts, A., ii, 440.

Andrews, Launcelot Winchester, and Henry V. Farr, volumetric estimation of small quantities of arsenic, A., ii, 437.

Andriewsky, W. N., synthesis of β hydroxy-\beta-phenylpropionic acid, A., i,

Andrlik, Karl, and Josef Urban, amounts of nutrients utilised by sugar-beet in the first year, and their relation to the amount of sugar in the roots, A., ii, 176.

manuring sugar beet with sodium chloride, A., ii, 515.

Angeli, Angelo, and Vincenzo Castellana, aldehydic compounds, A., i, 308. the aldehyde reaction, A., i, 392.

method of formation of benzoylphenylhydrazine, A., i, 421.

Angeli, Angelo, Vincenzo Castellana. and R. Ferrero, decomposition of certain salts of silver, A., i, 739.

Angeli, Angelo, and Guerriero Marchetti, certain aldehydic compounds, A., i, 12.

Angelico, Francesco, transformations of diazopyrroles, A., i, 122. picrotoxin, A., i, 318.

Angelucci, Ottorino, double nitrate and oxalate of thorium, A., ii, 742.

Anilinfarben- & Extrakt-Fabriken vorm. J. R. Geigy in Basel, preparation of 2:6-dichloro- and 2:3:6-trichlorotoluene-4-sulphonylchlorides, A., i, 706.

Anschutz, Richard, [with Richard Anspach, Reinhold Claus, Remigius spach, Reinhold Claus, Remigius Fresenius, Joachim Graff, Peter Junkersdorf, August Nefgen, Julius Sieben, and Joseph Wagner], the benzotetronic acid [4-hydroxycoumarin] group. I., A., i, 660.

Anschütz, Richard, and Rudolf Böcker, the tetronic acid group. II. Action of acetylmandelyl chloride on ethyl sodiomalonate and ethyl sodiocyano-

acetate, A., i, 729.

Anschütz, Richard, [with Rudolf Böcker and Reinhold Claus, action of silver cyanide on acetoxycarboxylic chlorides, A., i, 717.

Anschütz, Richard, and Paul Förster, action of benzene and aluminium chloride on the chlorides of acetylated

hydroxy-acids, A., i, 715. Anschütz, Richard, [with EmanuelLöwenberg, Fritz Schmitz, Jeff Henry Shores, Julius Sieben, Karl Runkel], the benzotetronic acid [4-hydroxy-coumarin] group. I., A., i, 730.

Anschütz, Richard, and Paul Walter, oxidation of phoronic acid by nitric acid, A., i, 697.

Anspach, Richard. See Richard Anschütz.

Autropoff, Andreas von, argon in associwith radioactive zirconium minerals, A., ii, 311.

Apitzsch, Hermann, condensation of esters of 4-keto-2:6-dithiolpenthiophen-3:5-dicarboxylic acid with ethyl chloroacetates, A., i, 48.

Apitzsch, Hermann, and G. A. Bauer, thio-\gamma-pyronedithiols [4-ketopenthio-

phendithiols], A., i, 47.

Apitzsch, Hermann, [with R. Blezinger], action of carbon disulphide and potassium hydroxide on ketones. III., A.,

Apitzsch, Hermann, and C. Kelber, sulphides from the ester of 2:6-dithiolketopenthiophen-3:5-dicarboxylate. VI., A., i, 826.

Arand, K. See Hugo Simonis.

Arbusoff, Alexander E., existence of isomeric double sulphites of potassium and sodium, A., ii, 573.

Arbusoff, Alexander E., and P. S. Pishtschimuki, preparation of sulphonic acids of the aliphatic series, A.,

Archetti, Andrea, estimation of clay in limestone, A., ii, 763.

Arena, F. See Giuseppe Kernot.

William,Armit, Henrytoxicology nickel carbonyl, of Α., 168.

physiological effect of cobalt carbonyl vapour, A., ii, 918.

Armstrong, Henry Edward, origin of osmotic effects. II. Differential septa, A., ii, 387.

Arnaud, Albert, and Swigel Posternak, additive di-iodo-derivatives of higher fatty acids of the $C_n H_{2n-1} O_2$ series, A., i, 630.

Arndt, F. See Karl Auwers.

Arndt, Kurt, gravimetric estimation of boric acid, A., ii, 700.

Arndt, Kurt, and Willi Loewenstein,

solutions of lime and silica in fused calcium chloride, A., ii, 1005.

Arnold, Vincenz, the presence of a dye resembling urorosein in certain pathological urines, A., ii, 821.

Arnoldi. See Johannes Paessler.

Arntz, Emil, estimation of clay in soils, A., ii, 440.

Arragon, Charles, a new colour reaction of petroleum, A., ii, 188.

Arsandaux, H., composition of bauxite, A., ii, 490, 587.

Arteméeff, D. N. See Evgraf S. Fedoroff.

Artini, Ettore, crystalline forms of some benzene derivatives, A., i,

brugnatellite, a new mineral species found in Val Malenco, A., ii, 247.

Artmann, Paul. See Anton Skrabal.

Asahina, Y., styracitol, A., i, 288. alkaloids of Dicentra pusilla, A., i, 601.

Aschan, [Adolf] Ossian, constitution of isopinene, A., i, 659.

constitution of wood charcoal, A., ii,

Ascher, Edmund. See Friedrich Wilhelm Semmler.

Ascoli, Marcel, and Guido Izar, the influence of inorganic colloids on autolysis. V., A., ii, 74.

liver extracts and uric acid, A., ii,

the influence of inorganic colloids on autolysis. VI. The differences of action of various hydrosols, A., ii,

urie acid formation. III. Uric acid formation in liver extracts after the addition of dialuric acid and urea, A., ii, 909.

Asher, Leon, and Paul Boehm, physiology of glands. X. The liver in different nutritive conditions, A., ii,

Asher, Leon, and Hans Grossenbacher, physiology of glands. XI. The functions of the spleen, A., ii, 503.

Asher, Leon, and Dimitri Pletnew, physiology of glands. XIV. The influence of proteins and protein degradation products on the activity

of the liver, A., ii, 1035. **Asher**, Leon, and Karl
physiology of glands. X Reichenau, XIII. Excretion of total nitrogen and uric acid during feeding with proteoses, A., ii, 913.

Asher, Leon, and Richard Zimmermann, physiology of glands. XII. The function of the spleen in iron metabolism, A., ii, 503.

Ashman, George C., specific radioactivity of thorium and its products, A., ii, 111.

Ashman, George C. See also Herbert Newby McCoy.

Askenasy, Paul, W. Jarkowsky, and A. Waniczek, aluminium carbide, A., ii,

Askenasy, Paul, R. Leiser, and N. Grünstein, electrolytic oxidation of ethyl alcohol to acetic acid, A., i, 869.

Askenasy, Paul, and Charles Ponnaz, silico-thermic experiments, A., ii, 43.

Keijiro, is potassium sulphate physiologically acid? A., ii, 926.

influence of different ratios of lime to magnesia on the growth of rice, A., ii, 926.

influence of the ratio of lime to magnesia on the yield in sand cultures, A., ii, 929.

manuring with dicyanodiamide, A., ii,

Asō, Keijiro, and S. Nishimura, preserva-

tion of night-soil, A., ii, 929. Asō, Keijiro, and Y. Yoshida, manurial value of various organic phosphorus compounds, A., ii, 931.

Asriel, M. See Heinrich Goldschmidt. Aten, A. H. W., conduction of electricity in mixtures of metals and their salts, A., ii, 537.

melting-point curves of endothermic compounds, A., ii, 971.

Atterberg, Albert, laterite from Brazil, A., ii, 590.

Aubert, thermo-endosmosis, A., ii, 543. Auer, John, effect of carbon dioxide on the frog's pupil, A., ii, 250.

Auer, John, and Samuel J. Meltzer, effect of calcium on the cardiac vagus, A., ii, 253.

influence of calcium on the pupil, A., ii, 909.

See also Samuel J. Meltzer. Auer, John. Auerbach, Friedrich, and Werner Plüddemann, volumetric estimation of formic acid and its salts, A., ii, 355.

Auerbach, Herbert, spectroscopic investigation of the behaviour of metallic salts in flames of different temperatures, A., ii, 105, 279.

Auld, Samuel James Manson, the hydrolysis of amygdalin by emulsin. Part III. Synthesis of d-benzaldehydecyanohydrin, T., 927; P.,

an examination of irritant woods. Part I. Chloroxylonine from East Indian satinwood, T., 964; P., 148. Auld, Samuel James Manson, and Samuel Shrowder Pickles, extraction apparatus for plant products, A., ii, 563.

Aureggi, C. See Giovanni Pellini. Austerweil, Géza, new method

isomerisation in the terpene series, A.,

Austin, Arthur Everett, enterokinase in infancy, A., ii, 496.

Autenrieth, Wilhelm, and Alfred Geyer, pentamethylene mercaptans and multi-membered cyclic mercaptols and disulphones, A., i, 6.

action of phosphorus pentachloride and pentabromide on mercaptans,

A., i, 26. Auwers, Karl [Friedrich], O-azo compounds, A., i, 67.

influence of substituents on the capacity for migration of acid residues, A., i,

the terpinene question, A., i, 596,

Auwers, Karl, and F. Arndt, method of preparation of ketothionaphthens, A., i, 175.

addition of dimethyl sulphate to thio-

phenol ethers, A., i, 644. transformation of thiophenol ethers into thioflavanone derivatives, A., i, 668.

Auwers, Karl, [with H. Dannell], capacity for transformation of acyl delivatives of the phenylhydrazones of o-hydroxyketones, A., i, 441.

Auwers, Karl [Friedrich], [with Hugo Dannehl, Fritz Eisenlohr, W. Hirt, Karl Müller], intramolecular transformations of acylated compounds, A., i, 222.

Auwers, Karl, [with Hugo Dannehl, and K. Müller, migration and reciprocal displacement of acid groups in acylated dibromohydroxybenzylphenylhydrazines, A., i, 187.

Auwers, Karl, and Fritz Eisenlohr, intramolecular changes of acylated

compounds, A., i, 915.

Auwers, Karl, [with K. Hannemann], migration of acid residues in the phenylhydrazones of acylated o-hydroxyaldehydes, A., i, 439.

Auwers, Karl, and Friedrich von der

Heyden, dichlorocyclohexenones and cyclohexadienes from o-cresol, A., i, 592.

Auwers, Karl, [with W. Hirt and Friedrich von der Heyden], acylated o-hydroxyazo-substances and their reduction, A., i, 438.

Auwers, Karl, and Karl Müller, conversion of benzylidenecoumaranones into flavonols, A., i, 45.

Auwers, Karl, and Karl Müller, transformation of phenylhydrazones of unsaturated aldehydes and ketones into pyrazolines, A., i, 59.

Ayrton, Barbara, activation of pancreatic juice, A., ii, 497.

B.

Baat, (Fräulein) W. C. de. See Franz Antoon Hubert Schreinemakers.

Babini, V. See Luigi Mascarelli.
Babkin, B. P., and N. P. Tichomiroff, the relationship between the proteolytic power, the nitrogen, and the total solids of the pancreatic juice, A., ii, 1031.

Baborovský, Georg, and Gottlieb Kužma, so-called electrolytic peroxide of silver,

A., ii, 666.

Bach, Alexis, tyrosinase, A., i, 278. Bacon, C. W., estimation of halogens in

organic compounds, A., ii, 179.

Bacon, Raymond Foss, Philippine terpenes and essential oils. III., A., i, 658.

a rapid clinical method for determining the ammonia coefficient of urines, A., ii, 757.

Bacovescu, A., action of potassium hydr-

oxide on aniline, A., i, 852.

Bacovescu. A., and E. Vlahuta, indirect volumetric method for the estimation of chromium, copper, nickel, cobalt, zinc, and lead, A., ii, 767.

Badische Anilin- & Soda-Fabrik, preparation of 2-p-nitrosoanilinonaphthalene-6:8-disulphonic acid, A., i, 221. preparation of derivatives of 1:3-diaminoanthraquinone, A., i, 243.

preparation of halogen derivatives of benzanthrone, A., i, 244.

preparation of benzanthrone and its derivatives, A., i, 244.

[anthrapyridone derivatives], A.,i, 262. preparation of p-aminodiazobenzene and its derivatives, A., i, 273.

preparation of 3-chloro-6-nitroaniline, A., i, 297.

[preparation of derivatives of tri-aminobenzene], A., i, 337. preparation of derivatives of thiol-

benzoic acid, A., i, 718. preparation of substituted aromatic carboxylic acids from the corresponding aldehydes, A., i, 792.

of acetylaminoanthrapreparation quinones, A., i, 810.

[preparation of 2-methylanthrapyridone], A., i, 835.

[preparation of methylenebis-3-chloro-6-nitroaniline], A., i, 910.

Badische Anilin- & Soda-Fabrik, [condensation products of amino- and chloro-anthraquinones], A., i, 940.

[preparation of benzanthranyl-1-aminoanthraquinone derivatives], A., i, 941.

preparation of substituted halogen derivatives of 3-oxy-(1)-thionaphthen, A., i, 950.

preparation of 2:3-diketodihydro-(1)thionaphthen, A., i, 950.

[preparation of benzoyl-p-phenylenediaminesulphonic acid, A., i, 964. preparation of safraninesulphonic acids,

A., i, 972.

Badonnel, V. See Alfred Guyot.

Baeyer, [Johann Friedrich Withelm]
Adolf von, dibenzylideneacetone [distyryl ketone] and triphenylmethane, A., i, 641.

Baeyer, O. von, slow cathode rays, A., ii. 288.

Bagard, P. See André Wahl.

Bagros. See Léon Grimbert.

Bahr, Eva von, influence of pressure on the absorption of ultra-red radiation by gases, A., ii, 630.

Bailey, Herbert S., automatic filter funnel, A., ii, 877.

Bain, (Miss) Alice Mary. See William Hobson Mills.

William, action of digestive Bain, enzymes on each other, A., ii, 682.

Bainbridge, Francis Arthur, food-poisoning bacilli and efficiency of rat viruses, A., ii, 510.

Baker, (Miss) Sarah Martha, a theory regarding the configuration of certain unsaturated compounds; and its application to the metallic ammines and the cinnamic acids, P., 223.

Bakowski, Arthur, calculation of specific heats of solutions, A., ii, 375.

Balbiano, Luigi, separation of allyl and propenyl compounds in ethereal oils,

A., i, 401.

Ball, Walter Craven, slow decomposition of ammonium chromate, dichromate, and trichromate by heat, T., 87.

a new method for the detection of sodium, cæsium, and rubidium, T., 2126; P., 284; discussion, P., 284.

Balthasar, Karl, volumetric estimation of calcium oxide in presence of dis-

solved silica, A., ii, 831.

Baly, Edward Charles Cyril, (Miss) Katharine Alice Burke, and (Miss) Effie Gwendoline Marsden, the absorption spectra of the nitrates in relation to the ionic theory, T., 1096; P., 144; discussion, P., 145.

Baly, Edward Charles Cyril, John Norman Collie, and Herbert Edmeston Watson, relation between absorption spectra and chemical constitution. Part XIII. Some pyrones and allied compounds, T., 144.

Bamberger, Eugen, anthranil. XI., A,

i, 509.

anthranil. XIII. Diazotisation of anthranils and conversion of arylanthranils into acridones, A., i, 510.

Bamberger, Eugen, and Oscar Baudisch, action of hydrogen peroxide on nitrosoacetanilide and spontaneous decomposition of the latter, A., i,

oxidation of normal diazohydroxides with hydrogen peroxide, A., i, 977.

Bamberger, Eugen, and Andor Fodor, [with Oscar Baudisch], o-nitrosobenzaldehyde, A., i, 589.

Bamberger, Eugen, and Sven Lindberg, phenylanthranil (2-phenyl-ψ-benzoxazole), A., i, 511.

Bamberger, Eugen, and Jarl Lublin, anthranil. XII. Anthranil and methylanthranil, A., i, 509.

Bamberger, Eugen, and Wilhelm Pemsel, [action of amyl nitrite on phenylm-nitrobenzylidenehydrazine], A., i,

Bamberger, Eugen, and Frank Lee Pyman, reduction of o-nitrobenzoic acid and its esters, A., i, 573.

Bamberger, Max, radioactivity of certain springs in Upper Austria, A., ii, 110.

radioactivity of certain spring-waters of the Semmering Province, A., ii, 110.

Bamberger, Max, and Anton Landsiedl, Polyporus rutilans, A., ii, 922.

Bames, Ernst. See Rudolf Weinland. Bancels. See Larguier des Bancels.

Bancroft, Wilder Dwight, electro-chemistry of light. IV.-VII., A., ii, 200, 362, 454, 632, 847.

chemical reactions of phosphorescence, A., ii, 950.

Banerjee, S. C. See George Clarke, jun. Bang, Ivar, physico-chemical relations of red-blood corpuscles, A., ii, 413.

cobra poison and hæmolysis. II., A., ii, 681.

Barabasz, L., and Leon Marchlewthe chlorophyll group. V. identity of chlorophyllpyr-The role and hæmopyrrole, 948.

Barbier, Philippe, and Victor Grignard, transformation of pinonic acid into m-xylylacetic acid, 301.

new method for the hydration of pinene. II. Partial proximate analysis and purification of crude pin-III. Examination of the alcohols formed and origin of fenchyl alcohol, A., i, 501.

Barbieri, N. Alberto, chemical com-

position of ox-bile, A, ii, 819.

Barcroft, Joseph, and Mario Camis, dissociation curve of blood, A., ii,

Barcroft, Joseph, and F. G. Roberts, dissociation curve of hæmoglobin, A., ii, 815.

Bardach, Bruno, a reaction of aromatic inner anhydrides and anhydride-forming compounds, A., i, 645.

reaction for acetone, A., ii, 626.

Bardier, E. See J. E. Abelous.

Bargellini, Guido, and A. Mannino, action of sulphuric acid on santonin. I., A., i, 723.

Barger, George, isolation and synthesis of p-hydroxyphenylethylamine, an active principle of ergot soluble in water, T., 1123; P., 162.

synthesis of hordenine, the alkaloid from barley, T., 2193; P.,

constitution of dichloropiperonal, A., i, 240.

production of putrefaction bases, A., i, 701.

Barger, George, and Henry Hallett Dale, physiological action of primary fatty amines, A., ii, 254.

the active principles of ergot, A., ii,

Barger, George, and Arthur James Ewins, the action of phosphorus pentachloride on the methylene ethers of cate-chol derivatives. Part IV. Derivatives of dihydroxyphenyl-acetic, -glycollic, and glyoxylic acids, T., 552; P., 86.

Barger, George, and George Stanley Walpole, further syntheses of p-hydroxyphenylethylamine, T., 1720; P., $\hat{2}29.$

pressor substances from putrid meat, A., ii, 254, 416.

Barillé, A., part played by the dissociation of carbophosphates in nature, A., ii, 324.

existence of carbophosphates in milk: their precipitation by pasteurisation, A., ii, 820.

Barkla, Charles G., and C. A. Sadler, absorption of Rontgen rays, A., ii,

Barnett, Edward de Barry, the action of hydrogen dioxide on thiocarbamides, P., 305.

Barnett, Edward de Barry, and Samuel Smiles, the intramolecular rearrangement of diphenylamine orthosulphoxides, T., 1253; P., 195.

intramolecular rearrangement of the diphenylamine sulphoxides; preliminary note, P., 74.

Barre, some double sulphates of calcium, A., ii, 667.

double sulphates, A., ii, 733.

Barrée, Maurice, transformation points of copper-aluminium alloys; variation of electrical resistance with temperature, A., ii, 1011.
Barrett, William Henry. See Harold

Hartley.

Barrow, Fred. See Percy Faraday Frankland.

Barrowcliff, Marmaduke, and Frank Tutin, the configuration of tropine and \(\psi\)-tropine and the resolution of atropine, T., 1966; P., 256; discussion, P., 257.

Barteczko, Paul. See Fritz Ephraim. Bartell, F. E. See Samuel Lawrence

Bigelow.

Bartells, E. J. See Richard Sydney Curtiss.

Barthe, Léonce, and Adolphe Minet. action of cacodylic and methylarsinic acids on antimony trichloride, A., i,

Bartonec, Hugo, the estimation of tungsten in tungsten-steel, A., ii, 834.

Bartsch, C. See Paul Jacobson.

Baschieri, Ennio, constitution of zeolites, A., ii, 589.

constitution of ilvaite, A., ii, 589.

Baskoff, A., lecithin-glucoses and jecorin, A., i, 701.

lecithin and jecorin in the liver of normal dogs and those poisoned with alcohol, A., ii, 908.

Basler Chemische Fabrik, [preparation of the alkali derivatives of aromatic primary and secondary amines], A., i, 220.

[preparation of a thioindigoid dye from acenaphthenequinone], A., i,

preparation of 5:5-dialkyliminobarbituric acids (5:5-dialkylmalonylguanidines), A., i, 266.

Basler Chemische Fabrik, [1-diazo-2oxynaphthalene-3-carboxylic acid and its azo-derivatives], A., i, 536.

Bassett, H. P. See E. F. Ladd.

Bateman, H., a method of calculating the number of degrees of freedom of a molecule among which the partition of energy is governed by the principal temperature, A., ii, 210.

Bates, S. J. See John Bishop Tingle. Batey, J. P. See Edmund Knecht.

Battelli, Fr., and (Mlle) Lina Stern, uricase in animal tissues, A., ii, 749.

"accessory breathing" in animal

tissues, A., ii, 1029.
Baubigny, Henri, action of heat on silver sulphite and its alkali double sulphites; formation of a dithionate,

A., ii, 1004.
Baud, Emile, aqueous solutions of pyridine, A., i, 120.

the system water-pyridine, A., i, 957.

Baud, E., and L. Gay, the system water-liquid ammonia; agreement of the results with the existence of a hydrate of ammonia, A., ii, 558. Baudisch, Oscar, Gilbert Stanley Hibbert,

and William Henry Perkin, jun., the reduction of 4-hydroxy-o-toluic acid, T., 1870, P., 249.

Baudisch, Oscar, and William Henry

Perkin, jun., the reduction of 6-hydroxy-o-toluic acid, T., 1883; P., 249.

Baudisch, Oscar. See also Eugen Bamberger

Bauer, Edmond, radiation and temperature of the flame of the Bunsen burner, A., ii, 106, 453.

temperature of the oxyhydrogen flame A., ii, 657.

Bauer, Ed. See Albin Haller.

Bauer, G. A. See Hermann Apitzsch. Bauer, Hugo, a dinaphthyl ketone, A.,

action of organo-magnesium compounds on anhydrides of dicarboxylic acids, A., i, 585.

Bauer, O. See E. Heyn.

Bauer, Rudolph, imino-chlorides of oxalic acid. II., A., i, 466. 4-amino-1-methoxybenzene-2-sulph-

onic acid, A., i, 470.

Bauer, R. See Berthold Rassow. Bauer, Wilhelm. See Hans von Pechmann.

Baum, Fritz. See Paul Hoering. Baume, Georges, freezing points of

gaseous mixtures at very low temperatures, A., ii, 545.

Baume, Georges, and François Louis Perrot, density of methane; atomic weight of carbon, A., i, 77.

Baumhauer, Heinrich, crystallo-optical investigations, A., ii, 841.

Baumhauer, Heinrich. See also Edgar Wedekind.

Baur, Emil, estimation of sugar in meat, A., ii, 354.

Baxter, Gregory Paul, and Fletcher Barker Coffin, atomic weight of arsenic; analysis of silver arsenate, A., ii, 397.

Baxter, Gregory Paul, Murray Arnold Hines, and Edward Mueller, revision of the atomic weight of chromium. I. Analysis of silver chromate, A., ii, 487.

Baxter, Gregory Paul, and Richard Henry Jesse, jun., revision of the atomic weight of chromium. II. Analysis of silver dichromate, A., ii, 488.

exter, Gregory Paul, and George S. Tilley, revision of the atomic weights of iodine and silver, A., ii, Baxter,

Bayer, Gustav, methods of rendering adrenaline and catechol reactions more delicate, A., ii, 839.

Bayliss, William Maddock, adsorption and its connexion with enzyme

action, A., ii, 27. properties of colloidal solutions. I. The osmotic pressure of Congo-red and of some other dyes, A., ii, 648.

Beaudoin. See A. Jaboin.

Béchamp, derivatives of "thioindigo." A., i, 600.

Bechhold, Heinrich, phagocytosis, A., ii, 160.

Bechhold, Heinrich, and J. Ziegler, gout; solubility of uric acid and sodium urate in serum; influence of inorganic electrolytes on the separation of uric acid and urates from serum; influence of radium emanation, A., ii,

Karl, estimation of sulphuric Beck, acid in the air of accumulator rooms,

A., ii, 344.

Beckmann, Ernst [Otto], attempts to resolve racemic camphoric acid and isoborneol into active components, A., i, 169.

optically active menthones, A., i, 245. a porcelain vacuum reservoir for liquid

air, A., ii, 392.

ebullioscopic and cryoscopic measurement of molecular weights in iodine, A., ii, 642.

Beckmann, Ernst [Otto], metronome interrupters for electromagnetic stirrers in freezing-point apparatus, A., ii, 642.

Beckmann, Ernst, [and, in part, Ebert, Hans Netscher, and E. Schulz], behaviour of N-alkylaldoximes towards iodine and the condition of iodine in solutions, A., i, 652.

Beckmann, Ernst, [with F. Junker and Theodor Klopfer], compounds of sulphur and chlorine, A., ii, 137.

Beckmann, Ernst, [with Hans Netscher], oximino-compounds, A., i, 390.

Becquerel, Henri, Jean Becquerel. and Heike Kamerlingh Onnes, phosphorescence at very low temperatures, A., ii, 630.

Becquerel, Jean, rotatory power at low temperatures and the relation between the absorption of light and rotatory polarisation in crystals of cinnabar, A., ii, 107. certain optical and magneto-optical

properties of crystals at low tempera-

ture, A., ii, 200.

the influence of cathodic on canal rays. A., ii, 288.

hypothesis of positive electrons, A., ii,

new type of magnetic decomposition of absorption bands of crystals; simultaneous production of systems circularly polarised in opposite senses, A., ii, 454. Becquerel, Jean. See also Henri Bec-

querel.

Bedford, Fred. See Ernst Erdmann.

Beebe, S. P., protection to acetonitrile poisoning by thyroid feeding, A., ii,

Beebe, S. P. See also Eleanor van Alstyne and Louis W. Riggs.

Béhal, Auguste, preparation of esters of the cyclic series, A., i, 145.

preparation of aldehydes and acid anhydrides, A., i, 164.

preparation of anhydrides of cyclic and aliphatic acids, A., i, 302. Behnke, Max. See Otto Wallach.

Behrend, [Anton Friedrich] Robert, and Rudolf Niemeyer, condensation of Niemeyer, condensation of hydantoin with formaldehyde, A., i,

257. Behrend, Robert, and Roland Schultz, oxidation of uric acid in alkaline solution, A., i, 272. Behrend, Lotte. See Emil Abderhalden.

Behrens, Johannes, manurial experiments with calcium cyanamide, A., ii, 260. amount of hydrocyanic acid in reedmillet, A., ii, 514.

Bein, Willy, expansion of ethyl ether and of some mixtures of the ether and ethyl alcohol, A., i, 80.

mathematical investigation of the relationships occurring in the equilibrium of binary mixtures in solution and in vapour, A., ii, 471.

Beiser, M. See Br. Radziszewski. Beitler, O. See Erich Beschke.

Beketoff, Nicolai N., attempt to exp'ain the properties of radium, A., ii, 953.

Bell, Marcus. See Cecil Napier Hake. Belloni, E., iron formates, A., i, 283. Bellucci, Italo, and Pietro de Cesaris,

dichloropalladous acid, A., ii, 150. Belowsky, Max, the supposed meteorite

("leucite-uranolith") of Schafstadt,

near Merseburg, A., ii, 592.

Bemmelen, Jakob Maarten van, properties of hydrogels when dehydrated, A., ii, 234.

composition of volcanic soil from Java. A., ii, 428.

the weathering of clays. II., A., ii,

Benary, Erich, acylation of ethyl-\$aminocrotonate and analogous compounds, A., i, 888.

Benda, Ludwig. See Robert Kahn.

Bendixsohn, Kurd. See Franz Fischer. Benedicenti, Alberico, the red urinary pigment derived from indole. A., i, 834.

Benedicks, Carl [Axel Fredrik], the hardness and electrical resistance of solid solutions of metals, A., ii, 207.

Benedict, Francis Gano, an apparatus for studying the respiratory exchange, A., ii, 592. automatic pipette for sodium hydr-

oxide solution, A., ii, 611. Benedict, Francis Gano. See also Thorne

A. Carpenter.

Benedict, Stanley R., preparation of glyoxylic acid as a reagent, A., i, 285.

detection of reducing sugars, A., ii, 442.

estimation of total sulphur in urine, A., ii, 827.

Benedict, Stanley R., and Frank Gephart, estimation of urea in urine, A, ii,

Benedict, Stanley R. See also Lafayette Benedict Mendel.

Benelli, T. See Emanuale Paternò, Benesch, Erwin. See Robert Kremann.

Bennett, Alexander Hutcheon, estimation of aldehydes in oil of lemon, A., ii, 192.

Bennett, H. C. See George McPhail Smith.

Bennett, Hugh Garner, method for the estimation of nitrogen in organic substances, and, in particular, for the estimation of hide substance in leathers and of dissolved hide substance in the soak liquors and lime liquors of the leather factory, A., ii, 436.

Benrath, Alfred, electrical conductivity of salts and mixtures of salts, A.,

ii, 12.

change of density of liquid systems during chemical reactions, A., ii,

reduction of ferric chloride by the light of the mercury vapour lamp, A., ii, 847.

Bensemann, R., detection and approximate estimation of small quantities of arsenic, A., ii, 830.

Benson, C. C. See Archibald B. Macallum.

Benzur, J. See Julius Wohlgemuth. Beretta, Antonio. See Bernardo Oddo. Bereza, St. See Hermann Staudinger.

Berezowsky, W. See Gerhard Just. Berg, Armand, elaterin and some of its derivatives, A., i, 248.

elateric acid, A., i, 587.

Berg, William N., comparative digestibility of proteins in gastric juice, A., ii, 326.

Bergeat, Alfred, formation of nontronite by the action of solutions of iron sulphate on wollastonite, A., ii, 411.

Berger, Ernest. See Georges Darzens.
Bergh, Gustaf Fr., preparation
acraldehyde, A., i, 363.

Bergwitz, K., ionisation phenomena due to snow, A., ii, 364.

Berkeley, (Earl of), and Ernald George Justinian Hartley, "dynamic" osmotic pressures, A., ii, 553.

Berkeley, (Earl of), Ernald George Justinian Hartley, and C. V. Burton. osmotic pressures of aqueous solutions of calcium ferrocyanide. I. centrated solutions, A., ii, 126.

Berkeley, (Earl of), Ernald George Justinian Hartley, and J. Stephenson, osmotic pressures of calcium ferrocyanide solutions. II. Weak solutions,

A., ii, 554.

Berkold, O. See Otto Kühling.

Berl, Ernst, and A. G. Innes, estimation of carbon in aliphatic hydroxycompounds by the wet process, A., ii, 520.

Bernardi, A. See Roberto Ciusa. Bernardini, Luigi, the causes which determine the replacement of potassium of leucite in soils, A., ii, 177.

Bernardini, Luigi, and G. Corso, effect of different relations of calcium and magnesium on the development of plants, A., ii, 606.

Bernoulli, August L., atomic weight formula based on the law of mass action and Avogadro's rule, A., ii,

222.

Berté, Enrico, and Romeo, Messina oils; analysis of the oils of lemon, orange, and bergamot, A., ii, 352.

Bertheim, Alfred. See Paul Ehrlich. Bertrand, Gabriel, constitution of perseulose, A., i, 634.

Bertrand, Gabriel, and Franz Ducháček, action of a Bulgarian ferment on certain

sugars, A., i, 623.

Bertrand, Gabriel [Émile], and Maurice nicotine silicotungstate: Javillier, of nicotine, Α., estimation

Bertrand, Gabriel, and V. I. Meyer,

ψ-morphine, A., i, 601.
Bertrand, Gabriel [Emile], and (Mlle.) M. Rozenband, action of acids on peroxydase, A., i, 279.

Bertrand, P. See Robert Fosse.

Beschke, Erich, [with O. Beitler, M. Kitaj, and S. Strum], 2:7-dimethoxy-9:10-diphenylacenaphthylene and the corresponding dianisyl compounds, A., i, 917.

Beschke, Erich, [with H. Rölle and S. Strum, condensation of 2:7-dihydroxynaphthalene with aromatic aldehydes and ammonia; synthesis of substituted acenaphthylenes, A., i, 961.

Besson, Adolphe, and L. Fournier, action of gaseous hydrogen chloride on amorphous silicon, A., ii, 398.

preparation of silicon chlorides of the silicomethane series, A., ii, 399.

action of some oxidising agents on silicochloroform, A., ii, 481. silicon chlorides, A., ii, 663.

Best, Stanley Robert, and Jocelyn Field Thorpe, the formation and reactions of imino-compounds. Part VII. The formation of 1:3-naphthylenediamine from β-imino-α-cyano-γ-phenylpropane, T., 8.

the formation and reactions of imino-compounds. Part VIII. The formation of methyl derivatives of 2phenyl-1:3-naphthylenediamine from the three tolyl-acetonitriles, T.,

261, P., 28.

the formation and reactions of iminocompounds. Part IX. The formation of derivatives of cyclopentane αδ-dicyano-derivatives butane, T., 685; P., 92.

Best, Stanley Robert, and Jocelyn Field Thorpe, the formation and reactions of imino-compounds. Part X. The of imino-derivatives of formation pyrrole and of isopyrrole from aminonitriles, T., 1506; P., 216.

Besthorn, Emil, quinaldyl chloride, A.,

i, 673.

Bethe, Albrecht, the influence of electrolytes on the rhythmical movements of medusæ. II., A., ii, 418.

Betting, M., Erythrina, A., ii, 924. Bevan, Edward John. See Charles Frederick Cross.

Bevan, P. V., anomalous dispersion by metallic vapours, A., ii, 773.

Beyer, F. B. See Frank Austin Gooch. Beyerinck, Martinus Willem, and D. C. J. Minkman, the formation and consumption of nitrous oxide by bacteria, A., ii, 1043.

Beyschlag, Heinrich. See Gustav Schultz. Bezdzik, A., and Paul Friedländer, indigoid dyes. IV. Indigoid and indolignoid dyes of the naphthalene series and their decomposition products (hydroxynaphthaldehydes), A., i, 415.

Bezold, Ferdinand. See AlexanderNaumann.

Bezold, Heinrich von. See Alfred Stock. Bezzola, C., Guido Izar, and Luigi Preti, uric acid formation. II. Regeneration of destroyed uric acid in the artificially-perfused liver, A., ii, 909.

Bialosuknia, W. W., plant ferments, A., ii, 337.

Biberfeld, Joh., and Julius Schmid, the absorption of purine substances, A., ii, 595.

Bidot. See A. Richaud.

Biederbeck, Joseph. See Karl Bernhard Lehmann.

Biehler, A. von. See Zdenko Hanns Skraup.

Bielecki, Jan, influence of salts on the dialysis of peroxydase, A., i, 862.

Bierberg, W., the effect of ammonium salts on the fermentation of wines, A., ii, 423.

addition of ammonium salts in the fermentation of fruit and grape wines: a correction, A., ii, 823.

Bierema, Steven, assimilation of nitrogen as ammonia, nitrates, and amides by

micro-organisms, A., ii, 692.

Bierry, H., animal invertins and lactases; their specific action, A., i, 346. diastatic decomposition of α - and β methyl-d-glucosides, A., ii, 747.

Bierry, H., and J. Giaja, digestion of mannans and galactans, A., ii, 325.

Bierry. See (Mme.) Z. Gatin-Gruzewska. Bigelow, H. E. See Charles Loring Jackson.

Bigelow, Samuel Lawrence, and F. E. Bartell, size of the pores in porcelain and osmotic effects, A., ii, 979.

Biginelli, Pietro, composition chemical constitution of artificial tannin. I., A., i, 801. artificial tannin. II., A., i, 802.

Bignami, Cesare. See Efisio Mameli. Biilmann, Einar, organic mercury compounds, A., i, 17.

isomeric cinnamic acids, I. and II., A., i, 155, 382.

Biilmann, Einar, and Johannes Witt, organic mercury compounds, A., i, 371.

Billiter, Jean, absolute zero of potential, A., ii, 639. [potential measurements],

718.

Billows, E_{\cdot} , comparative crystallographic examination of cyanuric acid and the acid product of the synthesis of biuret by ethyl cyanoacetate, and of their salts, A., i, 462.

Biltz, [Johann] Heinrich, preparation of diacetyldioxime [dimethylgly-

oxime], A., i, 208. bromination of diphenylglyoxalone,

A., i, 839.
Biltz, Heinrich, [with Th. Kosegarten, P. Krebs, and Chaim Rimpel], glycols and glycol-ethers of glyoxalones and

their isomerism, A., i, 740. Biltz, Heinrich, [with P. Krebs and K. Seydel, new method for the preparation of thiohydantoins and the elimination of sulphur from them, A., i,

Biltz, Heinrich, [with Chaim Rimpel], methyl derivatives of diphenylacetyl-

enediureine, A., i, 848.

z, Wilhelm, dependence of the valency on the temperature in Biltz, heterogeneous systems, A., ii, 875. the occurrence of ammonia and nitrates

in potash deposits, A., ii, 900.

Biltz, Wilhelm, and E. Marcus, the occurrence of ammonia and nitrate in deposits of potash salts, A., ii,

the occurrence of copper in the Stassfurt potash deposits, A., ii, 1011.

Biltz, Wilhelm, and Werner Mecklen-burg, [with W. Goldbeck], equilibrium diagrams of tin with sulphur, selenium, and tellurium, A., ii, 1022.

Binder, O., automatic sampler and mixing apparatus, A., ii, 262. the coking test, A., ii, 569.

Binet du Jassonneix, Armand, compounds of boron with certain metals, A., ii, 569.

Bingham, Eugene C., and (Miss) J. Peachy Harrison, viscosity and fluidity, A., ii, 382.

Binz, Arthur, [nitronitrosotetramethyldiaminophenylbenzylsulphone], A., i, 144.

hyposulphites. VI., A., ii, 229.

Binz, Arthur, and Th. Marx, brominated indigotins, A., ii, 839.

Birch, William Colet, action of permanganate on ferrous salts in presence of hydrochloric acid, A., ii, 268.

copper as a reducing agent for ferric salts previous to their estimation volumetrically, A., ii, 621.

Biron, Eugen von, reciprocal action of substances in solution, A., ii, 797.

Biron, Eugen von, and S. P. Malschevsky, alteration of the transition temperature of Glauber's salt by a third substance, A., ii, 213.

Bissegger, I. W., and L. Stegmann, products formed by the decomposition of casein, A., i, 72.

Bitter, Ludwig, detection of free carbonic

acid in water, A., ii, 831.
Bitter, Ludwig. See also Karl Bernhard Lehmann.

Bjerregaard, A. P., simple ventilating tube for fermentations, A., ii, 920.

Bjerrum, Niels, physico-chemical investigations of the chromium chlorosulphates, A., ii, 740.

Bjerrum, Niels, and G. Hirschfeldt Hansen, halogenochromium salts containing aluminium, iron, and vanadium, A., ii, 739.

Black, John A. See William Ridgely Orndorff.

Thomas. James Blackadder. Walker.

Philip, new method for determining vapour densities. IV., VII., and VIII., A., ii, 21, 643.

tables of molecular conductivities, A., ii, 291.

simple method for determining vapour densities. III., VI., IX., and X., A., ii, 298, 643.

simple method for determining vapour densities and for analysing binary mixtures, A., ii, 643, 974.

fractional precipitation from solution, A., ii, 648.

easy method for determining vapour densities, A., ii, 867, 974.

Blackman, Philip, electrionic theory, A., ii, 956.

Blair, Andrew Alexander, estimation of carbon and phosphorus in steel, A., ii,

Blaise, Edmond Émile, and Henri Gault, products of hydrolysis of ethyl dioxalylsuccinate, isopyromucic acid, A., i, 134.

Blaise, Edmond Emile, and I. Herman, αα-dialkyl-β-keto-alcohols, A., i,

Blaise, Edmond Émile, and A. Kochler, syntheses by means of mixed organometallic compounds of zinc; preparation of ketonic acids and diketones, A., i, 204.

transformation of non-cyclic diketones into cyclic compounds, A., i,

287.

ring formation in ketonic acids, A., i, 478.

lactonisation of acid alcohols, A., i.

551. Blaise, Edmond Émile, and M. Maire, syntheses by means of mixed organo-

metallic zinc derivatives, β-ketone alcohols, and αβ-acyclic unsaturated ketones, A., i, 85.

Blake, Charles R., [constituents] of Vebernum dentatum, A., ii, 1048.

Blanc and Rameau, modification of Grimbert's process for the detection of urobilin in urines, A., 772.

detection of proteins in urine, A., ii,

Blanc, Gian Alberto, presence of thorium in rocks, A., ii, 366.

thermal and ionising action of thorium

in rocks, A., ii, 459.

Blane, Gustave [Louis], syntheses in the camphor group. I. isoLaurolene and isolauronolic acid (\$campholytic acid), A., i, 100.

Blanc, Gustave. See also J. Bouveault. Blangey, Louis. See Victor Villiger.

Blanksma, Jan Johannes, derivatives of 2:3:4-trinitroanisole, 150.

2:5- and 4:5-dinitro-m-xylenes, A., i,

bromination of the dinitroanilines, A., i, 297.

reversible substitution of alkoxyl groups in the benzene ring, A., i, 378.

nitro-derivatives of 3:5-dibromotoluene, A., i, 778.

acetylation with acetic anhydride and sulphuric acid, A., i, 779.

Blanksma, Jan Johannes, action of sodium disulphide on ring-substituted pnitrotoluenes, A., i, 936.

Blanksma, Jan Johannes. See also William Alberda van Ekenstein.

Blanquies, (Mlle). L., comparison of the a-rays produced by different radioactive substances, A., ii, 634.

Blarez, Charles, and L. Chelle, volumetric estimation of sulphurous acid in wines [and food products], A., ii,

Blasdale, Walter Charles, separation of calcium from magnesium, A., ii, 763.

Blau, H., surinamine, A., i, 51.

Bleeck, Alfred William Gustav, jadeite in the Kachin Hills, Upper Burma, A., ii, 412.

Bleibtreu, Max, micro-chemical detection

of glycogen, A., ii, 355. Bleyer, Benno. See Wilhelm Prandtl.

Blezinger, R. See Hermann. Bliss, F. W. See S. C. Lind. See Hermann Apitzsch.

Bloch, C., and M. Hoffmann, soil analysis, A., ii, 196.

Bloch, Ernst, the non-dependence of autolytic protein-cleavage on the presence of blood, A., ii, 1035.

Bloch, Eugène, influence of impurities on the photo-electric effect in liquids, A., ii, 282.

Bloch, Léon, theory of absorption in gases, A., ii, 107.

phosphorescence and combustion flames of sulphur, A., ii, 395.

ionisation by chemical means, A., ii, 781.

Bloemendal, W. H., arsenic in the animal organism, A., ii, 76.

Blount, Bertram, and Arthur Gar-field Levy, use of quartz combustion tubes, especially for the direct estimation of carbon in steel, A., ii,

Bloxam, WilliamPopplewell. See Frederick Thomas.

Blum, William, derivatives of complex inorganic acids: phosphovanadio-

molybdates, A., ii, 54.

Blumann, A., and Otto Zeitschel, oxidation of fenchyl alcohol, A., i, 658.

Blume, Gustav. See Max Busch.

Blumenthal, Ferdinand, constitution and toxicity of various substances of the atoxyl group, A., ii, 421.

the detection and the course of excretion of atoxyl in urine; observations on the paper by Lockemann and Paucke, A., ii, 421.

umenthal, Ferdinand, Friedrich Herschmann, and Ernst Jacoby, the Friedrich Blumenthal, detection and method of formation of aromatic substances in the organism. I. Detection of indole and scatole, A., ii, 1059.

Blumenthal, Ferdinand, and E Jacoby, atoxyl. III., A., ii, 255.

Boas, Kurt, detection of adrenaline, A., ii, 628.

Bobertag, 0. See H. WaldemarFischer.

Bock, Fr., the electrical reduction of aluminium, A., ii, 671.

Bode, Georg. See Martin Freund.

Bode, Günther, behaviour of ice in the ultra-red spectrum, A., ii, 844.

Bodenstein, Max, and Massao Katayama, the dissociation of sulphuric acid and of nitrogen dioxide, A., ii, 468.

Bodroux, F., and Felix Taboury, action of some organo-magnesium compounds on a-methylpentan-δ-one, A., i, 546.

synthesis of unsaturated aliphatic ketones, A., i, 698.

action of bromine on \(\beta\)-methylnaphthalene in the presence of aluminium bromide, A., i, 707.

action of calcium carbide on some

ketones. II., A., i, 766. Böcker, Rudolf. See Richard Anschütz. Böcking, Alex. See Otto Diels.

Boegemann, Max. See Carl Dietrich Harries.

Böhi, A. See Richard Lorenz.

Boehm, Paul. See Leon Asher.

Boehm, Rudolf, and Konrad Kubler,

"Kawar" root, A., i, 41.
Boehringer & Söhne, C. F., preparation of salicylosalicylic [o-salicyloxybenzoic] acid, A., i, 803.

Boeke, H. E., rinneite, A., ii, 153.

artificial preparation of rinneite on the basis of its solubility diagram, A., ii, 582.

Böklen, Emil. See Wilhelm Wislicenus. Bömer, Alois, [and, in part, G. Heimsoth], glycerides of fatty acids. Occurrence of the mixed glycerides of palmitic and stearic acids in mutton tallow, A., i, 284.

Boening, Carl, detection of albumin and mercury in urine, A., ii, 451.

Boeris, Giovanni, crystallographic examination of some organic additive compounds, A., i, 469.

Börsch, Ludwig, band spectrum of barium and the structure of the bands in the compound spectra of barium halogen compounds, A., ii, 775.

Boes, Johannes, 1- and 2-methylcoumarone, A., i, 42.

Böttcher, Karl, new synthesis of adrenaline and allied compounds, A., i, 152.

Boettcher, Th., and Hans Vogt, the time relations in the course of protein decomposition with different diets, A., ii, 817.

Böttcher, Willy. See Alfred Stock.

Böttger, Wilhelm, detection of chlorides in the presence of complex cyanides and other halogenides, A., ii,

the mercury cathode, A., ii, 619.

Böttger, Wilhelm, [and K. Pollatz], estimation of lead as oxalate, A., ii,

Bogert, Marston Taylor, and Ross Aiken Gortner, quinazolines. XXII. 3-Amino-2-methyl-4-quinazolone certain of its derivatives, A., i, 679.

Bogert, Marston Taylor, and Farel Louis Jouard, 3-amino-o-phthalic acid and certain of its derivatives, A., i, 305.

Bogert, Marston Taylor, and Alfred H. Kropff, some amino- and nitroaminoderivatives of benzoic, m-toluic, and

isophthalic acids, A., i, 583.
quinazolines. XXIII. 7-Amino-6-methylquinazolones, 7-nitroquinazolone-6-carboxylic acids, and 1:3: 7:9-naphthatetrazines, A., i, 843.

Bogert, Marston Taylor, and Clarence Earl May, quinazolines. XXI. Certain May, quinazolines, description of the statement of the

tain quinazoline oxygen ethers of the type 'N:C(OR) and the isomeric 'NR CO compounds, A., i, 329.

Bohmansson, Gosta, detection of sugar in urine, A., ii, 770.

Boiteau, Georges. See André Brochet and Hippolyte Copaux.

Bokorny, Thomas, assimilation of formaldehyde and of glycerol and sugar, A., ii, 70.

carbon dioxide assimilation and nutrition of plants with formaldehyde, A., ii, 695.

direct detection of formaldehyde in leaves; formaldehyde reagents, A., ii, 1057.

Bolin, Ivan. See Hans von Euler. Boljarski, N. See E. S. London.

Bollenbach, Hermann, volumetric estimation of lead with potassium permanganate, A., ii, 1054.

Bollenbach, Hermann, and E. Luchmann, volumetric estimation of chromium with potassium ferricyanide, A., ii. 187.

Bolton, Werner von, thorium, A., ii, 53. Bonamartini, Giuseppe, and M. Lombardi, acid and neutral copper albumins, A., i, 72.

Bond, P. A. See William Jay Karslake.

Bondi, S., lipo-proteins and their significance in fatty degeneration of cells. II. Lipo-peptides, their significance, synthesis, and properties, A., i, 458.

Bondi, S., and Th. Frankl, lipo-proteins and their significance in fatty degeneration of cells. III. Synthesis of palmityl-glycine and palmitylalanine, A., i, 459.

lipo-proteins and their significance in fatty degeneration of cells. IV. The behaviour of lipo-peptides towards ferments, A., i, 459.

Bondouy, Th., characteristic principles of Sclerostomum equinum; presence in this parasite of an intensely hæmo-

lytic crystalline alkaloid, A., ii, 78.

Bondzyński, Stanislaus, and Vincenty
Humnicki, the behaviour of salol and distearyl salicylyl glyceride in the organism, A., ii, 332.

Bongiovanni, Corrado, reaction between ferric compounds and thiocyanates, A., i, 637.

new methods of colouring vegetable phosphorus compounds, A., ii, 512. microchemical method for phosphorus

in plants, A., ii, 616.

Bonjean, Edmond, formation of oxygen compounds of nitrogen and of their metallic salts (iron and lead) in the production of ozone for the sterilisation of water, A., ii, 659.

Bonner, W. D. See George A. Hulett. Bonnet, Pierre. See Marcel Delépine. Bonu, Raimondo. See Efisio Mameli. Boos, William F., reducing compon-

ent of nucleic acid from yeast, A., i,

Borchardt, L., putrefaction of glutamic and aspartic acids, A., i, 210.

diabetic lævulosuria and the detection of lævulose in urine, A., ii, 688.

Bordas, Fréd., radioactivity of soil, A., ii, 7.

Bordas, Fréd., and F. Touplain, the enzymes of milk, A., ii, 505.

Bordas, L., physiological function of the arborescent glands of the female generative apparatus in the cockroach, A., ii,

Borde, F., composition and fractionation of samphire oil, A., i, 945.

Borelli, Vincenzo, constitution of certain mercuric compounds with complex cations. III., A., i, 452.

Borelli, Vincenzo, estimation of thorium in monazite sand, A., ii, 522.

Borghesani, G., pentosans of Soja hispida, A., ii, 258.

Borgo, Alessandro, and M. Amadori, the molecular magnitude of sulphur in bromoform solution, A., 309.

Borgo, Alessandro. See also Giuseppe Bruni.

Borinski, Paul. See Wilhelm Prandtl. Bormann, Carl, adjustible crucible support, A., ii, 724.

Bornemann, Karl, and F. Schreyer, the system Cu₂S-FeS, A., ii, 1012.

Walther Georg Borsche, Rudolf], synthesis of a-substituted cinchonic acids by Doebner's method, A., i,

ethyl a-dinitrophenylacetoacetate and related compounds. I. and II., A., i, 232, 385.

reactivity of the methylene groups in ethyl p- and o-nitrophenylacetates, A., i, 925.

new cinchonic acid syntheses, A., i,

Boruttau, Heinrich, behaviour of "bromoglidin" in the organism, A., ii, 170.

Bosart, Louis W., jun., a useful oilbath, A., ii, 563.

Bose, Emil [Hermann], the so-called asymmetry product, A., ii, 2. [oxide theory of the oxygen electrode],

A., ii, 115.

thermodynamics of binary mixed liquids, A., ii, 214.

anomalies in the viscosity of anisotropic liquids in a condition of hydraulic flow, A., ii, 215.

theory of anisotropic liquids. II., A., ii, 383.

Bose, Emil,and Margrete Bose, influence of mass distribution in molecule on the magnitude of the molecular forces, A., ii, 989.

Bose, Emil, and Dietrich hydraulic viscosity of liquids, A., ii,

Bose, Emil, and Fr. A. Willers, the so-called asymmetry product. A., ii, 361.

Bose, Margrete. See Emil Bose.

Bossuet, P. See Paul Lebeau. Bosworth, Rowland S., iodometric estimation of silver based upon the reducing action of potassium arsenite, A., ii, 938.

Bosworth, Rowland S. See also Frank Austin Gooch.

Bottazzi, Filippo, electric transport of glycogen and starch, A., i, 700.

electric transport and electrolytic decomposition of chloroform, A., i, 753.

technique of electric transport and dialysis experiments with organic

colloids, A., ii, 720.

Bottazzi, Filippo, and Noè Scalinci, chemico-physical investigations on the crystalline lens. III. Imbibition of the crystalline lens in water in water vapour, A.,

chemico-physical investigations on the crystalline lens, IV. and V., A., ii,

162, 417.

chemico-physical investigations on the crystalline lens. VI. and VII. Imbibition of the lens in sodium chloride solutions of various concentrations, A., ii, 502.

Bottu, H., clinical detection of dextrose in urine by o-nitrophenylpropiolic acid,

A., ii, 1056.

Boudouard, Octave, humic substances of coals, A., i, 12.

action of air and oxidising agents on

coals, A., ii, 234.

Bougault, J., benzoylacrylic acid, A., i, 102.

benzoylacrylic acid; condensation of glyoxylic acid with certain ketones, A., i, 487.

catalytic oxidation of hypophosphor-

ous acid by copper, A., ii, 310. Bougault, J., and Léon Bourdier, the waxes of the coniferæ; a new group of natural principles, A., i, 82.

Boulouch, demonstration of the phase rule, A., ii, 802.

Boulud, Raymond. See Raphael Lépine. Bourdier, Léon. See J. Bougault.

Bourion, François, action of sulphur chloride, S₂Cl₂, on metallic oxides, A., ii, 229.

Bourion, François. See also Georges Urbain.

Bourquelot, Émile [Élie], general process of oxidation by oxidising ferments, A., i, 862.

Bourquelot, Émile, and Marc Bridel, analysis of the tubercle of Dioscorea macabiha from Madagascar, A., ii,

detection of raffinose in plants; its presence in two leguminous seeds, A., ii, 836.

Bouveault, J., and Gustave Blanc, syntheses of derivatives of camphenilone, A., i, 108.

XCVI, 11.

Bouveault, Louis, [1-acetyl- \triangle 1-cyclopentene as an oxidation product of \triangle^1 -cyclohexeneacetic acid], A., i, 372.

Bouveault, Louis, and Levallois, synthesis of derivatives of racemic fenchone, A., i, 497, 595.

Bowles, O., pyromorphite from British Columbia, A., ii, 900.

Bowman, Herbert Lister, the identity of poonahlite with mesolite, A., ii,

Bowser, L. T., simple fat extraction apparatus, A., ii, 770.

Boycott, Arthur Edwin, and C. G. Douglas, oxygen capacity, A., ii, 249.

Boycott, Arthur, and John Scott Haldane, effects of low pressures on respiration, A., ii, 66.

Boyd, David Runciman, and Herbert Stanley Knowlton, the action of ammonia on the glycide aryl ethers. Part I. e-Tolyloxypropanolamines, T., 1802, P., 235.

Boyd, David Runciman, and Ernest Robert Marle, the action of potassium hydroxide on epichlorohydrin in presence of monohydric phenols, T., 1807, P., 235.

Boyle, (Miss) Mary, the iodobenzenemonosulphonic acids. Part I., T.,

1683; P., 35. Braak, C. S See Heike Kamerlingh Onnes.

Braasch, Fritz. See Paul Rabe.

Bradley, Harold C., human pancreatic

juice, A., ii, 496.

Bradley, W. M., composition of warwickite, A., ii, 247.

analysis of neptunite from San Benito Co., California, A., ii, 815.

Bradley, Walter Parke, Arthur Wesley Browne, and C. F. Hale, effect of mechanical vibration on carbon dioxide near the critical temperature. II., A., ii. 788.

liquid above the critical temperature, A., ii, 789.

Bräuer, P., calorimetric determination of heat development at electrodes, A., ii, 15.

Bragg, William Henry, and John Per-cival Vissing Madsen, experimental investigation of the nature of γ-rays, A., ii, 112.

See Emil Abderhalden. Brahm, Carl.

Brahn, R. See Carl Neuberg.

Bramsch, Walther, condensation of ypicoline, 2:6-lutidine, and γ -collidine [2 4 6-trimethylpyridine] with piperonaldehyde and salicylaldehyde, A., i, 414.

Brand, Kurt, electrolytic reduction of the condensation products of aldehydes and amines, A., i, 784.

thiophenols. I. o-Azothioanisole and o-thiodianisidine, A., i, 855.

Brand, Kurt, and Eduard Stohr, electrochemical reduction of p-nitroacetanilide, A., i, 564.

Brand, Max. See Fritz Ephraim.

Brandenburg, Robert, a means of holding the weighed tube used in the determination of vapour density by the displacement method, A., ii, 298. estimation of free calcium oxide in

cements, A., ii, 832.

Brandt, Leopold, irregularities in the arsenic titration after previous distillation, A., ii, 1051.

Brannon, W. A. See Elmer V. McCollum.

Brantlecht, C. A. See Thomas Burr Osborne.

Brasch, Walter, the bacterial degradation of the primary scission products of proteins, A., ii, 692.

Brassert Walter. See Josef Houben. Braun, Julius von, synthesis of inactive lysine from piperidine, A., i

decomposition of camphidine by means of phosphorus pentachloride, and new derivatives of e-chlorobenzoylamylamine, A., i, 398.

the fission of cyclic bases by cyanogen

bromide. II., A., i, 507. relative stabilities of the piperidine and tetrahydroquinoline rings, A., i, 604.

rupture of cyclic bases by Hofmann's method, A., i, 604.

stability relationships of the anhydrides and thioanhydrides of organic acids, A., i, 630.

Braungard, K., rapid method for the estimation of albumin in urine, A., ii, 840.

Brauns, D. H., estimation of furfuroids in presence of pentosans, A., ii, 443.

Brauns, Rheinhard, pyromorphite from Rhenish Prussia, A., ii, 492. sanidine from the Leilenkopf, Lake

Laach, A., ii, 590.

Bray, William C., a system of qualitative analysis for the common elements. [IV.] Analysis of the alkaline earths and alkali groups, A., ii, 431.

Bray, William C. See also G. Abbott.

Brdlik, Vladimir, quantitative control in chlorophyll research, A., i, 41.

Brdlik, Vladimir. See also Julius Stoklasa.

Bredemann, G., Bacillus amylobacter A. M. et Bredemann, A., ii, 601.

Bredig, Georg, and J. W. Kerb, electrical stimulation of catalytic pulsations, A., ii, 786.

Bredt, Julius, and A. van der Maaren-Jansen, vacuum distillation apparatus with an electrically heated discharge contrivance for solid substances with high or low melting points, A., ii, 721.

Bredt, Julius, [with Hermann Sandkuhl], constitution of camphor and its derivatives. X. Electrolytic reduction of camphorearboxylic acid to cis- and cis-trans-borneolcarboxylic acid; bornylenecarboxylic acid (preparation of pure bornylene). XI. Relationship of the camphylglycols to the borneolcarboxylic acids, A., i, 498.

Breinl, A., and Maximilian Nierenstein, the mechanism of atoxyl action, A., ii, 509.

Breithut, F. E. See Martin A. Rosa-

Breitwieser, W. See Hermann Finger, Brenton, B. F. Parlett. See John Bishop Tingle.

Bretsch, E. See Hermann Finger. Brezina, H. See Josef Habermann.

Bridel, Marc. See Emile Bourquelot. Briem, Hermann, sodium chloride experiments with mangolds, A, ii,

87. amount of sugar in beet manured with

nitrogen, A., ii, 339. Briggs, Samuel Henry Clifford, nickel and cobalt chromates, A., ii, 893.

Brillouin, Marcel, viscosity of liquids as a temperature function, A., ii, 867.

Briner, E., and E. Cardoso, liquefaction and compressibility of gaseous mixtures; a case in which combination occurs, A., ii, 124.

Briner, E., and E. L. Durand, chemical action of the electric discharge at low

temperatures, A., i, 125. Briner, E., and A. Wroczynski, chemical action in gaseous mixtures submitted to very high pressures, A., ii, 557.

Brioni, Arnaldo, reaction between ferric salts and thiocyanates, A., i, 92.

Brislee, Francis Joseph, electrolytic potentials of silver and thallium, A., ii, 462.

Brissemoret, A., and J. Chevalier, hypno-anæsthetics, A., ii, 419.

Brittner, Karl. See Fritz Ullmann. Britzke, Erhard, separation of silica from silicon and carbon, A., ii, 937.

Brizard, L. See Maurice de Broglie.

Brocca, Edoardo. See Efisio Mameli. Brochet, André, theory of the bellchamber process, A., ii, 312.

Brochet, André, and Georges Boiteau, electrolytic oxidation of ammonia, A., ii, 657.

Brocq-Rousseu and Edmond Gain, presence of amylase in old seeds, A., ii,

Brode, Johannes, and Wilhelm Lange, the chemistry of vinegar and the methods of investigation, A., ii,

Broeg, W. See Theodor Zincke. Brönsted, J. N., electromotive force of the hydrogen-oxygen cell, A., ii, 10,

chemical affinity. III. Solutionaffinity of binary systems. I. Theoretical, A., ii, 29. Broglie, Maurice de, electrically charged

centres of small mobility in gases, A., ii, 207.

Broglie, Maurice de, and L. Brizard, condition of electric charges on particles suspended in gases; charge on chemical fumes, A., ii, 535. physical origin of the liberation of

electricity in chemical reactions, A., ii, 637.

Broniewski. Witold. See Antoine Guntz.

Bronson, Howard L., a-rays from radium-B, A., ii, 634.

Brossa, G. Alessandro, inorganic fer-IV. Iridium catalysis of hydrogen peroxide, A., ii, 389.

Brossa, G. Alessandro. See also Emil Abderhalden.

Brough, Bennett Hooper, obituary notice of, T., 2202.

Brouwer, Arjen. See Oskar Grohmann. Brouwer, H. A., a nephelinic syenite with sodalite from the Transvaal, A., ii, 589.

Browinski, Josef, the occurrence of proteic acids in blood, A., ii, 69.

Brown, Adrian John, selective permeability of the coverings of the seeds of Hordeum vulgare, A., ii, 386.

Brown, Alexander Crum, and G. E. Gibson, action of nitric anhydride on mucic acid, A., i, 207.

Brown, E. W. See Frank Burnett Dains.

Brown, F. C., the kinetic energy of the positive ions emitted by hot platinum, A., ii, 368.

kinetic energy of the positive ions emitted from various hot substances, A., ii, 853.

Browne, Arthur Wesley, and G. E. F. Lundell, anhydrous hydronitric acid [azoimide]. I. Electrolysis of a solution of potassium trinitride [azoimide] in hydronitric acid [azoimide], A., ii, 396.

Browne, Arthur Wesley, and F. F. Shetterly, oxidation of hydrazine. III. and IV., A., ii, 233, 658.

Browne, Arthur Wesley. See also Walter Parke **Bradley**.

Browne, Frank, estimation of graphite, A., ii, 937.

Browning, Carl Hamilton, and G. Haswell Wilson, an anti-serum to globin, A., ii, 817, 1031.

Browning, Philip Embury, and William R. Flint, quantitative precipitation of tellurium dioxide, and its application to the separation of tellurium from selenium, A., ii, 934.

complexity of tellurium, A., ii, 996. **Browning**, Philip Embury, and Howard E. Palmer, volumetric and gravimetric estimation of thallium in alkaline solution by means of potassium ferri-

cyanide, A., ii, 620. Bruck, Walter. See Fritz Ullmann. Bruhat, G., coefficient of diffusion of the emanation of actinium, A., ii, 300.

Brulé, action of hydrobromic acid on allyl cyanide, A., i, 895.

Brunck, O., a new filtering crucible, A., ii, 826.

Brunel, Roger F. See Arthur Michael. Bruner, Ludwik, and S. Czarnecki, kinetics of bromination, A., i, 900.

Bruner, Ludwik, and Z. Lahociński, photochemical after-effect, A., 951.

Bruner, Ludwik, and J. Vorbrodt, influence of the solvent on the ratio of isomerides [in substitution], A., i, 372.

Bruner, Ludwik, and J. Zawadski, coprecipitation of thallium sulphide with other sulphides, A., ii, 1010. Brunetti, W. See Franz Sachs.

Bruni, Giuseppe, freezing of jellies, A., ii, 304.

basicity of acids and the constitution of certain anomalous acid salts, A., ii, 993.

Bruni, Giuseppe, and Alcssandro Borgo, hydrogen persulphides, A., ii, 477.

Bruni, Giuseppe, and D. Meneghini, formation and decomposition of mixed crystals of alkali nitrates and nitrites, A., ii, 885.

Bruni, Giuseppe, and C. Sandonnini, formation of salts and basicity of acids. III., A., ii, 115.

Brussow, S., adsorption of gold by charcoal from aqueous solutions of its salts, A., ii, 795.

Bruylants, Pierre, preparation of tilmethylene chlorobromide and dibromide, A., i, 198.

cyclic trimethylene compounds of the

type RHC CH₂, A., i, 226.
glutaric pinacone, OH CMe₂ [CH₂]₃.

 $CMe_2 \cdot OH$ [$\beta\zeta$ -dimethylheptane- $\beta\zeta$ diol], A., i, 625.

Bryan, A. Hugh, precipitation of reducing sugars with basic lead acetate, A., ii, 271.

Brynildsen, A. See John Sebelien. Bube, K. See Emil Erlenmeyer.

Bucherer, Hans Theodor, mechanism of coupling reactions, A., i, 193. p-nitrobenzenediazonium chloride, A.,

constitution of aniline-black, A., i, 820.

Bucherer, Hans Theodor, and Maximilian Schmidt, action of sulphites on aromatic amino- and hydroxy-com-VI. Action of sulphites on hydrazines, particularly the naphthyl-

hydrazines, A., i, 521. **Bucherer**, Hans Theodor, and Franz Seyde, [preparation of carbazole de-

rivatives], A., i, 735.

Bucherer, Hans Theodor, and A. Uhlmann, action of sulphites on aromatic amino- and hydroxyl-compounds. VII. Application of the sulphite reaction to some ana-(1:5)-derivatives of naphthalene, A., i, 787.

Bucherer, Hans Theodor, and S. Wolff,

p-nitrobenzenediazonium chloride, A.,

i, 272.

Buchner, Eduard, and Hugo Haehn, action of yeast enzymes, A., i, 624. Buchner, Eduard, and Jakob Meisen-

heimer, lactic acid in alcoholic sucrose fermentation, A., i, 881.

Buchner, Eduard, and Hermann Wüstenfeld, citric acid fermentation by Citromycetes, A., ii, 602.

Buchner, Fritz, tri-imides of m- and p-azo- and azoxy-benzenes, A., i, 979.

Buchner, Karl. See Karl A. Hofmann. Buchta, F. See Anton Skrabal.

Budde, Th., estimation of combined sulphur in caoutchouc, A., ii, 828.

Büchner, Ernst Hendrik, radioactivity

of rubidium compounds, A., ii, 779. Büchner, Ernst Hendrik, and B. J. Karsten, the system hydrogen bromide and bromine, A., ii, 224.

Buelens, Armand, ethylisoamylcarbinol and methylisohexylcarbinol, A., i,

Bülow, [Theodor] Carl [Heinrich], the amino-group of 1-amino-1:3:4-triazole, A., i, 680.

Bülow, Carl, [with Hans Filehner], action of N-amino-compounds on dehydracetic acid, A., i, 95.

Bülow, Carl, [with Otto Schärer], ethyl mesoxalylhydrazone-bis-(1-amino-2:5dimethylpyrrole-3:4-dicarboxylate),

A., i, 850. Bulow, Carl, and Fritz Weber, action of 1-amino-1:3:4-triazole and its 2.5substitution products on methylbromocoumalic acid, A., i, 613.

triazolepyrrole and triazolelutidone de-

rivatives, A., i, 614. action of 1-amino-1:3:4-triazole on diketones, A., i, 614. synthesis of heterocyclic dinuclear

compounds: heterohydroxylic acids, A., i, 615.

Bümming, G. See Ernst Schmidt. Bünz, R. See Alexander Gutbier.

Büttner, Georg, and J. Neuman, formation of hydrocelluloses by means of sulphuric acid, A., i, 86, 290. Büttner, Georg, and Hans Wislicenus,

distillation of wood with superheated steam, A., i, 290.

Bugarszky, Stephan, and Béla Horvath, new method for the estimation of iodides and of free iodine, A., ii,

Buglia, Giuseppe, does absorption depend on the surface tension of the absorbed fluid ? A., ii, 1032.

Buisson, M., estimation of starch [in potatoes, etc.], A., ii, 626.

Bukowska, H. See Br. Radziszewski.
Bull, Henrik, and J. C. F. Johannesen,
characterisation of fish oils by the bromine additive products, A., ii, 274. Bulla, Alfred. See Walter Herz.

Bulloch, William, and J. Andersen Craw, efficiency of Berkefeld filters. II., A., ii, 509.

Bunge, Nikolai N., action of iodine on silver benzoate and salicylate, A., i, 472.

synthesis of methoxycinnamic acid, A., i, 478.

Bunker, Sidney W., determination of

melting points, A., ii, 295.

Bunzel, Herbert H., and Albert P. Mathews, mechanism of the oxidation of dextrose by bromine in neutral and acid solutions, A., i, 289.

Bunzel, Herbert H. See also Herbert Newby McCoy.

Buraczewski, Józef, and Miecislas Dziurzyński, bromination of strychnine, brucine, and other alkaloids, A., i, 672, 953.

Burdakoff, W. A., preparation and composition of double compounds of $Pd(NH_3)_2X_2$ with $Pd(NH_3)_4X_2$; preparation of Pd(NH2 NH2)Cl2, A., ii, 899.

Burgess, George H. See Charles W. Waidner.

Burgstaller, A. See Victor Rothmund. Burke, (Miss) Katharine Alice, and Frederick George Donnan, chemical dynamics of the alkyl iodides, A., ii, 987.

Burke, (Miss) Katharine Alice. See also Edward Charles Cyril Baly.

Burnett, Theo. C., inhibiting effect of potassium chloride on sodium chloride

glycosuria, A., ii, 80. Burnett, Theo. C. See also T. Brailsford Robertson.

Burres, Opal. See Amos W. Peters.

Burri, Robert, and O. Allemann, chemical and biological investigations on slime-producing lactic acid bacteria, A., ii, 1043.

Burri, Robert, and M. Düggeli, the coliaerogenes group of organisms, A., ii,

Burt, Bryce C., amount and composition of the drainage waters collected during the year 1907-8, A., ii, 261.

amount and composition of the drainage waters collected during the year 1908-9, A., ii, 1049.

Burt, Frank Playfair. See Robert Whytlaw Gray.

Burton, C. V. See (Earl of) Berkeley. Burton, E. F., action of electrolytes on copper colloidal solutions, A., ii, 372.

Busch, Albert, [stable soluble compounds of organic substances and silver double salts], A., i, 706.

Busch, Max, gravimetric estimation of nitric acid, A., ii, 615.
Busch, Max, Gustav Blume, and Ernst

Pungs, [and, in part, Martin Fleischmann], carbodi-imides, A., i, 565.

Busch, Max, and Ernst Pungs, coloured isomeric picrylamines, A., i, 564.

Busignies, G., some ethylenic compounds containing nitrogen, A., i, 736.

Busquet, H, and V. Pachon, antagonism between trisodium citrate and calcium in their action on the heart and its inhibitor nerve supply, A., ii, 332.

Busolt, E. See Hans Rupe.

Butkewitsch, Wl., ammonia as a decomposition product of the nitrogenous compounds in higher plants, A., ii, 424.

Butkewitsch, Wl., fermentative ammonia cleavage in higher plants, A.,

Butler, B. S., pyrogenetic epidote, A., ii, 901.

Butler, Howard. See Ludwig Knorr.

Butterfield, E. E., the light extinction, the capacity to unite with gases, and the percentage of iron in human blood-pigment in normal and pathological conditions, A., ii, 903.

Buttle, Bertram Haward, and John

Theodore Hewitt, the constitution of

polynitrophenols in alkaline solution, T., 1755., P., 231.

Butureanu, Vasile C., manganese and iron minerals from the crystalline schists of Brosteni, Roumania, A., ii,

Byers, Horace Greeley. See Max Le Blanc.

yk, Alfred, total asymmetric syntheses, A., i, 130. calculations in photochemical pro-Byk,

cesses, A., ii, 454.

photopolymerisation of anthracene, A., ii, 632.

Bywaters, Hubert William, seromucoid, A., ii, 159.

the so-called "albumose" in normal blood, A., ii, 159.

a mucoid in the intestinal mucous membrane of the horse, A., ii, 415.

Caemmerer, G. See Emil Abderhalden. Caffin, M., analysis of orpiment, A, ii, 1052.

Cahen, Edward, and Gilbert Thomas Morgan, estimation of antimony and tin, A., ii, 187.

Cahen, Edward. See also Harry Frank Victor Little.

Caille, E., [combinations of camphor with phenols], A., i, 594.

Cain, John Cannell, nitrosoacetylaminoderivatives of the benzene and diphenyl series, T., 714; P., 123.
3-nitrodurene, P., 260.
decomposition of diazo-solutions, A.,

i, 70.

theory of diazo-compounds and ammonium salts, A., i, 70.

constitution of diazonium and ammonium salts, A., i, 445.

Calafat y León, Juan, natural ferrous sulphate, A., ii, 745.
 Calcagni, G. See Arnaldo Piutti.

Caldwell, Kenneth Somerville, and William Holdsworth Hurtley, the distillation of butter fat, cocoanut oil, and their fatty acids, T., 853; P., 73.

Calhane, Daniel Francis, and J. Woodbury, an application of graded potentials to ore analysis, A., ii, 1054.

Cambi, Livio, certain reactions of nitroderivatives, A., i, 373.

formation of double salts in nonaqueous solvents, A., i, 412.

thiohydroxamic acids, A., i, 646.

Cameron, Alexander Thomas, and Erich Oettinger, electromotive forces produced by acid and alkaline solutions streaming through glass capillary tubes, A., ii, 856.

Cameron, Frank Kenneth, and William O. Robinson, action of oxalic acid on ferric hydroxide, A., i, 205.

action of carbon dioxide under pressure on metallic hydroxides at 0°, A., ii, 42.

ferric nitrates at 25°, A., ii, 405.

Cameron, William. See George Gerald Henderson.

Camis, Mario, the sugar utilised in the isolated heart, A., ii, 73. action of guanidine on muscles, A., ii,

819.Camis, Mario. See also Joseph Barcroft.

Campbell, Norman, radioactivity of potassium, with special reference to solutions of its salts, A., ii, 8.

absorption of B-rays by liquids, A., ii, 205.

radioactivity of rubidium, A., ii, 288. Campetti, Adolfo, absorption and mobility of didymium ions, A., ii, 787.

Campo, Angel del, colour test for salts of

zine, A., ii, 439. Candler, J. P. S See William Dobinson Halliburton.

Candussio, G., reaction to differentiate from β -eucaine, A., ii,

Cappezzuoli, Cesare, mineral constituents of bone in osteomalacia, A., ii,

the iron of the spleen, A., ii, 504.

Cappezzuoli, Cesare.See also Carl Neuberg.

Carbone, Domenico, and Renato Marincola-Cattaneo, the influence of oxygen on the decomposition of plants (contribution to the study of humus for-

mation), A., ii, 83.

Cardoso, E. See E. Briner.

Carette, Henri, detection of wood spirit in galenical tinctures, A., ii, 623.

Carles, P., detection of phosphatic compounds in cereals, A., ii, 265. estimation of "total tartaric acid" in

tartarie products, A., ii, 525.

Carles, P., the phosphoric compounds in wines, A., ii, 927.

Carletti, Ottorino, estimation of the total acidity of wines, A., ii, 189.

new reaction of abrastol, A., ii, 528. reaction of pyrogallol, A., ii, 769.

Carlier, E. Wace, physiological action of allylthiocarbimide, A., ii, 508.

Carlson, Anton J., and A. B. Luckhardt, diastases in the blood and body fluids, A., ii, 68.

Carlson, C. E., estimation of morphine in opium, A., ii, 838.

Carnevali, F., additive compounds of selenium dioxide, A., i, 14.

Carnevali, F. See also Federico Giolitti.

Carniol, J. See Jacques Pollak. Carnot, Adolphe, and Alfred Lacroix,

composition of morinite, A., ii, 58. Caro, Nikodem, preparation of cyanides, A., i, 895.

Caro, Nikodem, and Hermann Grossmann, the chemical nature of dicyanodi-

amide, A., i, 558.
Carpenter, Thorne M., and Francis Gano Benedict, metabolism in man with greatly diminished lung area, A., ii,

mercurial poisoning of men in the respiration calorimeter; metabolism during fever, A., ii, 508.

metabolism during typewriting, A., ii, 683.

Carracido, José R., separation of argon from nitrogen, A., ii, 728.

Carrara, Giacomo, supertensions organic solvents, A., ii, 958.

Carrasco, Oreste, elementary analysis according to Carrasco-Plancher, A., ii, 701.

magnesium peroxides, A., ii, 808.

Carrasco, Oreste. See also Guiseppe Plancher.

Carré, Paul, alkaline reduction of onitrodiphenylmethane, A., i, 121. acid glycerophosphates, A., i, 128.

preparation of indazyl derivatives by means of orthoketonic hydrazines, A., i, 262.

formation of an ether by the dehydration of the alcohol by heat, A., i, 300.

alkaline reduction of the three nitrobenzophenones, A., i, 339.

magnesium derivatives of xylyl bromides, A., i, 544.

Carrez, Cyrille, defecation of milks for the estimation of the lactose by

copper solutions, A., ii, 625. copper reagents and estimation of sugars; copper lactate reagent, A., ii, 835.

Carteret, M., and Georges Carteret, action of sulphur dioxide on flour and cereals, A., i, 341.

Carteret, Georges. See M. Carteret. Carvallo, J. See Émile Kohn-Abrest.

Casanova, Carlo, additive product of iodine and essential oil of turpentine, A., i, 813.

Casolari, Angelo, iodometric estimation of the oxygen in quinols and in chromic acid, A., ii, 769.

Caspar, Carl. See Georg Schroeter.

Cassella & Co., Leopold, [reduction of nitrodiazo-compounds to azoxy-derivatives], A., i, 746.

Castellana, Vincenzo. See Angelo Angeli.

Castellani, S. See Mario Giacomo Levi.

Castillo. See Muñoz del Castillo.

Castoro, Nicola, coloration of the particles of colloidal starch and of perfectly soluble starch with iodine and potassium iodide, A., i, 634.

soluble carbohydrates and hemicelluloses in the seeds of Cicer arietinum,

A., ii, 754.

Catheart, Edward Provan, influence of carbohydrates and fats on protein metabolism, A., ii, 1032.

metabolism, A., ii, 1032. Caton, Frederic William. See Frank Tutin.

Cavazza, Luigi Ermanno, estimation of

tannins, A., ii, 276.

Caven, Robert Martin, detection and estimation of chloride in presence of bromide and estimation of iodide, bromide, and chloride in mixed solution, A., ii, 612.

Centnerszwer, Mieczyslaw, critical volumes and density curves of solutions, A., ii, 974.

Centnerszwer, Mieczysław. See also Paul Walden.

Cereser, O. See Ciro Ravenna.

Cermak, Paul. See Heinrich Willy Schmidt.

Cernovodeanu, P., and Victor Henri, action of ultraviolet rays on the tetanus toxine, A., ii, 822.

Cerny Carl, the occurrence of silicic acid in the organism, A., ii, 911.

Cesaris, Pietro de. See Italo Bellucci. Cesaro, Giuseppe, hopeite, A., ii, 745.

Chamberlain, Joseph S., feeding value of cereals as calculated from chemical analysis A ii 429

analysis, A., ii, 429.
Chamot, Emil M., and D. S. Pratt, phenolsulphonic acid method for the estimation of nitrates in water. I. Composition of the reagent and of the reaction product, A., i, 641.

Chancel, M. F., theory of bell-chamber process for electrolysis of alkali chlorides, A., ii, 235.

Chandler, R. H., allophane from Abbey Wood, Kent, A., ii, 493.

Chanoz, M., asymmetry due to the passage of a continuous current through a chain of aqueous solutions of electrolytes with a common ion, A., ii, 292.

action of continuous current on symmetrical chains of aqueous solutions of electrolytes which have no common ion, A., ii, 464.

Chapin, William H. See Edgar T. Wherry.

Chapman, Alfred Chaston, Jaffe's colorimetric method for the estimation of creatinine, A., ii, 948.

Chapman, David Leonard, and Patrick Sarsfield MacMahon, the interaction of hydrogen and chlorine, T., 135; P., 15.

the retarding effect of oxygen on the rate of interaction of chlorine and hydrogen, T., 959; P., 148.

the influence of gaseous oxides of nitrogen on the rate of interaction of chlorine and hydrogen, T., 1717; P., 224.

Chapman, David Leonard, and Leonard Vodden, nitrogen chloride, T., 138; P., 15.

Chapus, A., estimation of fatty matters in fæces, A., ii, 947.

Charitschkoff, K. W., carbonaceous substances and bitumens, A., i, 39.

polynaphthenic acids, I. and II., A., i, 154, 471.

oxidation of naphthene and benzene hydrocarbons by the action of air in presence of alkali, A., i, 896.

determination of the vapour density of mixed liquids, A., ii, 22.

simultaneous estimation of the residue and combined carbon dioxide in waters, A., ii, 701.

Charnas, D., preparation, behaviour, and quantitative estimation of pure urobilin and of urobilinogen, A., i, 820.

Charpy, Georges, formation of graphitic acid and the definition of graphite, A., ii, 399.

action of carbon monoxide on chromium, nickel, manganese, and their oxides and alloys, A., ii, 405.

separation of graphite from white cast iron heated under pressure, A., ii, 672.

Charrier, G. See Giacomo Ponzio.

Chattaway, Frederick Daniel, a synthesis of para-urazine from caroamide, T., 235; P., 10.

Chattaway, Frederick Daniel, the preparation of dichlorocarbamide, T., 464; P., 72.

the preparation and properties of the N-tribromo-substituted hydrazines (the diazonium perbromides), T., 862; P., 120.

the action of the halogens on aromatic hydrazines, T., 1065; P., 147.

ammonium perhalides, P., 163.

the action of chlorine on carbamide, whereby a dichlorocarbamide is produced, A., i, 90.

Chattaway, Frederick Daniel, and Donald Frederick Sandys Wünsch, chlorine derivatives of substituted carbamides, T., 129; P., 11.

Chaumont, L., the diffusion of radium

emanation, A., ii, 781.

nauvenet, Edouard, chlorides and Chauvenet, oxychlorides of thorium, A., ii, 53. anhydrous compounds of thorium chloride with alkali chlorides, A.,

ii, 583. hydrated compounds of thorium chloride with alkali chlorides, A., ii,

hydrates of thorium chloride and bromide, A., ii, 741.

Chavan, P., effect of chemical manures on the composition of meadow hay, A., ii, 927.

Chavanne, G., and (Mlle.) B. van Roelen, cyclohexanol, A., i, 21.

Chelle, L. See Charles Blarez.

Chemische Fabrik auf Aktien vorm. E. Schering, preparation of bornyl and isobornyl bromoisovalerates, A., i,

preparation ofarylalkyl-p-amino-

phenols, A., i, 914.

Chemische Fabrik Grünau Landshoff & Meyer Aktien-Gesellschaft, preparation of aromatic nitro-compounds, A., i, 295.

Chemische Fabrik von Friedr. Heyden, the reduction products of sulphurous acid and their double compounds with aldehydes, A., i, 207.

bismuth salts of brominated catechols, A., i, 469.

[preparation of bornyl and menthyl sulphurie acids], A., i, 497.

preparation of alkyleneiminosulphonates, A., i, 704.

preparation of bromoacylsalicylic [obromoacyloxybenzoic] acids, A., i, 798.

preparation of disulpheacetaldehydesulphoxylates, A., 1, 880.

[preparation of colloidal arsenic], A., ii, 310.

Chemische Fabrik vorm. Sandoz, preparation of camphene, A., i, 247.

Chéneveau, C. See C. Féry.

Chevalier, Jacques, spontaneous crystallisation of drops of solutions as spherulites, A., ii, 648.

Chevalier, J. See A. Brissemoret.

Chiari, Richard, influence of narcotics of the fatty series on autolysis, A., ii, 597.

Chick, (Miss) Harriette, and Charles James Martin, standardisation of disinfectants; emulsified disinfectants, A., ii, 171.

Chick, O. See Bernard Farmborough Howard.

Chieff, G. See Emanuele Paternò.
Chilesotti, Alberto, compounds of lead with nitrous acid, A., ii, 43.

Chitrin. See G. Povarnin.

Chittock, C., migration constants of dilute solutions of hydrochloric acid, A., ii, 293.

Chonin, G. W., $\beta\delta$ -dimethylpentane and its occurrence in Caucasian naphtha, A., i, 450.

Chonowsky, Bronislaw F., transformations of ricinoleic acid, A., i,

Chouchak, D. See Isidore Pouget.

Chrisler, V. L., absorption of gases by the anode in glow discharge, A., ii,

Cialdea, Umberto, electrolysis of acids and bases, A., ii, 464.

apparatus to demonstrate the different velocities of displacement of electrolytic ions, A., ii, 464.

method of demonstrating the phenomenon of dialysis in a very short time,

A., ii, 471.

Ciamician, Giacomo Luigi, moleculartheoretical considerations regarding electrolytic dissociation, A., ii, 965.

Ciamician, GiacomoLuigi, and C. Ravenna, synthesis of salicin by means of plants, A., ii, 604.

Ciamician, Giacomo Luigi, and Paul Silber, chemical action of light. XIV., Α., XIII. and i, 306. 396.

Cingolani. Masaniello, denitrification, A., ii, 171.

Citron, Julius, and Karl Reicher, the lipolytic powers of syphilitic sera, and the diagnostic value of lipolysis by sera, A., ii, 80.

Ciusa, Roberto, basic properties of the

hydrazones, A., i, 737.

Ciusa, Roberto, and A. Bernardi, compounds of phenylhydrazine with phenols, A., i, 675.

Ciusa, Roberto, and Ugo Pestalozza, relations between a-benzaldehydephenylhydrazone and other nitrogen compounds, A., i, 747.

Claassen, Oswald, estimation of ammonia in ammonium chloride, A., ii, 935.

Clack, Basil W., coefficient of diffusion, A., ii, 125.

Claessen, Conrad, purification of glycerol dinitrate, A., i, 869.

Claessens, F., \(\psi\)-butylethylene glycol, A., i, 127.

a new isomeride of pinacolin, A., i, 698. Claisen, Ludwig, 5-methyliso-oxazole, A., i, 185.

Clarens. See André Job.

Clark, E. D. See Carl Luca Alsberg and Henry Augustus Torrey.

Frank Wigglesworth, memorial lecture, T., 1299; P., 171.

Clarke, George, jun., and S. C. Banerjee, a glucoside from Tephrosia purpurea; preliminary note, P., 16.

Clarke, Hans Thacher, and Samuel Smiles, diethoxythioxan; a relation between the refractive power and chemical activity of some sulphur compounds, T., 992; P., 145; discussion; P., 146.

Clarke, Latham, iso-octane & methylheptane], A., i, 125.

γ-methylheptane, A., i, 349.

di-isobutyl or $\beta\epsilon$ -dimethylhexane, A.,

Clarke, Latham. See also Charles Loring Jackson.

Clarke, Reginald William Lanc, and Arthur Lapworth, cyanocarone, P.,

Claude, Georges, composition of atmospheric air, A., ii, 565.

Claus, Reinhold. See Richard Anschütz.

Clay, J. See Heike Kamerlingh Onnes. Clayton Aniline Co. See Charles Weizmann.

Clemmensen, Erik, and Arnold H. C. Heitman, ureides and cyanamides of the hydroxy-fatty acids. II., A., i, 774.

Clewer, Hubert William Bentley. Frank Tutin.

Clough, George William. See Alexander McKenzie.

ous, W. Th., hydrogen sulphide generator, A., ii, 137. Clous,

Coates, Joseph E. See Fritz Haber. Cobb, Bayard G., influence of high potential discharge on amorphous gold, A., ii, 489.

Cobb, John W., the formation of silic-

ates, glasses, and glazes, P., 165.

Coblentz, Virgil, and Otto B. May, reduced iron, A., ii, 704.

Coblentz, W. W., selective reflection and molecular weight of minerals, A.,

Cock, G., fused salt hydrates as solvents for freezing-point determinations, A., ii, 18.

Coehn, Alfred, optical perceptibility and electrical migration of dissolved molecules, A., ii, 841.

Coehn, Alfred, and Alexandra Wassiljewa, photochemical equilibrium of hydrogen chloride, A., ii, 846.

Coffetti, Giulio, new method of estimating cuprous oxide in copper, A., ii, 349.

Coffignier, Charles, solubility of Kauri copal, A., i, 317.

Coffin, Fletcher Barker. See Gregory Paul Baxter.

Cohen, Ernst [Julius], physico-chemical researches on tin. VIII., A., ii, 1021. Cohen, Ernst, and Katsuji Inouye,

metastability of the metallic world, A., ii, 1008.

Cohen, Ernst, and Hugo R. Kruyt, E.M.F. of the cadmium normal element at 0°. I., A., ii, 113.

Cohen, Ernst, and J. Olie, jun., dynamic

allotropy of phosphorus, A., ii, 998.

Cohen, Ernst, and L. R. Sinnige,
piezochemical studies, A., ii, 291, 641.

piezochemical studies. II. Influence of pressure on solubility, A., ii,

piezochemical studies. III. Influence of pressure on the E.M.F. of the western element, A., ii, 857.

piezochemical studies. IV. Electrical determination of the influence of pressure on the solubility, A., ii,

Cohen, Ernst, and W. Tombrock. electromotive force of zinc amalgams, A., ii, 786.

Cohen, N. H., phytosterol from South African rubber, A., i, 26.

fat from the seed of Erythrina hypaphorus subumbrans, A., ii, 925.

Cohnheim, Otto, protein absorption, A., ii, 414.

Cohnheim, Otto, and F. Makita, absorption of protein, A., ii, 818.

Colani, A., thorium phosphates, A., ii, 742.

Colin, A. See Maurice Prud'homme. Collett, E., and Moritz Eckardt, estimamation of molybdenum in molybdenite, A., ii, 941.

Collie, John Norman, curious property of neon, A., ii, 663.

Collie, John Norman. See also Edward Charles Cyril Baly.

Collingwood, Bertram James, blood coagulation and calcium ions, A., ii,

Collitt, Bernard, decinormal solution of potassium permanganate,

Colman, James. See Siegmund Gabriel. Colomba, Luigi, relations between density and crystallographic constants in certain groups of substances, A., ii, 560, 798.

Colson, Albert, method of production of olefines by decomposition of esters, A., i, 1.

preponderance of temperature in direct decompositions; case of benzoic and

salicylic esters, A., i, 302.
impossibility of judging of relative
stabilities of corresponding compounds of silver and lead from

thermochemical data, A., ii, 400. the conditions necessary for direct reactions, and the direction of the electric current produced when metals are attacked by sulphur, A., ii, 546.

Comanducci, Ezio, action of magnesium phenyl bromide on styrene, A., i,

influence of the silent electric discharge on certain mixtures of gases and vapours, A., ii, 477.

Comanducci, Ezio, [with Nicola Melone], constitution of cinchonicine (cinchotoxine). I. Action of organo-magnesium haloids on cinchonicine: R-cinchotoxols, A., i, 409.

Combes, R., biochemical investigations on the development of anthocyanin in plants, A., ii, 426.

Comessatti, Giuseppe, action of iodine and its compounds on adrenaline, A., i, 735.

detection of adrenaline in blood-serum, A., ii, 628.

Cominotti, Luigi, pentoses in the urine of men and animals; utilisation of pentoses in the animal organism, A., ii, 1039.

Compton, Arthur. See Alfred Senier. Condò-Vissicchio, G., Silician aloes, A., i, 318.

Coninck. See Oechsner de Coninck.

Conrad, Max, and Arnold Schulze, derivatives of oximinocyanoacetic acid, A., i, 211.

malonamide derivatives, Α., 213.

Conrat, F., variations in the density of anisaldazine at the clearing temperature, A., i, 307.

Consortium für Elektrochemische Industrie and Georges Imbert, preparation of chlorohydroxy-acids and their glycerides, A., i, 875.

Consortium für Elektrochemische Industrie. See also Georges Imbert. Constantino, A. See Luigi Mascarelli.

Contardi, Angelo, new method of extracting a phosphated compound (phytin) from plants, A., i, 203.

Contardi, Angelo. See also Wilhelm Körner.

Conti, Carlo, detection of coal-tar colours in wine by means of the reaction between iodine and tannin, A., ii,

Cook, C. W. See Edward Henry Kraus. Cook, F. C., effect of salts on the frog's heart, A., ii, 500.

estimation of creatinine, 526.

factors which influence the estimation of creatinine, A., ii, 709.

Cooper, Harry J. See Harry Gideon Wells.

Cooper, Hermon C., L. I. Shaw, and N. E. Loomis, two lead silicates, A., ii, 1009.

Copaux, Hippolyte, borotungstic acids, A., ii, 148.

nature of the metatungstates and the existence of rotatory power in crystals of potassium metatungstate, A., ii, 318.

complex tungstates: borotungstates and metatungstates, A., ii, 583.

Copaux, Hippolyte, and G. Boiteau, estimation of boron, A., ii, 345. Cornec, E., cryoscopy of neutralisation of

certain acids, A., ii, 972.

Cornu, Felix, hydrogels in the mineral kingdom, A., ii, 222.

hydrogels of the mineral kingdom in the groups of the elements, sulphides and halides, A., ii, 409.

minerals of the magnesite deposits of Veitsch, Styria, A., ii, 410.

Cornu, Felix. See also Cornelio Doelter. Corper, Harvey J. See Harry Gideon Wells.

Corso, G. See Luigi Bernardini. Costachescu, W. See Alfred Werner. Costanzo, G., sodium emanation, A.,

Costanzo, G., and C. Negro, ionisation phenomena caused by rain-water, A., ii, 110.

Maurice, Coste. transformations of selenium, A., ii, 995.

Cotton, A., resolution of racemic substances prepared by chemical synthesis; effect of circularly-polarised light, A., ii, 278.

Cotton, A., and Henri Mouton, variation of the magnetic double refraction of aromatic compounds with temperature; supercooled substances and substances in the vitreous condition, A., ii, 773.

Cotton, A., and Pierre Weiss, relation of the charge to the mass of the electron; comparison of the values deduced from the Zeeman effect and from recent measurements with cathode rays, A., ii, 113.

Couman, Douglas H. B., a simple mechanical shaker, A., ii, 990.

Couperot, E., loss of nitrates and of hydrogen cyanide during the desiccation of plants. A., ii. 257.

of plants, A., ii, 257.

Courmont, Jules, Th. Nogier, and A.

Rochaix, chemical effect of quartz
mercury lamp on was p. ii, 753.

Cousin, Henri, action of hydriodic acid and of iodine on dimethylaminoantipyrine (pyramidone), A., i, 190.

Couyat, J., red porphyry [porfido rosso antico], A., ii, 64.
eruptive rocks of Jebel Dokhan, Red

Sea, A., ii, 65.

Egyptian minerals, A., ii, 813.

Covelli, Ercole, abrastol, A., ii, 452. non-reducibility of arsenic acid in alkaline solution; method of detecting arsenites in arsenates, A., ii, 830.

electrolytic detection of arsenious oxide in presence of arsenic acid, A., ii, 1052.

Coward, Hubert Frank. See Harold Baily Dixon.

Cram, Marshall P. See Joseph E. Gilpin.

Craw, J. Anderson. See William Bulloch.

Creighton, Henry Jermain Maude, the Grignard synthesis; action of magnesium phenyl bromide on camphor, A., i, 169.

a few chemical changes induced by radium; new method for the detection of amygdalin, A., ii, 201.

behaviour of solutions of hydriodic acid in light in the presence of oxygen, A., ii, 225.

solid solution: the retention of aluminium by barium sulphate precipitates, A., ii, 668.

Crespolani, Eli, condition in which iodine occurs in the urine after ingestion of iodides and iodates, A., ii, 79.

Croftan, Alfred Carena, the rôle of the small intestine in glycogen formation, A., ii, 328.

Crookes, (Sir) William, scandium, A., ii, 44.

Crose. See Della Crose.

Cross, Charles Frederick, and Edward John Bevan, cellulose hydrates, A., i. 290.

molecular and solution volumes of colloidal carbohydrates, A., i, 555.

Crossley, Arthur William, and Charles Gilling, hydroaromatic ketones. Part I. Synthesis of trimethylcyclohexenone (isophorone) and some homologues, T., 19.

note on the preparation of trimethylcyclohexenone (isophoroue) from ethyl malonate and chlorodimethyl-

cyclohexenone, P., 96.

Crossley, Arthur William, and Charles Herbert Hampshire, nitrotetramethyldiphenyl; preliminary note, P., 162.

Crossley, Arthur William, and (Miss)
Nora Renouf, nitro-derivatives of
ortho-xylene, T., 202; P., 26.
substituted dihydrobenzenes. Part III.

substituted dihydrobenzenes. Part III.
The so-called 1:1-dimethyl-Δ^{2.5}-cyclohexadiene of Harries and Antoni. T., 930: P., 145.

toni, T., 930; P., 145.

Crowther, J. Arnold, relative ionisation produced by Röntgen rays in different gases, A., ii, 287.

passage of Röntgen rays through gases and vapours, A., ii, 365.

secondary Rontgen radiation from air and ethyl bromide, A., ii, 535.

effect of temperature on ionisation, A., ii, 636.

Cumming, Alexander Charles, a method for the measurement of vapour pressures, T., 1772; P., 237.

Cunningham, J. A., and Satish Chandra Mukerji, electrical condition of gases in the nascent state, A., ii, 289.

Cunningham, (Miss) Mary, and Frederick Molliwo Perkin, studies on the cobaltinitrites, T., 1562.

Cuno, Ernst, solutions in mixtures of alcohol and water, A., ii, 301.

Curry, B. E., zinc alloys, A., ii, 1006.
Curtiss, Richard Sydney, Alfred R.
Koch, and E. J. Bartells, action of hydrazine on ethyl mesoxalate, A., i, 212.

Curtiss, Richard Sydney, and F. Grace C. Spencer, action of alcohols, acids, and amines on methyl oxomalonate, A., i, 763.

Curtius, Theodor, August Darapsky, and Ernst Müller, ψ-diazoacetamide (3:4dihydro-1:2:4:5-tetrazine-3:6-dicarboxylamide), A., i, 848.

Cushny, Arthur Robertson, [physiological action of optical] isomerides of adrenal-

ine, A., ii, 420.

Cusmano, Guido. See Luigi Francesconi. Cuthbertson, Clive, and (Mrs.) Maud Cuthbertson, refraction and dispersion of krypton and xenon and their relation to those of helium and argon, A., ii,

Cuthbertson, (Mrs.) Maud. See Clive

Cuthbertson.

Czaplicki, S., Stanislaus von Kostanecki, and Victor Lampe, attempts to synthesise chromenol and its derivatives, A., ii, 235.

Czarnecki, S. See Ludwik Bruner.

Dafert, Franz Wilhelm, and R. Miklaux, new compounds of nitrogen with hydrogen and metals, A., ii, 882.

Dains, Frank Burnett, and E. W. Brown, reactions of the formamidine derivatives, A., i, 781.

Daire. See Dornic.

Dakin, Henry Drysdale, the oxidation of hydroxy-derivatives of benzaldehyde and acetophenone, P., 194.

mode of oxidation of phenyl derivatives of fatty acids in the animal organism. III. Synthesis of some derivatives of phenylpropionic acid, A., i, 103. oxidation of glutamic and aspartic acids

by hydrogen peroxide, A., i, 293. glycine as a detoxicating agent, A., ii,

420.

mode of oxidation in the animal organism of phenyl derivatives of fatty acids. IV. Fate of phenylpropionic acid and its derivatives. Fate of phenylvaleric acid and its derivatives. VI. Fate of phenyl-. derivatives. alanine, phenyl-B-alanine, phenylserine, phenylglyceric acids, and phenylacetaldehyde, A., ii, 684.

Dakin, Henry Drysdale. See also Alfred

J. Wakeman.

Dakin, William J., osmotic concentration in body-fluids of aquatic animals, A., ii, 78.

Dale, Henry Hallett, action of extracts of the pituitary body, A., ii, 1036.

Dale, Henry Hallett, and Walter Ernest Dixon, physiological action of pressor amines, A., ii, 688.

Dale, Henry Hallett. See also George Barger.

Dallimore, P. B., melting points, A., ii,

apparatus for Gutzeit's test, A., ii, 344. a pipette wash-bottle, A., ii, 394. volumetric estimation of di-ammonium

hydrogen phosphate, A., ii, 762. gravimetric estimation of copper sulph-

ate, A., ii, 833.

Dam, W. van, rennet action, A., i, 278.

action of rennet on calcium paracaseinate, A., i, 685.

Damje, Wulf. See Adolf Kaufmann.

Damm, J. See Franz Sachs.

Danaila, Negoita, oxidation of dimethylanilinoisatins, A., i, 971.
Danckwortt, P., condensation of aldehydes and hydroxyaldehydes with phenols, A., i, 938.
Daniels, Lloyd C., derivatives of complex increases.

inorganic acids: alumino-tungstates and aluminophospho-tungstates, A., ii, 52.

Danilewsky, B., physiological action of products of metabolism. III. Action of scatole on the frog's heart. IV. Action of indole on the frog's heart, A., ii, 81.

Danne, Jacques, a new radioactive product of the uranium series, A., ii, 288.

Dannehl, Hugo. See Karl Auwers. D'Ans Joh., acid sulphates. III. and IV., A., ii, 139, 885.

D'Ans, Joh., and J. Kautzsch, chlorination of ethyl chloride, A., i, 754.

D'Ans, Joh., [with O. Schreiner], calcium alkali sulphates, A., ii, 401. Dantony. See Vermorel.

Darapsky, August. See Theodor Curtius. Darzens, Georges, and Ernest Berger, new method for the preparation of Bhalogen derivatives of naphthalene, A., i, 297.

Darzens, Georges, and H. Rost, hexahydrophenylacetylene [cyclohexylacetylene] and hexahydrophenylpro-piolic acid, A., i, 899.

Das, Tarak Nath, reactions of oxalates,

A., ii, 707.

Dauvé, a reaction of gold chloride, A., ii, 352.

Davies, Harold. See Frederic Stanley Kipping.

Davies, John H., formation and decomposition of ammonia by the silent electric discharge in a Siemens tube, with particular reference to the validity of the law of mass action, A., ii, 30.

Davies, Samuel Henry, and Basil G. McLellan, estimation of carbon dioxide in the atmosphere, A., ii, 438.

Davis, Morton James Pryce. See John Joseph Sudborough.

Davis, Oliver Charles Minty, the quantitative decomposition of the anilides; a study in steric influence, P., 1397; P., 197.

Davis, Oliver Charles Minty. See also Francis Francis.

Davis, R. O. E., estimation of ammonia without a condenser, A., ii, 615.

Dawson, Harry Medforth, the nature of ammoniacal copper solutions. The solubility of cupric hydroxide in ammoniacal sulphate solutions, T., 370; P., 33.

a method for investigating dissociation equilibria in solutions, and its application to the study of aqueous potassium mercuri-iodide solutions, T., 870; P., 129.

copper complexes in ammoniacal solution, A., ii, 316.

ammoniacal solutions of cupric hydroxide, A., ii, 1011.

Dawson, Harry Medforth, and (Miss) May Sybil Leslie, dynamics of the reaction between iodine and acetone, T., 1860; P., 246.

Deakin, Stella, Margaret Scott, and Bertram Dillon Steele, complex oxalates of cobalt and nickel, A., i, 877.

Dean, H. R. See Emil Abderhalden. Debaisieux, Maurice, determination of the free acid in electrolytic copper baths, A., ii, 756.

Debierne, André, decomposition of water by radium salts, A., ii, 364.

radium emanation, A., ii, 534. Dechend, H. von. See Frans Himstedt. Decker, Herman, and Georges Dunant, occurrence of hydroacridine in coal tars, A., i, 420.

reduction of cycloamine-ones. Diacridyl, A., i, 433.

Decker, Herman, and Harry Engler, [with Wladimir Rumine], amino- and

hydroxy-quinolones, A., i, 512. Decker, Herman, and Theodor von Fellenberg, establishment of the oxonium theory, A., i, 116.

Decker, Herman, and Lucas Galatty, decomposition of laudanosine, A., i, 409.

Decker, Herman, and Walter Kropp, a new synthesis of dihydroisoquinoline derivatives, A., i, 513.

Decker, Herman, and Percy Remfry, methiodides of cinchonic esters and

their colour, A., i, 408.

Decker, Herman. See also Walter Kropp.
Decolle, Willy. See Robert Kremann.

Defacqz, Edouard, compounds of silicon, and uranium; uranium disilicide, USi2, A., ii, 53.

Degens, P. N., alloys of lead and tin, A., ii, 888.

Dehn, William Maurice, reactions of hypohalites with organic pounds; reactions with derivatives of methane, A., i, 867.

analyses of mixtures of halogen acids,

A., ii, 612.

Dekker, J., tannin from the bark of Eucalyptus Occidentalis, A., i, 403.

Delachanal, B., examination of an old devitrified glass which had become violet in colour under the influence of solar radiation, A., ii, 317.

occluded gases present in certain common metals, A., ii, 402.

Delachanal, B. See also G. Guillemin. Delacre, Maurice, pinacolyl alcohols, A., i, 126.

action of sodium on acetone, A., i, 764. p-benzoyltriphenylmethane and pbenzoyldiphenylmethane; p-benzoyltriphenylcarbinol and benzoylbenzophenone, A., i, 807.

Delauney, Julien, and Maurice Garnier,

atomic weights, A., ii, 305.

Delbridge, T. G., tetrachlorophthalic acid, A., i, 389.

Delbridge, T. G. See also William Ridgely Orndorff.

Delbrück, Konrad. See Emil Fischer. Deleano, N. T., purification of peroxydase, A., i, 752.

disassimilation in plants, A., ii, 512. Delépine, [Stéphane] Marcel, action of sulphuric acid on acetaldehyde and paracetaldehyde; preparation crotonaldehyde, A., i, 84.

presence of 5:6-dimethoxy-3:4-methylenedioxy-1-allylbenzene in oil of samphire, A., i, 642.

iridium ammonium disulphates, A.,

ii, 408. new "boat" for organic analysis, A., ii, 937.

Delépine, Marcel, and Pierre Bonnet, oxidation of aldehydes by silver oxide, A., i, 632.

Della Crose, v., estimation of lead in the solder and plating of tins used for tinned foods, A., ii, 764.

Del Rosso, Giovanni. See Bernardo Oddo.

DeLury, Ralph E. See George Augustus Hulett.

Demjanoff, Nicolaus J., and K. W. Sidorenko, action of nitrogen trioxide on tetramethylethylene [βγ-dimethyl-Δ6-butylene], A., i, 754.

Demolon, A. See E. Kayser.

Denève, H., automatic regulator for the pneumatic agitation of liquids, A., ii, 724.

Dengler, O. See Friedrich Kehrmann. Denham, Henry George, formation of autocomplexes in solutions of cupric bromide, cupric chloride, and cobalt bromide, A., ii, 373.

Denham, William Smith, the action of sulphur monochloride on salts of organic acids: a convenient method of preparing anhydrides, T., 1235; P., 179.
preparation of anhydrides by the action of thionyl chloride on salts

of organic acids; preliminary note, P., 294.

Deniges, Georges, mechanism of the resorcinol-tartaric colour reaction, A., i, 378.

nature of the chromophore group in the resorcinol test for tartaric acid, A., ii, 190.

colour reactions of dihydroxyacetone, A., ii, 272.

new reactions of dihydroxyacetone, A., ii, 273.

sensitive new reactions for detection and identification of glycerol, A., ii, 353.

theory of the colour reactions of dihydroxyacetone in sulphuric acid, A., ii, 448.

methylglyoxal as a general colour reagent in analysis, A., ii, 624.

sensitive reactions for lactic and glycollic acids, A., ii, 627.

improvements in the apparatus for elementary analysis, A., ii, 759. detection of allyl alcohol and its

derivatives, A., ii, 944. Dennstedt, Max [Eugen Hermann], estimation of sulphur in coals and

cokes, A., ii, 435. improvements in the apparatus for

elementary analysis, A., ii, 759.

Dennstedt, Max, and F. Hassler, catalytic action of coal, brown coal, or peat in the aerial oxidation of organic substances, A., i, 199.

combustion of compounds containing nitrogen by the simplified method, A., ii, 270.

Deprat, Jacques, zeolites from the basalt

of Montresta, Sardinia, A., ii, 61.

See William Albert Derick, C. G. Noyes.

Derrien, Eugène. See Jules Ville. Desamari, Kurt. See Richard Meyer. Desch, Cecil Henry. See Thomas Martin Lowry.

Desha, L. Junius, an apparatus for the purification of mercury, A., ii, 315.

Dessoulavy, Ed. See Eugène Grandmougin.

Deuss, Joseph J. B., action of aluminium chloride on diphenyl disulphide and the thiocresols, and the action of sulphuric acid on thianthren, A., i, $\bar{3}21.$

Deussen, Ernst, sesquiterpenes, A., i, 171.

estimation of camphor in officinal spirit of camphor, A., ii, 770.

Deussen, Ernst, and Alfred Hahn, elimination of hydrogen chloride from dlimonene nitrosochloride, A., i, 502.

Deussen, Ernst, [with Alfred Hahn, A. Klemm, A. Loesche, and Hans Philipp], sesquiterpenes. III., A., i,

Deutsche Sprengstoff Aktien-Gesell-schaft, preparation of chlorohydnin from glycerol and sulphur chloride, A., i, 201.

Deventer, Charles Marius van, and H. J. van Lummel, galvanic ennobling of metals, A., ii, 958.

Dezani, Serafino, protein bases of the sperm and ovaries of the tunny fish and their products of hydrolysis, A., ii, 163.

lecithins and cholesterols contained in the sperma and ovary of tunny fish, A., ii, 596.

Dhéré, Charles, and H. Maurice, influence of age on the quantity and chemical distribution of phosphorus in nerves, A., ii, 499.

Dhuique-Mayer, F., analysis of a solution containing a mixture of sulphides, hydrogen sulphides, polysulphides, and hyposulphites, A., ii, 91.

Faustino. See José Díaz de Rada, Muñoz del Castillo.

Dibbelt, W., estimation of carbon dioxide in blood, A., ii, 267.

Diels, Otto, condensation of ethyl carbamate with acid esters, A., i, 461.

Diels, Otto, and Alex Böcking, attempts to prepare methylcyclopentanetetrone, A., i, 395.

Diels, Otto, and Fritz ter Meer, ethers of oximinoketones, A., i, 455.

Diels, Otto, and Richard Rhodius, reductions with sodium amyloxide, A., i, 351.

Diels, Otto, and Carl Seib, choralurethane, A., i, 885.

Diels, Otto, and Erich Stephan, dimethylketol. II. Conversion into a ketotriose, A., i, 472.

Diemer, M. E., and Victor Lenher, specific gravity and percentage strength of selenic acid, A., ii, 882.

Dienert, F., fluorescent substances contained in water, A., ii, 361. processes used to measure the fluores-

cence of waters, A., ii, 361.

Dienstbach, Oskar. See Otto Dimroth. **Diepolder**, *Emil*, derivatives of 1:2-dimethylbenzene [o-xylene], Α.,

Dilling, Walter J., isolation of conium alkaloids from animal tissues, A., ii, 709.

coniine, conhydrine, ψ-cenhydrine, γ-coniceine, and a new isomeride of coniine, A., ii, 771.

Dillon, Thomas. See Hugh Ryan.

Dimitz, Ludwig. See Sigmund Frankel. Dimroth, Otto, carminic acid, A., i, 485.

Dimroth, Otto, and Oskar Dienstbach, chromoisomerism and transformation of 4-oximino-1-phenyl-5-triazolone, A., i, 62.

decomposition products of 4-oximino-1-phenyl-5-triazolone, A., i, 63.

Dimroth, Otto, and Max Hartmann, the

mechanism of coupling, A., i, 66.

Dimroth, O.to, [with Fritz Hess, J. Marshall, and G. Werner], intramolecular transformations, A., i, 267.

Dinam, separation of tin, arsenic, and

antimony; analysis of bronzes, A., ii,

See Pierre Mazé. Dinesco.

Dinkelacker, P. See Rudolf Friedrich Weinland.

Dittler, Emil, solidification curves of certain molten silicates, A., ii, 47. formation of delvauxite, A., ii, 675.

Dittrich, Max, estimation of ceria and other rare earths in rocks, A., ii, 185.

Dixon, Harold Baily, and Hubert Frank Coward, the ignition-temperatures of gases, T., 514; P., 67.

Dixon, Walter Ernest, and P. Hamill, action of secretin and receptive substances, A., ii, 414.

Dixon, Walter Ernest. See also Henry Hallett Dale.

Dobrowolskaja, N. A. See E. S. London.

Dobson, (Miss) Mary Elizabeth, John Ferns, and William Henry Perkin, jun., synthesis of cyclohexanone-3-carboxylic acid, T., 2010; P., 263.

Dobson, Mildred E. See R. A. Robertson.

Doby, G., the rôle of oxalate in the germination of beet seed, A., ii, 256.

Doby, G. See also Henri Hérissey.

Doelter [y Cisterich], Cornelio [August], action of radium- and Röntgen-rays on the colours of precious stones, A., ii, 109.

action of radium and ultra-violet rays on the colours of minerals, A., ii,

363.

colloidal colouring matters in the mineral kingdom, A., ii, 409.

stability of the colours of minerals produced by radium, A., ii, 455.

Doelter, Cornelio, and Felix Cornu, the borderland between colloidal colloidal chemistry, mineralogy, and geology, A., ii, 303, 408.

Doerinckel, Friedrich, preparation of colloidal gold solutions by means of hydrogen peroxide, A., ii, 896.

Dogiel, Joh., the effect on the animal organism of chloroform and cocaine or strychnine, A., ii, 420.

Dolch, P. See Robert Kremann. Dolezalek, Friedrich, binary mixtures and concentrated solutions, A., ii,

Dombrowski, St., uromelanin; the decomposition product of the colouring matter of urine, A., i, 820.

Dombrowsky, Alfred. See Adolf Spilker.

Dominikiewicz, M., filtering apparatus for microscopic colouring matters and sterilised solutions, A., ii, 656. estimation of fatty acids in soaps, A., ii, 707.

Donath, Eduard, distillation and rectification of alcohol (lecture experiment), A., ii, 36.

fossil coals, A., ii, 152.

Donau, Julius, spectroscopic experiments with small quantities of liquids, A.,

Donnan, Frederick George, and Wilhelm Schneider, the colour of aqueous solutions of violuric acid, T., 956; P.,

Donnan, Frederick George. See also (Miss) Katherine Alice Burke.

Donovan, Willie. See James S. Maclaurin.

Dons, R. K., some of the fatty acids occurring in butter fat, A., ii, 190.

Dontas, S., action of sodium cyanide on muscles and nerves of cold-blooded animals, A., ii, 75.

Dony-Hénault, Octave, [with Edonard Leroy], systematic investigation of the oxydases. III., A., i, 686.

Dorée, Charles, contributions to the chemistry of cholesterol and coprosterol, T., 638; P., 88.

distribution of cholesterol and its

allies, A., i, 152.

Dorée, Charles, and John Addyman Gardner, origin and destiny of cholesterol in animals. III. Absorption of cholesterol, A., ii, 498.

Dorn, Ernst, and Wilhelm Lohmann, measurement of the optical constants of certain liquid crystals, A., ii, 529.

Dorner, G., contents of a pancreatic cyst, A., ii, 821.

Dornic and Daire, sterilisation of ultraviolet rays; application to butter, A., ii, 778.

Dorogi, Stefan. See Richard Willstätter. **Doroschewsky**, Antony G., specific heats of mixtures of saturated alcohols and II., A., ii, 967. water.

Doroschewsky, Antony G., and S. V. Dvorschantschik, application of the formulæ of Pulfrich and Hess to mixtures of ethyl alcohol and water, A., ii, 841.

indices of refraction of mixtures of methyl alcohol and water. III., A., ii, 949.

Doroschewsky, Antony G., and Adam W. Rakowski, specific heats of solutions of salts in water and alcohol, A., ii, 968.

Doroschewsky, Antony G., and M. S. Roschdestvensky, specific gravities of alcoholic solutions. I. Mixtures of methyl alcohol with water, A., i,

Dorp, Willem A. van, jun., derivatives of piperazine, A., i, 327. Dorschky, C. See Hans Rupe.

Dott, David Brown, apomorphine hydrochloride, A., i, 119.

Doughty, Howard Waters, benzeneselenonic acid and related pounds, A., i, 296.

an automatic hydrogen sulphide generator, A., ii, 228.

Douglas, C. Gordon, and John Scott Haldane, Cheyne-Stokes breathing; regulation of breathing, A., ii, 592.

effect of forced breathing and oxygen on the distress caused by muscular work, A., ii, 679.

Douglas, C. Gordon. Edwin Boycott. See also Arthur

Douris, Roger, thiodine, A., i, 293.

Dowzard, Edwin, pressure-equalising attachment for desiccators, A., ii, 179. Dox, Arthur Wayland, intracellular enzymes of lower fungi, especially those of Penicillium camemberti, A.,

i, 861. enzymes of some lower fungi, A., ii, 510.

Dreger, the quantitative estimation of diphenylamine, A., ii, 708.

Dreyer, Georges, and E. W. Aniley Walker, production of immune substances; the differences in agglutinincontent in plasma and serum, A., ii,

Driessen-Mareeuw, Willem Pieter Hendrik van den, saponifying constituents of the kola nut, A., ii, 447.

Drouginine, G. See Philippe Auguste Guye.

Drucker, Karl, supercooling and chemical constitution, A., ii, 211.

Stas's investigation of the solubility of silver chloride, A., ii, 482.

Drushel, W. A., volumetric estimation of potassium in animal fluids, A., ii,

Duane, William, the range of the α-rays, A., ii, 203.

liberation of heat from radioactive substances, A., ii, 534.

heat developed by polonium, A., ii,

Duboin, André [Grégoire], double salts of mercuric iodide, A., ii, 316.

Dubreuil. Louis, atomic weight of silver, A., ii, 140.

true atomic weights according to Stas's determinations. III., ii, 475, 563, 654, 886.

true values of the atomic weights. IV. Mathematical value of the method of calculation, A., ii, 653, 654.

Dubrisay, René, hydrolytic dissociation of bismuth chloride, A., ii, 406.

hydrolytic decomposition of bismuth bromide, A., ii, 742.

hydrolytic decomposition of bismuth iodide, A., ii, 812.

Ducelliez, F., action of antimony trichloride on cobalt and on its alloys

with antimony, A., ii, 55. alloys of cobalt and bismuth, A., ii, 242.

Ducelliez, F. See also Émile Vigouroux. Ducháček, Franz, action of different antiseptics on the enzymes of yeastjuice, A., i, 624.

Franz. Ducháček, See also Gabriel Bertrand.

Duchemin, René P., the action of alcohol, its impurities, and its denaturing agents on the ordinary metals, A., i, 450.

Duclaux, Jacques, extension of the notion of solubility to colloids, A., ii, 303. eryoscopy of colloids, A., ii, 377.

Dudy, Fr., bulb trap for nitrogen estimations by the methods of Kjeldahl and others, A., ii, 1050.

Düggeli, M. See Robert Burri.

Dühring, *Ulrich*, law of corresponding boiling points, A., ii, 119.

Dürr, Lucien, a new occurrence of lautite, A., ii, 899.

Dürrfeld, V., druse minerals in the grante of Waldstein, Fichtelgebirge, A., ii, 814.

Duffin, H. Leroy. See Lois E. Poyneer.
Duffour, Alexis, complex iridium compounds; iridiodichloro-oxalic acid and its salts, A., i, 763.

Duffour, Alexis. See also Maurice Vèzes.

Dufour, A., magnetic rotatory power of the vapour of calcium fluoride and of nitrous oxide in the neighbourhood of their absorption bands, A., ii, 107.

existence of positive electrons in vacuum tubes, A., ii, 288, 367. secondary spectrum of hydrogen, A.,

ii, 529.

an example of a longitudinal positive Zeeman effect in the emission spectra of vapours, A., ii, 530.

Duhem, Pierre, propagation of "shocks" in fluids, A., ii, 974.

Duke, W. W. See William Henry Howell.

Dukelski, M., sodium acetates at 30°, A., i, 283.

equilibria in the system $(CH_3CO)_2O - B_2O_2 - H_2O$ at 30°, A., ii, 390.

Dumanski, A. V., diffusion in colloidal media, A., ii, 25.

Dumas, Antoine, specific heat of ferromagnetic substances; alloys of iron and nickel, A., ii, 542.

Dumas, H. N. See William H. Emer-

Dumont, H., and Stanislaus von Kostanecki, coumarone group, A., i, 320.

Dumont, J., rational use of sup-rphosphates, A., ii, 609.

Dunant, Georges. See Herman Decker. Dunin-Borkowski, J., and Z. Szymanow-

Dunin-Borkowski, J., and Z. Szymanowski, agglutination and hæmolysis of red blood-corpuscles by salts of heavy metals, A., ii, 903.

Dunlop, John Gunning Moore, and Humphrey Owen Jones, the action of ethylene dibromide on monomethylaniline, T., 416; P., 61.

Dunn, Frederick Percy. See Martin Onslow Forster.

Dunstan, Albert Ernest, and Ferdinand Bernard Thole, the relation between viscosity and chemical constitution. Part IV. Viscosity and hydration in solution, T., 1556; P., 219. Duparc, Louis, gabbro and iron-ore of the Jubrechkine Kamen, Northern Urals, A., ii, 65. crystalline schists of the Urals, A., ii,

678.

Dupare, Louis, and Alf. Monnier, some reactions and properties of essential oils, A., ii, 188.

Duparc, Louis, and Francis Pearce, [analyses of hornblende], A., ii, 60.

Duperthuis, H. See Paul Dutoit. Dupont, Georges, n-butinene and some of

its derivatives, A., i, 545.

Durand, E. L. See E. Briner.

Duschak, Lionel H., mixed bariumstrontium chromate precipitate, A., ii, 42.

Dutoit, Paul, and H. Duperthuis, heats of dissociation of some electrolytes in organic solvents, A., ii, 120. viscosities and limiting conductivities, A., ii, 125.

Dutoit, Paul, and Ernst Gyr, electrical conductivities of very dilute solutions in anhydrous sulphur dioxide, A., ii, 461.

Dutoit, Paul, and Pierre Mojoïu, capillary constants and molecular weights, A., ii, 470.

Dutta, Jatindra Mohon. See Anukul Chandra Sirkar and Edwin Roy Watson.

Duval, Henri, attempts at benzidine formation in the diphenyl, diphenylmethane, and diphenylethane series, A., i, 747.

Dvorschantschik, S. V. See Antony G. Doroschewsky.

Dzierzbicki, Adam, influence of humus on the development of yeast and on alcohol fermentation, A., ii, 751.

Dzierzbicki, J., and Joseph de Kowalski, phosphorescence of organic substances at low temperatures, A., ii, 845.

Dzierzgowski, W. See Nadine Sieber. Dziurzyński, Miecislas. See Jósef Buraczewski.

E.

Earl, John C., certain relations between boiling points, A., ii, 969.

Easley, C. W., substitute for forceps and for triangles in desiccators; article for general laboratory use, A., ii, 431.

atomic weight of mercury, A., ii, 1013.

Easley, C. W. See also Martin A.

Rosanoff.

Eastburn, Wilfred James Stevenson. See George Gerald Henderson.

Eberhard, G., are spectrum of yttrium, A., ii, 529.

73

Ebert, Alfred, isopulegone, A., i, 246. some mannas and related products, A., ii, 176.

Ebert, M. See Ernst Beckmann.

Ebler, Erich, separation of the alkali earths, A., ii, 347.

Ebler, Erich, and E. Schott, action of zinc on hydrazine hydrate, A., ii, 234. Eckardt, Moritz. See E. Collett and

Heinrich Goldschmidt.

Edelstein, E. See Simon Löwenthal.

Edgar, Graham, iodometric estimation of vanadic acid, chromic acid, and iron oxide in the presence of one another, A., ii, 269. estimation of vanadic and arsenic

acids and of vanadic and antimonic acids, when present together, A., ii,

441.

Edgerton, John Percy, a new method of preparing camphoric anhydride, P., 149.

Edkins, J. Sydney, and M. Tweedy, chemical mechanism of gastric secretion, A., ii, 414.

Edlefsen, G., estimation of creatinine in

urine, A., ii, 276. Edwards, C. A. See John H. Andrew. Effront, Jean, ammoniacal fermentation, A., ii, 255.

the fermentation of amino acids, A., ii, 690.

Egerton, Alfred Charles Glyn, divergence of the atomic weights of the lighter elements from whole numbers, T., 238; P., 26.

Ehlotzky, Fritz, new method of formation of phenolic ethers of glycerol, A.,

Ehrenberg, Paul, and Hans Pick, preparation of colloidal gold by means of solutions of humus, A., ii, 674.

Ehrenfeld, Richard, and A. Indra, volumetric estimation of bismuth, A., ii, 270.

quantitative separation of sulphates and fluorides, A., ii, 435.

Ehrenfeld, Richard, and W. Kulka,

detection of phosphoric and phosphorous acids in organs, A., ii, 345.

Ehrlich, Paul, the present state of chemo-therapeutics, A., ii, 255.Ehrlich, Paul, and Alfred Bertheim,

diazo-reaction of atoxyl, A., ii, 104.

Ehrmann, R., and R. Lederer, action of hydrochloric acid on the secretion of ferments of the stomach and pancreas, A., ii, 161.

Ehrmann, R., and Julius Wohlgemuth, diastases. IV. The question of the internal secretion of the pancreas, A., ii, 1037.

Ehrmann, Rud., internal secretion of chromaffine tissue, A., ii, 909.

Eichwede, Heinrich. See Georg Merling.

See Otto Fischer. Eilles, S.

Einbeck, Hans. See Emil Abderhalden.

Einhorn, Alfred, preparation of salts of carbonatoguaiacol-mono- and -disulphonic acids, A., i, 225.

preparation of N-substituted aminomethyl derivatives of eugenol- and isoeugenol-acetamides, A., i, 508.

a new method for the alkylation of

phenols, A., i, 568.

new method of ester formation by the action of chlorocarbonic esters on acids, A., i, 645.

Einhorn, Max, simplification of the Jakoby-Solm's ricin method for the estimation of pepsin, A., ii, 196. Eisenlohr, Fritz. See Karl Auwers and

Heinrich **K**iliani.

Eisleb, O. See Georg Schroeter.

Eisler, M. von, hæmagglutination and hæmolysis, A., ii, 159.

the action of salts on bacteria, A., ii,

Eisler, M. von, and Leopold (Ritter) von Portheim, influence of salts on the poisonous action of quinine on Elodea canadensis, A., ii, 925.

Ekeley, John B., organic tungstates, A., i, 556.

Ekenstein. See W. Alberda van Ekenstein.

Ellinger, Alexander, and Claude Flamand, a new class of dyes of biochemical importance. Tri-indylmethane dyes, A., i, 846.

Ellinger, Alexander, and Otto Riesser, action of benzoyl chloride on hydr-

oxyquinolines, A., i, 835.

formation of tribenzamide by the action of benzoyl chloride on urine, A., ii, 914.

Ellis, G. W., and John Addyman Gardner, cholesterol in heart muscle, A., ii, 252.

origin and destiny of cholesterol in animals. IV. Cholesterol of eggs and chicks, A., ii, 498.

Ellis, Henry Russell, experiments showing the formation of nitrides of barium, strontium, calcium, and aluminium, A., ii, 142.

formation of graphite by the interaction of magnesium powder and carbonates, A., ii, 480.

silver cyanamide, A., ii, 1058.

Ellis, Henry Russell. See also Frank Edwin Weston.

Elster, Julius, and Hans Geitel, influence of the polarisation of the exciting light on the emission of electrons at the surfaces of the alkali metals, A., ii, 716.

Elvert, Heinrich. See Wilhelm Wislicenus.

Emde, Hermann, isomerism of ephedrine and ψ-ephedrine, A., i, 177.

fission of quaternary ammonium salts by nascent hydrogen, A., i, 565.

doubly linked carbon atoms and the carbon-nitrogen linking, I., A., i, 708.

doubly linked carbon atoms and the carbon-nitrogen linking. III. Methylated benzylamines, A., i, 709.

doubly linked carbon atoms and the carbon-nitrogen linking. IV. Behaviour of quaternary ammonium compounds towards nascent hydrogen, A., i, 709.

gen, A., i, 709. detection of methylaniline and dimethylaniline in presence of each

other, A., ii, 274.

Emde, Hermann, and Max Franke, doubly linked carbon atoms and the carbon-nitrogen linking. II. Cinnamylamino-compounds, A., i, 708.

Emde, Hermann, [with E. Runne], aminoaryl alcohols. I. Preparation of a-amino-a-phenylisopropyl alcohol, A., i, 300.

Emde, Hermann, and Richard Senst, estimation of magnesium chloride in water, A., ii, 940, 1053.

Emerson, Julia T., and William H. Welker, composition and toxicity of Ibervillea sonorae, A., ii, 87.

Emerson, William H., and H. N. Dumas, esterification of certain fatty acids on evaporation of their alcoholic

solutions, A., ii, 770.

Emich, Friedrich, pulverisation [volatilisation] of iridium in water vapour and carbon dioxide; experiments to determine the density of carbon dioxide by the method of diffusion, A., ii, 150.

a lecture experiment to demonstrate the velocity of the explosive wave in explosive mixtures of gases, A., :: $\frac{e^{\frac{\pi}{2}}}{e^{\pi}}$

ii, 656.

Emmerling, Ostar, hydrolysis of the phosphorescent infusoria of the North Sea (Noctiluca milaris), A., ii, 693.

Emmert, Bruno, electrolysis of phenyltrialkylammonium iodides, A., i, 376. electrolysis of quaternary pyridinium and quinolinium salts, A., i, 602. Emmett, A. D., animal faces. II. Estimation of fatty matter in animal faces by ether and carbon tetrachloride, A., ii, 772.

Emmett, A. D., and Harry Sands Grindley, influence of cold storage on flesh, A., ii, 503.

animal fæces. I. Comparison of the analysis of fresh and air-dried fæces, A., ii, 528.

Empson, J. See Karl Fries.

Endemann, Hermann, estimation of acids contained in hydrogen peroxide, A., ii, 432.

Engel, Rodolphe [Charles], separation of caseinogen from human milk, A., ii, 195

Engeland, R., constituents of meat extract, A., i, 557.

hydrolysis of casein and the detection of the monoamino-acids formed, A., i, 856.

constitution of stachydrine, A., i, 952.

Liebig's extract of meat, A., ii, 71. the assimilation of carnitine in the

animal body, A., ii, 71. the diazo-reaction of normal urine, A., ii, 167.

Engelke, E. F. See Friedrich Kehrmann.

Engelmann, Max, synthesis of 1-methylxanthine, A., i. 192

xanthine, A., i, 192. Engi, Gadient. See Fritz Ullmann.

Engler, Carl, ψ-conhydrine, A., i, 181. Engler, Carl, and Reginald Oliver Herzog, biological oxidation, A., ii, 495.

Engler, Harry. See Herman Decker. Enklaar, C. J., aliphatic terpenes and their derivatives. III., A., i, 111.

action of active copper on linalool, A., i, 690.

Ephraim, Fritz, cobalto-oxalate-ammonia and ammonium cobalto-oxalate, A., i, 876.

Ephraim, Fritz, and Paul Barteczko, fluoro-salts, A., ii, 226. double fluorides and chlorides of uni-

valent thallium, A., ii, 236.

Ephraim, Fritz, and Max Brand, lithium
molybdates A ii 1001

molybdates, A., ii, 1001.

Ephraim, Fritz, and Heinrich Herschfinkel, rubidium and cæsium molybdates, A., ii, 1003.

Ephraim, Fritz, and Franz Michel, the reaction between sulphuryl chloride and ammonia, A., ii, 994.

Ephraim, Fritz, and Theodor Schmidt, ammonia-additive products of the iodides of tin, A., ii, 1021. Eppinger, Hans, and Fritz Tedesko, acid

poisoning. III., A., ii, 333. Erdmann, Ernst, and Fred Bedford, lunolenic acid of linseed oil, A., i, 357.

Erdmann, Ernst, Fred Bedford, and Fritz Raspe, constitution of linolenic acid, A., i, 358. Erfurt, F. See Emil Fromm.

Erlenmeyer, [Friedrich Gustav Carl] Emil, jun., remark on Bullmann's discussion of the isomeric cinnamic acids, A., i, 155.

Erlenmeyer, Emil, jun., [with K. Bube, Otto Herz, and G. Hilgendorff], differences in the cinnamic acids due to the synthetical materials used, A., i, 648.

Erlenmeyer, Emil, jun., [with Otto Herz], separation of synthetic cinnamic acid into its isomeric components and their re-combination into the synthetic acid, A., i, 156.

Erlenmeyer, Emil, jun., [with Otto Herz, and G. Hilgendorff], selt formation and additive reactions of the isomeric acids obtained from synthetic cinnamic acid, and demonstration of their different chemical behaviour, A., i, 156.

cinnamic acids of different origin, A.,

i, 647.

Ernest, Adolf. See Julius Stoklasa. Errera, Giorgio, isophthalacene group: structure of phthalacene. II., A., i, 103.

Errera, Giorgio, and A. Vaccarino, derivatives of phenenyltribenzoic phenenyltribenzoic [1:3:5-triphenylbenzene-2':2":2"-tricarboxylic] acid, A., i, 163.

Eschbaum, Friedrich, preparation of hæmatoporphyrin and other blood

derivatives, A., i, 538.

Estes, Clarence, colorimetric estimation of phosphates in solution with other salts, A., ii, 266.

Estes, Clarence. See also Robert Banks Gibson.

See Alfred Guyot. Estéva, G.

Estrup, Knud, a thiobasic mercuric sulphate, A., ii, 404.

Etard, Alexandre, and Antony Vila, molecular analysis of proteins, A., i, 124.

Ettinger, Leo. See Josef Houben.

Euler, Hans von, constitution of diazonium salts, A., i, 70.

the [carbon] assimilation process [in plants], A., ii, 423.

Euler, Hans von, and Ivan Bolin, oxidations of biological importance. The preparation of pure medicago laccase and its chemical constitution. III., A., i, 863.

Euler, Hans von, and Ivan Bolin, dissociation constants of the dihydroxybenzenes, A., ii, 374.

Eury, J., compounds of pyrazolones with mercury oxide, A., i, 57.

Euwes, P. C. J., sulphonation of naphthalene; quantitative examination, A., i, 707.

Euwes, P. C. J. See also Arnold Frederik Holleman.

Eve, A. S., amount of radium present in sea-water, A., ii, 633. ionisation in the atmosphere, A., ii,636. primary and secondary gamma rays, A., ii, 783. Ewan, Thomas, estimation of sulphide in

alkali cyanides, A., ii, 263.

Ewins, Arthur James, the action of phosphorus pentachloride on the methylene ethers of catechol deriva-Part V. Derivatives protocatechuyl alcohol and protocatechuonitrile, T., 1482; P., 210.

Ewins, Arthur James. See also George Barger.

Eykman, Johan Frederik, refractometric researches, A., i, 718.

Eyssen, Hermann. See Max Guthzeit.

F.

Fabian, O. See Paul Jacobson.

Virgili, Juan, detection and Fages estimation of chlorates, A., ii, 179. application of urine to the detection of oxidising substances, A., ii, 432. detection and estimation of chlorates in urine, A., ii, 433.

toxicology of chlorates, A., ii, 753.

Fagetti, F. See Enos Ferrario.

Fahr, George, the sodium of frog's skeletal muscle, A., ii, 330.

Fahrion, Wilhelm, a liquid resin, A., i, 317.

oleic acid, A., i, 357.

Falckenstein, Kurt Vogel von, the Deacon process, A., ii, 136.

Ferdinand.SeeFalco, Alexander Gutbier.

Falk, Fritz, kephalin, A., i, 275.

Falk, Kaufman George, change in refractive index with temperature. I. and II., A., ii, 197, 629.

Falk, Kaufman George. See also John Maurice Nelson.

Farbenfabriken vorm. Friedr. Bayer & Co., [preparation of salts of iodinated fatty acids], A., i, 204.

preparation of ethyl glyoxylate by the reduction of ethyl oxalate, A., i, 204.

Farbenfabriken vorm. Friedr. Bayer & Co., preparation of anthranol and its derivatives from the corresponding anthraquinones by reduction with metals and acid, A., i, 225.

preparation of halogenated anthraquinones, A., i, 242.

replacement of halogen by hydroxyl in substituted anthraquinones, A., i,

[preparation of alkylaminoanthraquinone derivatives], A., i, 243.

preparation of thiocyanogen derivatives of anthraquinone, A., i, 244.

the preparation of mixed carbonates from hydroaromatic alcohols and ethyl salicylate, A., i, 244.

preparation of santalyl ethers, A., i, 247.

preparation of santalyl halides, A., i, 247.

[preparation of pyridones of the anthracene series], A., i, 256.

preparation of amino-, alkylamino-, or arylamino-anthrapyridones, A., i,

[production of iminazoles from 1:8naphthylenediamine], A., i, 263.

preparation of o-diaminopyrimidines containing halogenated acyl groups, A., i, 270.

preparation of 5-oximino-4-iminopyrimidine derivatives, A., i, 270.

production of azoxy- and azo-compounds of the benzene series, A., i, 272.

preparation of alkyl- and aminoanthraquinones, A., i, 310.

preparation of o-acetyl derivatives of the aminophenols and aminonaphthols, A., i, 339.

preparation of mercaptans of the anthracene series, A., i, 496.

preparation of mercaptans of anthraquinone series, A., i, 496. [preparation of anthrapyridones], A.,

preparation of 2-alkyloxy-1-alkylpyrimidines, A., i, 527.

preparation of nitro-1:8-naphthasultamsulphonic acid and 2:4-dinitro-1:8-naphthasultam, A., i, 711.

preparation of phthalimidocatechol ethers, A., i, 712.

preparation of pyrimidine derivatives, A., i, 746.

preparation of basic purine derivatives, Ā., i, 746.

preparation of alkyl methylenecitrates, A., i, 880.

preparation of isopropyl p-aminobenzoate, A., i, 921.

Farbenfabriken vorm. Friedr. Bayer & Co., preparation of dithioanthraquinones, A., i, 941.

[preparation of acyl-3-nitro-p-phenylenediamines], A., i, 964.

Farbwerke vorm. Meister, Lucius, Brüning, preparation of crystalline salts of o-dihydroxyphenylethanolmethylamine, A., i, 229.

preparation of 2-nitro-4-aminobenzoic

acid, A., i, 230.

preparation of o-alkylthiolbenzoic acids and their alkyl esters, 231.

preparation of alkylthiosalicylic [oalkylthiolbenzoic] acids, A., i, 232. preparation of substituted o-carboxy.

phenylthioglycollic acids, A., i, 234.

preparation of 5-alkyloxy-2-acetylphenyl mercaptan, A., i, 240.

[preparation of alkylaminoanthraquin-

one derivatives], A., i, 243. [preparation of leuco-derivatives of diaminoanthraquinones from the corresponding hydroxylic com-pounds], A., i, 243. preparation of arylaminoanthraquin-

ones, A., i, 243. preparation of leuco-derivatives; substituted "thioindigotin," A., i, 251.

preparation of 1-aryl-2:4-dialkyl-3halogenmethyl-5-pyrazolones, A., i,

preparation of anthrapyrimidones, A., i, 263, 264.

preparation of hydroxyarylarsinic acids, Ā., i, 279.

preparation of p-arylglycinearsinic acids, A., i, 280.

preparation of sulphur derivatives of p-aminophenylarsinic acid, A., i, 280.

preparation of o-nitro-p-cresol, A., i, 299.

separation of o- and p-chlorobenzaldehydes, A., i, 307.

preparation of arsenophenols, A., i, 347.

preparation of derivatives of phenylarsenious oxide and arsenobenzene, A., i, 347.

preparation of m-aminophenylarsinic acid (m-arsanilic acid), A., i, 448.

preparation of ketonesulphoxylates, A., i, 455, 699.

preparation of leuco-derivatives of hydroxyanthraquinones, A., i, 496.

preparation of 1-aryl-5-halogenmethyl-2:4-dialkyl-3-pyrazolones, 523.

Farbwerke vorm. Meister, Lucius, & Brüning, preparation of a-3:4-tri-hydroxyphenylethylamines, A., i, 569.

[production of aromatic nitrobenzoyldiamines and their azo-derivatives], A., i, 606.

preparation of acid chlorides and anhydrides, A., i, 693.

preparation of o-dihydroxyphenylethanolamine, A., i, 792.

preparation of substituted alkylthiolbenzoic acids, A., i, 797.

preparation of o-alkylthiolbenzoic acids and their derivatives, A., i, 923. preparation of xanthopurpurine, A., i,

preparation of xanthopurpurine, A., 1, 941.

Farey, L., estimation of nitrates by Grandval and Lajoux's method, A., ii, 615.

influence of bromides and iodides in the estimation of nitrates in waters, A., ii, 616.

estimation of small quantities of nitrates, A., ii, 758.

Farcy, L. See also Gustav Perrier.

Farr, C. Coleridge, and D. C. H. Florance, radium content of certain igneous rocks from the sub-antarctic islands of New Zealand, A., ii, 953.

Farr, Henry V. See Launcelot Winchester Andrews.

Faucon, A., solidification of mixtures of water and soluble fatty acids, A., i, 130.

Faucon, A. See also Gustave Massol. Faucon, M. H., solidification of mixtures of water and n-butyric acid, A., i,

Fauvel, Pierre, effects of chocolate and coffee on uric acid and the purines, A., ii, 687.

Fedoroff, Evgraf S., crystallography of pyridine derivatives, A., i, 254.

Fedoroff, Evgraf S., and D. N.
Arteméeff, crystallography of two
xanthogeneamides (thiourethanes), A.,
i, 245.

Feige, André. See Albert Verley.

Feigl, Johann, and Adolf Rollett, the influence of drugs on gastric secretion. Part IV. Inorganic and organic arsenic compounds, A., ii, 683.

Feilitzen, Hjalmar von, humus-silicic acid, A., ii, 178.

action of calcium nitrate and calcium cyanamide on peat soils, A., ii, 261. can calcium cyanamide with a large amount of calcium carbide act injuriously on vegetation? A., ii, 430.

Feilmann, Martin Ernest, colloidal barium sulphate, A., ii, 482.

Feist, Karl, optically active benzaldehydeeyanohydrin, A., i, 589. carbonates of some heavy metals, A., ii, 1007.

Fellenberg, Theodor von. See Herman Decker.

Fenton, Henry John Horstman, and Fred Robinson, homologues of furfuraldehyde, T., 1334 P., 193.

hyde, T., 1334; P., 193.
Fenton, Henry John Horstman, and
William Arthur Reginald Wilks,
isoiminazolone, T., 1329; P., 192.

Ferguson, L. Ray, actinic influence on electrochemical action, A., ii, 372.

Fermor, Lewis Leigh, gibbsite from India, A., ii, 57.
a group of manganates, comprising

a group of manganates, comprising hollandite, psilomelane, and coronadite, A., ii, 153.

alum from Mormugao, India, A., ii, 411. three new manganese minerals: vredenburgite, sitaparite, and juddite, A., ii, 491.

juddite, A., ii, 491.
Fernau, Albert, analysis of galactose, A., ii, 625.

Ferns, John. See (Miss) Mary Elizabeth Dobson.

Ferraboschi, Frederic, the oxidation of mucic acid in presence of iron, T., 1248; P., 178.

the production of ozone in the interaction between hydrogen dioxide and sulphur dioxide; preliminary note, P., 179.

Ferrari, C., relation between the utilisation of reserve carbohydrates and the flowering of *Ranunculus velutinus*, A., ii, 697.

Ferrario, Enos, and F. Fagetti, hydrocarbons, C₅H₁₂; new synthesis of tetramethylmethane [dimethylpropane], A., i, 77.

Ferraro, Annibale, microscopic analyses of soluble, crystallisable substances; [salicylic acid; caffeine], A., ii, 191.

Ferrer y Hernández, J., action of hydrogen peroxide on metallic sulphides, A., ii, 147.

Ferrero, R. See Angelo Angeli.

Fersmann, A., crystallography of p-dithymolylamine dimethyl ether, A., i, 224.

Féry, C., and C. Chéneveau, melting point of platinum, A., ii, 321.

Fichtenholz, (Mlle.) A., retarding influence of certain compounds on hydrolysis of glucosides by emulsin, A., i, 862.

Fichter, Fr., and Franz Rohner, oxidation of iodine by ozone, A., ii, 991.

Fielding, William. See John Norman Pring.

Filchner, Hans. See Carl Bülow.

Filippi, Eduardo, and Leonardo Rodolico, changes in the circulation of nitrogen produced by colloidal silver prepared by the electrical method, A., ii, 80.

Filippo, H., jun., rapid electro-analysis, A., ii, 440.

Filippo, H., jun. See also Willem Paulinus Jorissen.

Finck, G. See Karl Fries.

Fincke, H. See Richard Stoermer.

Finckh, L. See Otto Hauser.

Findlay, Alexander, apparatus for the determination of transport numbers, A., ii, 858.

viscosity of binary mixtures at their boiling points, A., ii, 975.

Findlay, Alexander, and (Miss) Evelyn Marion Hickmans, the influence of hydroxy- and alkyloxy-groups on the velocity of saponification. Part II., T., 1004; P., 152.

the partial racemisation of menthyl r-mandelate, T., 1386; P., 196.

Findlay, Alexander, William Ernest Stephen Turner, and (Miss) Gertrude Emily Owen, affinity constants of hydroxy- and alkyloxy-acids, T., 938; P., 146.

Finger, Hermann, oxidation of ethyl glycollate by mercuric oxide, A., i, 359.

nucleus-substituted triphenylmethane

dyes, A., i, 518. influence of the medium on the lines

of spark spectra, A., ii, 774, 843. Finger, Hermann, and W. Breitwieser, perhydrogenated quinolines, A., i, 512.

Finger, Hermann, [with E. Bretsch and \overline{W} . Zeh], naphthol yellow-S, A., i,

Finger, Hermann, and O. Hemmeter, action of aromatic mercaptides on ethyl a-chloroacetoacetate, A., i, 470.

Finger, Hermann, and C. Spitz, quinolderivatives of 1:5-naphthylenediamine; a case of hydrolysis in glacial acetic acid, A., i, 523.

Finger, Hermann, and E. Wilner, benzeneazosalicylic acid with the carboxyl group in the para-position, A., i, 536.

See also Heinrich Finger, Hermann. Konen.

Fink, Gail J. See James B. Garner. Finkelstein, (Mlle.) M. See Amé Pictet. Finlayson, Alexander Moncrieff, the scheelite of Otago, A., ii, 59.

Finlayson, Alexander Moncrieff, nephrite and magnesium rocks from South Island, New Zealand, A., ii, 901.

Finnemore, Horace, the constituents of Canadian hemp. Part II. Cynotoxin; preliminary note, P., 76.

Finnemore, Horace. See also John Wade.

Fischel, Alfred, the influence of chemical agents on the affinity of nerve for dyes, A., ii, 330.

Fischer, Arthur, compensation apparatus for rapid methods of electrolytic analysis, A., ii, 521.

Fischer, Emil, methylcarbonato-derivatives of phenolcarboxylic acids and their use for synthetical opera-II. and III., A., i, 161, 309.

acetalyl sulphide, A., i, 363.

history of guanino-acids, 894.

Fischer, Emil, and Konrad Delbrück, phenylthiolglucosides, A., i, 365. synthesis of new disaccharides of the type of trelialose, A., i, 633.

Fischer, Emil, and Erich Flatau, conversion of active α-bromopropionic acid into active methylsuccinic acid, A., i, 205.

optically active cyanopropylisopropyl-

acetic acid, A., i, 628.

Fischer, Emil, and Otto Gerngross, synthesis of polypeptides. XXX. Derivatives of *l*-cystine, A., i, 367.

Fischer, *Emil*, and *Wilhelm Glund*, syn-

thesis of polypeptides. XXXI. Derivatives of leucine, alanine, and N-phenylglycine, A., i, 887.

Fischer, Emil. and Tokuhei Kametaka,

reduction of the esters of d-alanine and of dl-phenylalanine, A., i, 213.

Fischer, Emil, Walter Kropp, and Alex Stahlschmidt, derivatives of glutamic acid, A., i, 368.

Fischer, Emil, \mathbf{a} nd KarlRaske, syntheses of glucosides, Α.,

Fischer, Emil, and Helmuth Scheibler, IV., A., i, the Walden inversion.

Fischer, Emil, and Joseph Steingroever, synthesis of polypeptides. Derivatives of l-leucine, d-alanine, and glycine, A., i, 366.

Fischer, Emil, and Géza Zemplén, behaviour of cellobiose and its osone towards certain enzymes, A., i,

new synthesis of inactive αδ-diaminovaleric acid and of proline, A., i, 303.

Fischer, Emil, and Géza Zemplén, synthesis of the two optically active prolines, A., i, 793.

Fischer, Ernst. See Julius Schmidt. Fischer, Franz, formation of ozone by means of ultra-violet light, A., ii, 657. theory of volatilisation by atomic rays,

A., ii, 718. Fischer, Franz, and Kurd Bendixsohn, production of ozone with rotating

anodes, A., ii, 136.

formation of ozone at stationary linear

electrodes, A., ii, 227.

Fischer, Franz, and Georg Iliovici, products of the arc and spark electric discharge in liquid argon. II. Experiments with hydrogen, titanium, tin, lead, antimony, and bismuth, A., ii, 139.

products of the are and spark electric discharge in liquid argon or nitrogen. III. Tin nitride and pyrophoric tin, A., ii, 232.

Fischer, H., effect of lime on soil bac-

teria, A., ii, 602. Fischer, H. See also Otto Lemmermann. Fischer, Hans, question of the attachment of the purine bases in the nucleic

acid molecule, A., i, 434.
Fischer, Hermann Waldemar, meta'lic

hydroxides, A., ii. 241.

Fischer, Hermann Waldemar, and O. Bobertag, theory of reversible sols, A., ii, 303.

freezing of hydrogels, A., ii, 545.

Fischer, Karl, and O. Gruenert, detection of benzoic acid in meats and fats, A., ii, 708.

Fischer, [Philipp] Otto, 2-methylanthracene from ditolylmethane or ditolylethane, A., i, 563.

Fischer, Otto, Adolf Fritzen, and S. Eilles, reduction of triphenylmethane

dyes and of azo-compounds by sodium

hyposulphite, A., i, 616.
Fischer, Otto, and Fritz Römer, dimethylanilinephthalein and similar basic phthaleins, A., i, 799.

Fischer, Otto, and H. Wolter, cyano-

benzylamines. A., i, 638.

Fischer, Waldemar M., kinetics of the formation and saponification of the esters of nitrous acid, A., ii, 32.

Fisher, Martin H., and Gertrude Moore, inhibiting action of neutral salts on the swelling of fibrin through acids and alkalis, A., i, 856.

Fiske, Augustus Henry, an apparatus for the extract on of liquids with ether, A., ii, 656.

also Fiske, Augustus Henry. See Charles Loring Jackson.

Fitchett, Frank, and John Malcolm, physiological action of tutin, A., ii, 919.

Fitzgerald, W. P., constant level reservoir, A., ii, 655.

Flack, Martin. See Leonard Erskine Hill.

Flächer, Franz, the resolution of dlsuprarenine into its components, A., ii, 159.

Alexander Flamand, Claude. Sec Ellinger.

Flamand, Jules, detection of fluorine in beer, A., ii, 180.

detection of small quantities of sodium carbonate in waters, A., ii, 762.

Flaschner, Otto, the action of β-rays on photosensitive solutions, T., 327; P., 34.

the miscibility of the pyridine bases with water and the influence of a critical-solution point on the shape of the melting-point curve, T., 668; P., 71. Flatau, Erich.

See Emil Fischer.

Flawitzky, Flavian M., investigation of the eutectic mixture of silver and ammonium nitrates by the method of melting, A., ii, 886.

Flebbe, Rudolf. See Johannes Scheiber.

Fleig, C., is phenolphthalein split in

the body? A., ii, 169.

the passage of phenolphthalein and of its disodium derivative through the organism, A., ii, 255.

disodiophenolphthaloquinone or disodioaciphenolphthalein, A., i, 495.

detection in urine of chromogens of methylene-blue, thionin, and Lauth's violet by oxidising agents in acid media, A., ii, 527.

Fleischer, S. M. See Leo Loeb.

Fleischmann, H. See Johannes Scheiber. Fleischmann, Martin. See Max Busch. Flemming, S., balloon observations of atmospheric radioactivity, A., ii, 7.

Fletcher, Lazarus, possible existence of a nickel-iron (Fe₅Ni₃) in meteorites, A., ii, 65.

Flint, William R. See Philip Embury Browning.

Florance, D. C. H. See C. Coleridge Farr.

Florence, Albert, exact gasometric estimation of urea and urinary ammonia, A., ii, 449.

Flügel, Max. See Karl Löffler.

Flürscheim, Bernhard, the relation between the strength of acids and bases and the quantitative distribution of affinity in the molecule, T., 718; P.

Flürscheim, Bernhard, the mechanism of the reduction of nitroanilines and

nitrophenols, P., 21.

the relation between the strengths of acids and bases, and the quantitative distribution of affinity in molecule. Part II., 193.

chemical affinity and electrons; preliminary note, P., 261.

Fluri, M., the influence of aluminium salts on protoplasm, A., ii, 338, 1046.

Flury, Ferdinand. See Alexander Gutbier.

Fluss, G. See Philippe A. Guye.

Foà, Carlo, and Alberto Aggazzotti, the physiological action of colloidal metals, A., ii, 688.

Fodor, Andor. See Eugen Bamberger. Foerster, Fritz, electrolysis of copper sulphate, A., ii, 314.

electromotive behaviour of oxygen, A., ii, 962.

Foerster, Fritz, and Hans Jacoby, forma-tion of "nitrolime" (calcium cyanam-

ide). II., A., i, 893. Förster, Paul. See Richard Anschütz. Folin, Otto, estimation of total sulphur

in urine, A., ii, 263.
Foote, Harry Ward, and N. A. Martin, molecular condition of salts dissolved in a fused salt. II. The electrical conductivity of salts in fused mercuric chloride, A., ii, 638.

Foote, Harry Ward, S. R. Scholes, and Ralph W. Langley, nature of ΊΙ., precipitated colloids. A., ii, 871.

Forbes, George Shannon. See Robert Luther.

Forcrand, Robert [Hippolyte] de, lithium, strontium, and barium oxides, A., ii,

hydrates of potassium carbonate, A., ii, 664.

normal carbonates of rubidium and cæsium, A., ii, 730.

rubidium and cæsium hydrogen carbonates, A., ii, 1002.

Forster, Martin Onslow, the triazo-group. Part VII. Interaction of benzhydroximic chloride and sodium azide, T., 184; P., 25. the triazo-group. Part IX. Trans-

formation of cinnamoylazoimide into

cinnamenylcarbimide (cinnamenyl isocyanate), T., 433; P., 69.

Forster, Martin Onslow, and Frederick Percy Dunn, an interpretation of the Hantzsch-Werner hypothesis, T., 425; P., 68.

Forster, Martin Onslow, and Charles Samuel Garland, studies in the camphane series. Part XXVII. Camphorylphenyltriazen (camphordiazoaminobenzene) and its bearing on the constitution of diazoamino-compounds, T., 2051; P., 244; discussion, P., 244.

Forster, Martin Onslow, and Robert Müller, the triazo-group. Part VIII. Azoimides of the monobasic aliphatic

acids, T., 191; P., 26. the triazo-group. Part X. Triazo-antipyrine, T., 2072; P., 291.

Forster, Martin Onslow, and Tom Thornley, studies in the camphane series.

Part XXVI. Aryl derivatives of iminocamphor, T., 942; P., 145;

discussion, P., 145.
Forsyth, R. W., effect of temperature on the rate of production of uranium-X, A., ii, 637.

Fosse, Robert, oxonium compounds and pyryl salts, A., i, 599.

metallic character of an organic radicle, A., i, 599.

metallic character of the dinaphthapyryl salts. III. Displacement of hydrogen chloride from the pyryl chloride by hydrogen bromide, and conversely, of hydrogen bromide from the pyryl bromide by hydrogen chloride. IV. Displacement of the acids from pyryl salts by picric acid. V. Precipitation of the dinaphthapyryl salts as sulphide by hydrogen sulphide, A., i, 666.

the basic power of dinaphthapyranol is only manifested in acid solution.

IX., A., i, 734.

Fosse, Robert, [with P. Bertrand], pyryl salts formed with oxygen acids. II., A., i, 666.

Fosse, Robert, [with Lesage], electropositive character of the dinaphthapyryl radicle. VI. Extremely pronounced aptitude of forming insoluble or sparingly soluble compounds. VII. Displacement of potassium, ammonium, and alkylammonium chlorides from their platinichlorides by the pyryl chloride. VIII. Displacement of potassium from potassium pierate by the oxygenated base dinaphtha-pyranol, A., i, 667.

oster, William, slow oxidation of as-dichlorovinyl ethyl ether, A., i, Foster, 356.

Foster, William. See also Fred. Neher. Fouard, Eugène, colloidal properties and spontaneous gelatination of starch, A., i, 13.

Fouard, Eugène, colloidal properties of starch in relation to its chemical constitution, A., i, 209.

constitution, A., i, 209. "solubilisation" of colloidal starch by the action of alkalis, A., i, 699.

Fouilland. See Regaud.

Fourneau, Ernest, morpholones, A., i, 50. aminohydroxy-acids. II. Amino-derivatives of α-hydroxyisobutyric acid, A., i, 210.

a new alkaloid from the bark of Pseudocinchona africana (Rubiaceae), A., i,

600.

Fourneau, Ernest. See also Les Etablissements Poulenc Frères.

Fournier, H., preparation of fatty acids and their anhydrides, A., i, 759.

Fournier, L. See Adolphe Besson.
Fowler, Alfred, spectrum of scandium, and its relation to solar spectra, A.,

spectrum of magnesium hydride, A., ii,

Fox, John Jacob, solubility of lead sulphate in concentrated solutions of sodium and potassium acetates, T., 878; P., 128.

Fränkel, Sigmund, the milk of a woman sixty-two years old, A., ii, 597.

lipoids. VI., A., ii, 748.

Fränkel, Sigmund, and Rudolf Allers, a new reaction characteristic of adienaline, A., ii, 628.

Fränkel, Sigmund, and Ludwig Dimitz, lipoids. VIII. The scission products of

kephalin, A., i, 870.

Fränkel, Sigmund, Kurt Linnert, and Giulio Andrea Pari, lipoids. V. Phosphatide of the ox panoreas, A., i, 621.

Fränkel, Sigmund, and Ernst Neubauer, lipoids. VII. Kephalin, A., i, 870.

Fränkel, Sigmund, and Alexander Nogueira, lipoids. II. Unsaturated phosphatides of the kidney, A., i, 276.

lipoids. III. Interaction between the unsaturated phosphatides of the kidney and dyes, A., i, 276.

Fränkel, Sigmund, and Giulio Andrea Pari, lipoids. IV. Phosphatides of the ox pancreas, A., i, 620.

Fraenkel, Walter, action of carbon and silicon on zinc sulphide at high temperatures, A., ii, 1007.

Fraenkel, Walter, and Gustav Tammann, meteoric iron, A., ii, 157.

Francesconi, Luigi, and Guido Cusmano, action of free hydroxylamine on lactones, A., i, 233.

hydroxylamineoximes of santonin.

III., A., i, 723.

Francesconi, Luigi, and Guido Cusmano, nitrosohydroxylaminosantoninoximes and their derivatives. IV., i, 724.

Francesconi, Luigi, and Ernesto Puxeddu, polymerisation of aromatic ethylenic compounds, A., i, 226.

Franchini, Giuseppe, lecithin, choline, and formic acid, A., ii, 165.

Francis, Francis, action of ammonia on benzaldehyde and the preparation of benzaldehyde-ammonia, A., i, 588.

Francis, Francis, and Oliver Charles
Minty Davis, preparation of the acyl
derivatives of the aldehyde-cyanohydrins. Part I., T., 1403; P., 210.
Franck, J., mobility of the radioactive

Franck, J., mobility of the radioactive ions and the mass of gaseous ions, Λ., ii, 953.

Franck, J., and W. Westphal, charge of gaseous ions, A., ii, 781.

Francke, Georg. See Bernhard Schöndorff.
François, Maurice, theory of the preparation of methylamine from solutions of acetylbromoamide, A., i, 13.
the nature of Hofmann's bromoacetamide, A., i, 140.

amide, A., i, 140.

Frank, Franz. See Emil Abderhalden.
Frank, Fritz, and Felix Jacobsohn, estimation of mercury and antimony sulphides in vulcanised caoutchoue, A., ii, 833.

Frank, L. See Otto Kühling and Theodor Pfeiffer.

Frank, Walther. See Carl Dietrich Harries.

Franke, Max. See Hermann Emde.

Frankforter, George Bell, American colophony. I. Resin of the Norway pine, A., i, 401.

Frankforter, George Bell, G. W. Walker, and A. D. Wilhoit, colorimetric estimation of dissolved oxygen in water, A., ii, 263.

Frankl, Th. See S. Bondi.

Frankland, Edward P. See Julius Tafel.

Frankland, Percy Faraday, and Fred Barrow, the acyl-bornylamines. Part I. Fatty bornylamides, T., 2017; P., 263.

the acyl-bornylamines. Part II. Aromatic bornylamides, T., 2026; l'., 263.

Franklin, Edward Curtis, electrical conductivity of liquid ammonia solutions. III., A., ii, 957.

Franzen, Hartwig, acylation of amines, A., i, 575.

general reaction of aldehydes and ketones, A., i, 804.

Franzen, Hartwig, and G. Greve, estimation of formic acid, A., ii, 1057.

Franzen, Hartwig, and E. Löhmann, estimation of nitric acid by nitron in liquids containing many organic substances, A., ii, 517.

biochemistry of micro-organisms. I. Quantitative estimation of nitrate fermentation, A., ii, 1044.

Franzen, Hartwig, and O. von Mayer, the hydrazinates of some metallic salts, A., ii, 40.

Fraschina, Carlo, new condenser for extraction apparatus, A., ii, 564.

Fraser, Mary T., and John Addyman Gardner, the origin and destiny of cholesterol in the animal organism. Part V. On the inhibitory action of the sera of rabbits fed on diets containing varying amounts of cholesterol on the hæmolysis of blood by saponin, A., ii, 595.

Free, Edward E., lead chromate, A., ii, 313.

Frégonneau, Karl, the action of bacteria on azo-colouring matters, A., ii,

Freimann, H. See Emilio Noelting. French, H. S., Marcus Seymour Pembrey, and John H. Ryffel, blood changes in cyanosis due to congenital heart

disease, A., ii, 688. Frese, H. See Wilhelm Schneidewind. Fresenius, Remigius. See Richard An-

Freund, Hermann, the biological behaviour of iodoproteins, A., ii, 919.

Freund, (Miss) Ida, influence of temperature on the change of volume on neutralisation for various salts at different concentrations, A., ii, 550.

Freund, Martin, and Georg Bode, action of Grignard's solutions on halogen ammonium compounds, A., i, 514.

Freund, Martin, and Paul Oppenheim, narceine, A., i, 410.

Freund, Martin, and Ludwig Richard, action of Grignard reagents on quaternary ammonium halides, A., i,

Freund, Robert. See Josef Houben. Freund, Walther, metabolism in the infant, A., ii, 413.

Freundler, Paul, asymmetric synthesis, A., i, 164.

Freundler, Paul, and Juillard, action of nitrosobenzene on secondary amines, A., i, 145.

Freundler, Paul, and Sevestre, preparation of o-azocarboxylic acids, A., i,

Froundlich, Herbert, nature of adsorption, A., ii, 26.

Freundlich, Herbert, and E. Mäke't, absolute zero of potential, A., ii,

Freundlich, Herbert, and Walter Neumann, adsorption of colouring matters, A., ii, 868.

Frew, R. S., autolytic formation of lactic acid in muscles, A., ii, 502.

Frey, W. See Lothar Wöhler. Freytag, Curt. See Karl Löffler.

Fricker, E., excretion of iodine and lithium by the bile, A., ii, 79.

Friedel, Georges, and Grandjean, stanniferous rutile from Vaux (Rhône), A., ii, 491.

synthesis of chlorite by the action of alkaline solutions on pyroxene, A., ii, 813.

Friedheim, Willi, distribution of nitrogen in the precipitation by acids and by rennet of cow's, buffalo's, goat's, human, and ass's milk, A., ii, 687.

Friedländer, Paul, the antique purple dye from Murex brandaris, A., ii,

binuclear quinones, A., i, 417. dyes of the thionaphthen series, A., i,

Friedländer, Paul. See also A. Bezdzik. Friedrich, Gotthold. See Karl Löffler.

Friedrich, K., two new forms of laboratory

electric furnace, A., ii, 210.

Friedrich, K., and A. Leroux, alloys of platinum and antimony, A., ii, 245.

Friend, John Albert Newton, estimation of iron by permanganate in the presence of hydrogen chloride, T., 1228; P., 150, 224.

the action of steam on iron; preliminary note, P., 90.

the constitution of sulphurous, sulphuric, carbonic, and formic acids, P.,

Fries, J. August, estimation of carbon by means of the bomb calorimeter, A., ii, 270.

o-hydroxybenzoylformic Karl,Fries, acids and coumarandiones, A., i, 175.

Fries, Karl, and J. Empson, 2:3-quinone of 1 methylnaphthalene, A., i, 809.

Fries, Karl, and G. Finck, homologues of coumaranone and their derivatives, A., i, 42.

oxygen isologues of homologous indirubins, A., i, 44.

Fries, Karl, and Ernst Hempelmann, 2:3-diketo-derivatives of tetrahydro-1-methylnaphthalene, A., i, 809.

Fries, Karl, and W. Volk, thianthren [diphenylene disulphide], A., i, 406.

Frischauer, Louis, influence of radium on rate of crystallisation, A., ii, 532. Friswell, Richard John, obituary notice

of, T., 2204.

Fritsch, Carl, Fraunhofer lines of thallium and an error in Rowland's new table of standard wave-lengths, A., ii, 106.

Fritsch, Rudolfo, ether purifying and extraction apparatus, A., i, 547.

Fritz, Immanuel. See Hugo Kauffmann. Fritzen, Adolf. See Otto Fischer.

Fritzmann, E. See Otto Sackur.

Fröhlich, Emil, attempts to prepare isomeric asymmetric ammonium com-

pounds, A., i, 375.
Frohneberg, W. See Theodor Zincke. Fromherz, Konrad, the resorption of parenterally administered magnesium, and its influence on calcium metabolism, A., ii, 918.

Fromm, Emil, sodium benzaldehyde-sulphoxylate; a correction, A., i, 108. Fromm, Emil, and F. Erfurt, benzyl sulphoxide and a-hydroxybenzyl

sulphide, A., i, 902. hydrolysis of thiosulphates and thiosulphonates by alkali, A., i, 902. action of formaldehyde and alkali on

sulphones, A., i, 903. benzaldehydesulphoxylate and acetone-

sulphoxylate, A., i, 936.
Fromm, Emil, and R. Heyder, action of p-toluenesulphonyl chloride on thiocarbamide, A., i, 903.

preparation and hydrolysis of phenylthiocarbimide oxide, A., i, 911.

Fromm, Emil, [with Adolf Roesicke and Max Tausentl, fission of disulphides with neighbouring double linkings, A., i, 505.

Frouin, Albert, possibility of maintaining life of animals after complete excision of the thyroid gland by the use of calcium or magnesium salts for their

nourishment, A., ii, 686.

Füchtbauer, Christian, conductivity of non-luminous sodium vapour and the relationship between the ionisation of gases and the absorption of their line spectra, A., ii, 537.

Fühner, Hermann, mutual influence on solubility in aqueous solutions of ether,

chloroform, phenol, etc., A., ii, 388.

Fühner, Hermann, [and, in part, E.

Rosenow], the behaviour of synthetic muscarine in the animal body. II., A., ii, 1042.

Führer, J. See Gustav Schultz.

Fürstenau, Robert, a new method of calculating the ratio of the [electric] charge to the mass of the molecule of mercury vapour, A., ii, 12.

Fürstenau, Robert, ratio of the specific heats of gases and its dependence on the temperature, A., ii, 17.

dependence of the ratio of the specific heats of gases on the temperature,

A., ii, 375.

Fürth, Otto von, and Ernst Jerusalem, degradation of cholic acid. I. Fusion of bilianic acid with potassium hydroxide, A., i, 697.

Fuji, S. See Umetaro Suzuki.

Fujitani, J., chemistry and pharmacology of insect powder, A., ii, 825.

Fulda, Hugo Ludwig. See Paul Jacob-

Fulda, W., the absorption of sulphur dioxide in water, A., ii, 309.

Fuller, J. G. See Edwin Bret Hart.

Funk, Casimir. See Emil Abderhalden. Funk, W., the decomposition of felspar by water, A., ii, 146.

Furcht, Margarete, and Adolf Lieben, white and yellow silver lævulates, A., ii, 695.

Furlong, J. R. See Wilhelm Manchot.

Gabriel, Siegmund, preparation of pyridazine, A., i, 259.

new methods of preparation of aliphatic amino-ketones, A., i, 491. €-amino-ketones, A., i, 492.

reduction of ϵ -amino-ketones, A., i, 493. ζ-amino-ketones, A., i, 891. synthesis of γ -coniceine, A., i, 957.

Gabriel, Siegmund, and James Colman, phthaliminoacyl chlorides and ethyl sodiomalonate, A., i, 491.

Gadais, J. See L. Gadais.

Gadais, L., and J. Gadais, estimation of calcium citrate and of lemon juice, A.,

Gadamer, Johannes [Georg], isomerism of ephedrine and ψ -ephedrine, A., i, 49.

Gadaskin, D. D., laboratory separation of liquids with slightly different boiling points by a process of distillation, A., ii, 378.

Gage, R. B, estimation of ferrous oxide

in magnetite, A., ii, 350.

Gain, Edmond. See Brocq-Rousseu. Galatty, Lucas. See Herman Decker.

Galecki, Ant., estimation of the valency of glucinum by colloidal experiments, A., ii, 43.

Galletly, J. C., and George Gerald Henderson, quantitative separation of lead and bismuth, A., ii, 833.

Gallo, Nicolò, correction of acidity and a new method for the estimation of free volatile acidity in wines, A., ii, 524.

Gambarjan, Stefan, diphenylamine and acylperoxides, A., i, 910.

Gams, Alfons. See Amé Pictet.

Ganassini, Domenico, characteristic reaction of uricacid, A., ii, 100.

Gandurin, A.L., the structure of guaiol, A., i, 98.

Gane, Eustace H., and W. H. Webster, estimation of iodine in iedoform and

thymol iodide, A., ii, 613.

Ganghofer, August. See Carl Paal.

Gansser, Emil, the next homologues of sarcosine and creatine, A., i, 702.

Garbarini, Guido, purification of ethyl

ether, A., i, 625. Garcia, C. Albert, new mercury nitrometer, A., ii, 92.

Garde, G., results of the geological and mineralogical exploration of Eguéi, A., ii, 676.

Gardner, Henry Dent, jun., and Walter Norman Haworth, the condensation of ketones and aidehydes with the sodium derivative of ethyl cyanoacetate, T., 1955; P., 250.

Gardner, John Addyman. See Charles Dorée, G. W. Ellis, and Mary T.

Fraser.

Gardner, ardner, Walter Myers, and Herbert Henry Hodgson, the iodination of phenols and the iodometric estimation of, and action of reducing agents on, tannic acid, T., 1819.

Garland, Charles Samuel. See Martin Onslow Forster.

Garner, Frederick Basil. See James Charles Philip.

Garner, James B., Guy A. Reddick, and Gail J. Fink, $\gamma \gamma'$ -diketonic acids, A., i, 551.

Garnier, Léon, modification of Halphen's reaction, A., ii, 447.

Garnier, Maurice. See Julien Delauney. Gartrell, H. W., [anorthoclase] from Port Victor, South Australia, A., ii, 61.

Gascard, Albert, action of light on milk preserved with potassium dichromate, A., ii, 356.

Gasnier, Maxime, continuous apparatus for preparation of gases evolved in the cold, A., ii, 223.

Gates, F. L. See Frank Austin Gooch. Gatin-Gružewska, (Mme.) Z., course of the oxidation and hydrolysis of starch and its constituents by hydrogen peroxide, A., i, 209.

Gatin-Gružewska, (Mme.)Z., and Bierry, action of pancreatic juice on glycogen, starch, and its compounds, A., ii, 818.

Gaubert, Paul, liquid crystals of compounds of cholesterol and ergosterol with carbamide, A., i, 920.

Gaucher, Louis, the gastric digestion of caseinogen, A., ii, 249.

gastric digestion of human and ass's milk, A., ii, 326.

Gauchmann, S. See Alexander Tschirch. Gaudechon, H., dimercurammonium bromide, A., ii, 670.

Gaudechon, H. See also Achille Müntz. Gault, Henri, dibasic ketonic acids.
II. Ethyl α-oxalylglutarate; α-ketoadipic acid, A., i, 362.

Gault, Henri. See also Edmond Émile Blaise.

Gauthier, D., derivatives of monohalogenated ethers, A., i, 353.

Gautier, [Emile Justin] Armand, crystal-

line chlorophylls, A., i, 402. gas from vulcanic fumaroles, A., ii,

nature and origin of gases forming volcanic fumaroles or issuing from craters of ancient volcanoes, A., ii,

methods for the collection and preservation of gases from fumaroles and volcanic springs or soils, A., ii, 745.

Gautier, Armand. See also G. Reboul. Gawiński, Witold, proteic acids in urine in health and disease, A., ii, 331.

Gay, L. See E. Baud. Gazarian.

See Ter Gazarian. See Ernst 8chmidt. Gaze, R.

Gebhard, Kurt, relation between the constitution of dyes and their sensitiveness to light, A., ii, 284.

Gebhard, Norman Leslie, and Herbert Bryan Thompson, diazohydroxylamino-compounds and the influence substituting groups on the stability of their molecules. Part I., T., 767; P., 70. Part II., T., 1115; P., 149.

an apparatus for continuously extracting solids, A., ii, 393.

Gebhardt, H. See Alexander Gutbier. Geddes, Alexander E. M., absorption of carbon dioxide by charcoal, A., ii, 645.

Geelmuyden, H. Christian, acetone substances in the organs of cases of diabetic coma. II., A., ii, 253.

estimation of the various sugars occurring together in diabetic urines, A., ii, 354.

Geiger, Hans, diffuse reflection of the aparticles, A., ii, 782.

ionisation produced by an a-particle, A., ii, 782.

Geiger, Walter. See Hermann Leuchs. Geisler, Hermann, anomalous dispersion of light in metallic vapours, A., ii, 357.

Geisthoff, Gerhard. See Gustav Wimmer

Geitel, Hans. See Julius Elster.

Gelmo, P., and Wilhelm Suida, action of aliphatic aldehydes on aromatic glycines, A., i, 382.

Georgi, Robert. See Hans Stobbe.

Gephart, Frank. See Stanley R. Benedict.

Gerber, C., the rennet from decaped

crustaceans, A., i, 74. the effect of dialysis on juices of vegetable origin containing rennet, A., i, 74.

action of rennet at various temperature, A., i, 196.

basiphil rennets, A., i, 278.

coagulation of fresh milk by the rennet of the papaw tree (Carica papaya), A., i, 278.

distribution of rennet in the parts and tissues of plants, A., ii, 512.

rennet of Belladona, A., ii, 824. Gerhardt, C., new safety valve for water

pumps, A., ii, 724. Gerich, S. See W. Sventoslavsky.

Gernez, Désiré, triboluminescence, A., ii,

supposed influence of crystallisation in modifying the properties of the solution of a substance prepared by mixing two solutions, A., ii, 388.

slowness of the spontaneous transformation of the unstable variety of certain dimorphous substances at low temperatures, A., ii, 466.

nature of change which crystals of sodium sulphate heptahydrate undergo in contact with crystals of the decahydrate, A., ii, 729.

Gerngross, Otto, experiments on the synthesis of histidine, A., i, 189.

Gerngross, Otto. See also Emil Fischer. Gerum, Josef. See Carl Paal.

Gesellschaft für Chemische Industrie in Basel, preparation of a sulphur derivative of isatin, A., i, 735. [preparation of substituted ω-halogen-

methylanthraquinones], A., i, 941. Gesellschaft für Teerverwertung, sodium

derivative of indene, A., i, 219.

Geserick, Arthur. See Hermann Leuchs. Gessard, C., the catalase from blood, A., ii, 682.

Getman, Frederick Hutton, and F. B. Wilson, solubility determinations with the refractometer, A., ii, 357.

Gewecke, Julius, some new compounds and double compounds of tervalent

thallium, A., ii, 576. Geyer, Alfred. See Wilhelm Autenrieth. Gèze, J. B., effect of mineral manures on certain cyperaceae, A., ii, 429.

Gherardi, G. See Federico Giolitti.

Ghiel, Benno von. See August Michaelis. Ghosh, Atul Chandra. See Prafulla Chandra Rây.

Giaja, J. See H. Bierry.

Gibbs, Harry Drake, the compounds which cause the red colour in phenol, A., i, 221.

methyl salicylate. II. Solubility in water at 30°, A., i, 231.

the oxidation of phenol; the effect of some forms of light and of active oxygen on phenol and anisole, A., i, 640.

Gibbs, [Oliver] Wolcott, memorial lecture on (Clarke), T., 1299; P., 171.

Gibson, G. E., nitrogen pentoxide as a nitrating agent, A., i, 11.

an improved method of esterification,

A., ii, 31. Gibson, G. E. See also Alexander Crum Brown.

Gibson, Robert Banks, origin of tauro-

cholic acid, A., ii, 504.

Gibson, Robert Banks, and Clarence
Estes, estimation of phosphoric acid with uranium acetate, A., ii,

colorimetric estimation of phosphorus with uranium acetate and potassium ferrocyanide, A., ii, 829.

Giesma, G., storage and retention of quinine in the human organism, A., ii, 77.

Gigon, A., the influence of protein and carbohydrate on metabolism, A., ii,

Gilchrist, J. Milton, the fruit of Aralia hispida, A., ii, 513.

Gile, P. J. See David W. May.

Giles, William B., the opening-up of minerals containing tantalum, niobium, and titanium, A., ii, 352.

Gill, F. W., and Harry Sands Grindley, estimation of total sulphur in urine, A., ii, 263, 516.

preservation of urine [for analysis] by thymol and refrigeration, A., ii,

total nitrogen estimation by the Kober

method, A., ii, 1051. Gill, F. W., Harry Sands Grindley, and J. B. Peterson, estimation of phosphorus in foods, fæces, and urine, A., ii, 518.

Gillett, Cam., aqueous solutions, A., ii,

Gillett, Horace W., cuprous hydroxide and cuprous oxide, A., ii, 483.

constant current electro-analysis, A., ii, 521.

Gilling, Charles. See Arthur William Crossley.

- Gilmour, Robert, the mutarotation of glucose and its nitrogen derivative, P.,
- Gilmour, Robert.See also James Colquhoun Irvine.
- Gilpin, Joseph E., and Marshall P. Cram, fractionation of crude petroleum by capillary diffusion, A., i, 1.
- Gimel, G., influence of inorganic salts, particularly of stannous chloride, on fermentation, A., ii, 171.
- Ginsberg, A. S., compounds of magnesium and sodium sulphates, A., ii, 143.
- Giolitti, Federico, F. Carnevali, and G. Gherardi, the production of malleable cast-iron, A., ii, 240.
- Giolitti, Federico, and Ernesto Pannain, variations in the structure of coinage bronze during working, A., ii, 144.
- Giovetti, R., action of water on nitrosohydrazines, A., i, 738.
- Girard, Pierre, part played by contact electrification in the permeability of membranes to electrolytes, A., ii, 463.
- physico-chemical interpretation of the differences of potential existing in living tissues, A., ii, 537.

 Girsewald, Conway von, and A. Wolo-
- kitin, potassium perborates, A., ii,
- Gittins, James Mylam. See John Joseph Sudborough.
- Glascock, Ben Leon. See Joel H. Hildebrand.
- Gleditsch, (Mlle.) Ellen, radium and uranium in radioactive minerals, A., ii, 533.
 - ratio between uranium and radium in radioactive minerals, A., ii, 714.
- Glikin, W., biological importance of lecithin. II., A., ii, 750.
 - the biological significance of lecithin. III. The lecithin and iron content of human milk and cow's milk, A., ii, 1038.
- Glinka, Konstantin D.weathering
- processes, A., ii, 493. Glinka, Sergei F., crystals of calcium hydroxide in Roman cement, A., ii,
- Gloth, H. W. See A. Heiduschka.
- Gluud, Wilhelm. See Emil Fischer. See Heinrich Wie-Gmelin, Erwin. land.
- Gnezda, Julius, colour reactions of indole derivatives with sugars, A., ii,
- Kenneth, experimental lead Goadby, poisoning, A., ii, 508.

- Gobbi, Emile, metallic filter with adjustable uniform interstices reducible to ultramicroscopic dimensions, A , ii, 600.
- Gockel, Albert, radioactivity of the atmosphere, A., ii, 363.
 - radioactivity of preparations of zirconium, A., ii, 956.
- Gockel, Albert, and Th. Wulf, radioactivity of the atmosphere on mountains, A.,
- Godchot, Marcel, hydrogenation of triphenylmethane; tricyclohexylmethane, A., i, 19.
- Godet, Ch. See Ernst Schulze.
- Goehring, A. See Ernst Schmidt.
- Goerens, Paul, influence of foreign substances on the diagram of condition of the alloys of iron and carbon, A., ii, 892.
- Goerges, Hans, and Arthur Stähler, reduction of titanium chloride by hydrogen, A., ii, 894. Golblum, H., chemical affinity in revers-
- ible systems, A., ii, 558.
 Goldbaum, Jacob S., and Edgar Fahs Smith, attempt to separate the alkaline earths in the electrolytic way, A., ii,
- Goldbeck, W. See Wilhelm Biltz.
- Goldschmidt, Hans, dependence of the reaction velocity on the temperature in homogeneous gaseous systems, A., ii, 390, 651.
- Goldschmidt, Heinrich, kinetics of alkylation, A., ii, 129.
- [formation of esters], A., ii, 650, 988. Goldschmidt, Heinrich, [with M. Asriel, V. Koren Lund, and Olaf Udby], researches on the formation of esters, A., ii. 129.
- Goldschmidt, Heinrich, andMoritzEckardt, reduction of hydroxyazocompounds, A., i, 678.
- Goldschmidt, V. Moritz, argyrodite, from Bolivia, A., ii, 58.
- Goldschmiedt, Guido, reaction of phenylhydrazine and α-halogen aıyl derivatives, A., i, 122.
- Goldstein, Eugen, production of line spectra, A., ii, 2.
- Golodetz, L. See P. G. Unna. Golubeff, P. G., l-camphene, A., i,
- 943. Gomberg, Moses, triphenylmethyl. XVII. Tautomerism in the triphenyl-
- methane series, A., i, 144. Gonder, Ludwig. See Leopold Rügheimer.
- Gonet, L. See Gabriel Guérin.
- Gonnard, Ferdinand, cordierite-pinites from Central France, A., ii, 61.

Gonnard, Ferdinand, phillipsite from Mont Simiouse, Loire, A., ii, 63.

Gooch, Frank Austin, and F. B. Beyer, electrolytic estimation of lead and of manganese by the use of the filtering crucible, A., ii, 268.

Gooch, Frank Austin, and Rowland S. Bosworth, gravimetric estimation of silver as chromate, A., ii, 346.

the iodometric estimation of silver, potassium chromate being employed

as precipitating agent, A., ii, 438. Gooch, Frank Austin, and F. L. Gates, phenomena of the electrolytic decomposition of hydrochloric acid, A., ii, 964.

Gooch, Frank Austin, and Claude C. Perkins, the gravimetric estimation of free iodine by the action of metallic silver, A., ii, 932.

Gooch, Frank Austin, and H. L. Ward, precipitation of copper oxalate in analysis, A., ii, 703.

Goris, A., and M. Mascré, presence of urea in certain higher fungi, A., ii,

175.

Gornaja, Sossja, tetraethylarsonium iodide and its pharmacological action, A., ii, 822.

Gorsline, Ernest E. See John Bishop Tingle.

Gorter, K., distribution of chlorogenic acid in nature, A., i, 588.

igasuric acid, A., i, 588.

identity of helianthic acid and chlorogenic acid, A., i, 935.

Gortner, Ross Aiken, a contribution to the study of the oxydases, P., 306. induction by ferrous salts of inter-

action of chromic and hydriodic acids, A., ii, 30.

Gortner, Ross Aiken. See also Marston Taylor Bogert.

Goutal, E., gases disengaged by the action of copper salts on steel, A., ii, 519.

Gouttefangeas, U., electric conductivity of saline flames, A., ii, 784.

Goy, S. See Erwin Rupp.
Graaff, W. C. de, the production of indole by Bacillus coli communis, A., ii,

Grälert, Karl Paul. See Paul Hoering.

Graf, Hugo. See Otto Ruff.

Grafe, Viktor, and Emmy Vieser, the behaviour of green plants towards gaseous formaldehyde, A., ii, 922.

Graff, Joachim. See Richard Anschütz. Graff, J. See Wilhelm Schneidewind.

Grafmann, A., and Stanislaus von Kostanecki, syntheses in the brazan group, A., i, 250.

Gramont, Antoine de, and Charles de Watteville, ultra-violet band spectrum of phosphorus, A., ii, 713.

Grandeau, L., nitric acid and agriculture, A., ii, 430.

Grandjean. See Georges Friedel.

Grandmougin, Eugène, action of primary amines on indigotin, A., i, 969. Grandmougin, Eugene, and Ed. Dessoul-

avy, indigotin. I. Action of primary arylamines on indigotin, A., i, 968.

Grandmougin, Eugène, and Lang, flaveosines, A., i, 971. Arnold

amino-derivatives of phenylauramines and of rheonine, A., i, 974.

Grandmougin, Eugène. See also Emilio Noelting.

Granström, E., the influence of acids on the calcium metabolism of herbivora, A., ii, 161.

Grant, Kerr. See Bertram Dillon Steele. Gray, Francis William, direct proofs of the presence of the hydroxyl group in derivatives of anhydroacetonebenzil, T., 2131; P., 218.

isomerides of anhydroacetonebenzil and its derivatives, T., 2138; P.,

Gray, J. A., liberation of helium from radioactive minerals by grinding, A., ii, 570.

ultimate product of the uranium disintegration series, A., ii, 956.

Gray, J. G., and A. D. Ross, production of permanent magnets from specimens of nearly pure copper, A., ii, 208. Gray, Robert C. See Alexander D. Ross.

Gray, Robert Whytlaw, and Frank Playfair Burt, the atomic weight of chlorine, T., 1633; P., 216.

Robert Whytlaw, and Gray, (Si_i) William Ramsay, some physical properties of radium emanation, T., 1073; P., 161; discussion, P., 162. liquid and solid radium emanation,

P., 82. Grazia, Francesco de, a new hæmatin, A., i, 342.

Grazia, Sante de, nitrification of calcium cyanamide in various types of soil, A., ii, 83.

the impurities of Chili saltpetre; the possibility of using a less-refined saltpetre, A., ii, 88.

influence of soil moisture on the action of calcium cyanamide, A., ii, 697.

behaviour of cereals towards calcium cyanamide, A., ii, 1049.

Graziani, F. See Maurice Padoa.

Greaves, Richard Henry, estimation of cuprous oxide in copper and its alloys, A., ii, 1054.

Green, Arthur George, chemical technology of aniline-black, A., i, 612. Green, John Lighterwood, experimental

nephritis, A., ii, 253.

Green, W. F., the melting point of hydrated sodium acetate; solubility curves, A., i, 82.

Greenwood, Harold Cecil, an approximate determination of the boilingpoint of metals, A., ii, 720.

Gregor, Georg, estimation of dextrose in urine with the Weidenhaff's fermentation saccharometer, Α., 102.

Gregory, Arnold William, a colorimetric method for the estimation of small quantities of vanadium, P., 232.

Greinacher, Heinrich, distribution of the radiation of radioactive substances, A., ii, 286.

direct evidence of the charge of the a-rays, A., ii, 457.

Grenet, transformations of iron and steel, A., ii, 741.

Gresly, Werner. See Friedrich Kehrmann.

Grete, A., estimation of phosphoric acid in acid solution by means of alkaline molybdate solution and gelatin, A., ii,

Greve, G. See Hartwig Franzen. Griffiths, Ch. See Léon Guillet.

Grignard, Victor. See Philippe Barbier. Carlo, terpenes of rosin spirit, A., i, 943.

Grimaldi, Carlo, and L. Prussia, oil of colocynth seeds, A., ii, 426.

Grimbert, Léon, and Bagros, mechanism of denitrification among indirect de-nitrifying bacteria, A., ii, 693.

Grindley, Harry Sands. See also A. D. Emmett and F. W. Gill.

Grishkewitsch-Trochimowsky, E., action of magnesium on a mixture of p-tolyl methyl ketone and allyl iodide, A., i,

Grohmann, Oskar, and Arjen Brouwer, mercury double salts of tetrahydronaphthylamines, A., i, 221.

Grosse, Erich. See Otto Wallach.

Grossenbacher, Hans. See Leon Asher. Grosser, Paul, [estimation of quinine and its excretion in urine], A., ii, 948.

Grossmann, A. See ReinholdvonWalther.

Grossmann, Hermann, volumetric estimation of nickel with potassium cyanide, A., ii, 97.

molybdates of nickel and cobalt, A., ii, 186.

XCVI. ii.

Grossmann, Hermann, application of alkaline phosphate solutions in analysis, A., ii, 438.

anomalous rotation dispersion, A., ii, 713.

Sanchez's process for the separation of nickel and cobalt, A., ii, 941.

Grossmann, Hermann, and LotharHölter, estimation of thiocyanates

with permanganate, A., ii, 449. Grossmann, Hermann. See also N.

Grossmann, gases occluded in the lavas of the last eruptions of Mounts St. Pelée and Vesuvius, A., ii, 490.

Grove, W. E., and Arthur Solomon Loevenhart, the supposed hydrolytic action of platinum-black, A., ii, 490.

Grube, F. See Arnold Reissert.

Grube, Karl, formation of glycogen from formaldehyde in the liver, A., ii, 328.

the rôle of the small intestine in the formation of glycogen from dextrose, A., ii, 415.

action of phloridzin on the liver, A., ii, 501.

Grubenmann, Ulrich, glaucophane-rocks from Switzerland, A., ii, 248.

Grün, Adolf, some transformations of

ricinoleic acid, A., i, 875. Grün, Adolf, and A. von Skopnik, synthesis of the triple mixed glycerides, A., i, 874.

Grun, Adolf, and H. Wetterkamp, decomposition of ricinoleic sulphuric acid with dilute acids, A., i, 8.

Grün, Adolf, and M. Woldenberg, essential constituent of turkey-red oil and its derivatives, A., i, 284.

Grünbaum, Herbert. See Arthur Rosenheim.

Gruenert, O. See Karl Fischer.

Grünspan, Th., influence of quinine on phagocytosis, A., ii, 160.

Grünstein, N. See Paul Askenasy.

Hermann Friedrich, Grünwald, the importance of chlorides in the life processes of the organism, A., ii, 162.

action of picrotoxin on the autonomic nervous system, A., ii, 599.

Grüss, J., hydrogenase or reductase? A., i, 75.

Grützner, Rudolf. See Wilhelm Wislicenus.

Grunmach, Leo, measurement of the surface-tension and other physical constants of acetic acid-water mixtures, A., ii, 215.

74

Gudzent, F., physico-chemical and chemical investigations on the behaviour of uric acid in solution, A., i, 434.

physico-chemical researches on the behaviour of urates in solution, A.,

Guérault, P. See Pierre Mazé.

Guerbet, Marcel, l-campholic acid, A., i, 100.

l-campholic acid and its derivatives,

A., i, 301.

action of potassium hydroxide on borneol, camphor, and isoborneol; racemic campholic acid, A., i, 310.

condensation of isopropyl alcohol with its sodium derivative; formation of methylisobutylcarbinol and of δζ-dimethylheptan-β-ol, A., i, 690.

Guérin, Gabriel, production of iodoform [from carbon dioxide], A., i, 126. formation of crystals of hæmin by

means of alkali iodides or bromides, A., ii, 527.

Guérin, Gabriel, and L. Gonet, Buignet's method for the estimation of hydrocyanic acid and the titration of cherry-laurel water; correction and modification, A., ii, 443.

Guertler, W., explanation of a contradiction connected with the constitution of alloys of tin and lead, A., ii, 319.

solid solutions of the elements, A., ii,

Guest, Herbert H. See Treat Baldwin Johnson.

Guggenheim, Markus. See Emil Abderhalden.

Guichard, Marcel, action of heat on iodic anhydride, A., ii, 136.

preparation of pure iodic anhydride, A., ii, 477.

mercury pump, A., ii, 654.

Guignard, Léon, transformation of glucosides cyanogenetic during germination, A., ii, 84.

influence of anæsthesia and of cold on the fission of certain glucosides in plants, A., ii, 823.

Guigues, P., detection of urobilin in urine, A., ii, 712.
Guillemard, H., and Robert Moog, method for measuring the loss of water by the organism through the lungs and skin; variation of this loss with altitude, A., ii, 679.

Guillemin, G., and B. Delachanal, gases occluded in a complex brass, containing manganese, which showed numer-

ous flaws, A., ii, 144.

Guillet, Léon, and Ch. Griffiths, cementation of iron by carbon in a vacuum, A., ii, 738.

Guinchant, Joseph, calorimetric and cryoscopic constants of mercuric bromide, A., ii, 790.

thermal properties of silver nitrate, A., ii, 860.

Guiraud. See Isidore Pouget.

Gundermann, Karl.See HermannPauly.

Gunther, C. G. See James Furman Kemp.

Guntz, Antoine [Nicolas], and Witold Broniewski, electrical resistance of the alkali metals, gallium and tellurium, A., ii, 113.

Guntz, Antoine, and Martin, preparation of anhydrous nitrates of manganese, copper, nickel, and cobalt, A., ii, 1019.

Gussmann, E. See Rudolf Friedrich Weinland.

Gutbier, Alexander, ruthenium and its compounds, A., ii, 323.

Gutbier, Alexander, and R. Bünz, action of ammoniacal hydrogen peroxide on bismuth salts, A., ii, 407.

Gutbier, Alexander, and Ferdinand Falco, estimation of chlorine in pre-Ferdinand sence of palladium, and estimation of palladium by reduction with alcohol in alkaline solution, A., ii, 768.

Gutbier, Alexander, and Ferdinand Flury, freezing of hydrosols, A.,

quantitative estimation of tellurium, A., ii, 516.

Gutbier, Alexander, H. Gebhardt, and P. Haas, atomic weight of palladium. Part II. The analysis of palladosammine bromide, A., ii, 585.

Gutbier, Alexander, and Rudolf Léon Janssen, atomic weight of bismuth. IV. Synthesis of bismuth sulphate,

A., ii, 56.

Gutbier, Alexander, A. Krell, and M. Woernle, atomic weight of palladium. I. Analysis of palladosammine chloride, A., ii, 407.

Gutbier, Alexander, [with F. Lindner], hexachloro-iridium compounds,

ii, 1025.

Gutbier, Alexander, and Hans Mehler, atomic weight of bismuth. III. Analysis of bismuth bromide, A., ii, 55.

Gutbier, Alexander, and L. von Müller, rhodium, A., ii, 674.

Gutbier, Alexander, and rhodium, A., ii, 523. M. Riess. iridium, A., ii, 1025.

Guthzeit, Max [Adolf], and Hermann Eyssen, constitution of the iminocompounds from ethyl ethoxycoumalindicarboxylate and ammonia or alkylamines, A., i, 674.

Guthzeit, Max, Arno Weiss, and Walter Schaefer, cyclobutane derivatives as products of the polymerisation of ethyl dicarboxyglutaconate, A., i, 933.

Gutmann, August, action of acids on sodium ethyl thiosulphate. A., i, 128.

the action of arsenites on toluenesulphonyl chloride, A , i, 144. action of alkaline reducing agents on cyano-derivatives, A., i, 895.

Gutowsky, N. See Friedrich Wüst. Guye, Philippe Auguste, physico-chemical constants of some gases, A., ii, 466.

importance of physical chemistry for the determination of atomic weights, A., ii, 989.

Guye, Philippe Auguste, and G. Drouginine, formation of [optically] active compounds by P. Curie's method, A.,

Guye, Philippe Auguste, and G. Fluss, direct determination of the atomic weight of chlorine with reference to oxygen, A., ii, 135.

Guye, Philippe Auguste, and A. Pintza, volumetric composition of gaseous ammonia and atomic weight of nitrogen,

Guye, Philippe Auguste, and Demetrius E. Tsakalotos, exact determination of water of crystallisation as applied to researches on atomic weights, A., ii, 475.

Guye, Philippe Auguste, and Zachariades, vacuum correction of weighings applied to atomic weight determinations, A., ii, 989.

Guyot, Alfred, new general methods for the synthesis of aromatic aldehydes, A., i, 935.

Guyot, Alfred, and V. Badonnel, condensation of methyl diketobutyrate with aromatic hydrocarbons and amines, A., i, 305.

Guyot, Alfred, and G. Esteva, condensation of mesoxalic esters with aromatic hydrocarbous, A., i, 236.

condensation of mesoxalic esters with

phenolic esters, A., i, 303.

Guyot, Alfred, and Edmond Michel, condensation of mesoxalic esters with aromatic tertiary amines, A., i, 158.

Gyr, Ernst. See Paul Dutoit.

Gyr, Joseph, dehydration of commercial methyl alcohol, A., i, 2.

Gyr, Joseph, esterification, hydrolysis of esters, and formation of salts with arylacetic acids and some of their derivatives, A., ii, 33.

Haakh, Hermann. See Franz Henle and Johannes Thiele.

Haarmann, Carl W., caryophyllene, A., i, 400.

Haas, Karl. See Alfred Kliegl.

Haas, Paul, the condensation of dimethyldihydroresorcin with ethylamine, T., 421; P., 19.

See Alexander Gutbier. **Haas**, P.

Haavardsholm, O. See John Sebelien. Haber, Fritz, hydroxylamine, A., ii,

Haber, Fritz, and Joseph E. Coates, formation of nitric oxide in the carbon monoxide flame, A., ii, 997.

Haber, Fritz, and H. J. Hodsman, composition of the gases in very hot flames, A., ii, 801.

Haber, Fritz, and G. Just, escape of negative electrons from reacting metals, A., ii, 853.

Haber, Fritz, and K. Klemensiewicz, electric forces at the junction of two phases, A., ii, 785.

Haber, Fritz, and Robert Le Rossignol, dissociation of carbon dioxide in the carbon monoxide-oxygen flame, A., ii,

Habermann, Josef, and H. Brezina, ethyl acetate, A., i, 873.

Habermann, Josef, and A. Kurtenacker, the 4/3 sodium carbonate, A., ii, 664.

Hackett, F. E., secondary radiation excited by γ -rays, A., ii, 287.

Haehn, Hugo. See Eduard Buchner. **Haehnel**, Wolfram, the oxidation poten-

tial of manganese dioxide, A., ii, 959. Hämäläinen, Juho, influence of the asymmetric carbon atom in pharmacology; the action of d-, r-, and l camphor on the chloral-poisoned frog's heart, A., ii, 169.

Haensel, E., amounts of iron and phosphorus in vegetables, A., ii, 257.

Haensel, Heinrich, essential oils, A., i, 111, 312, 815.

Härtel, Richard. See Hans Stobbe.

Haesler, F., estimation of urea, A., ii,

Häussler, P. See Hans Rupe.

Hagen, E., and Heinrich Rubens, influence of temperature on the emissive power of metals, A., ii, 358.

Hagenacker, Joh. See Adolf Sieverts.

Hahn, Alfred. See Ernst Deussen.

Hahn, Otto, new phenomenon in the activation with actinium, A., ii, 206.

Hahn, Otto, and Lise Meitner, expulsion of radioactive matter in the transformations of radium, A., ii, 634.

complex nature of radium-t', A., ii, 849.

a typical β-radiation of radium, A., ii, 954.

Haiser, Franz, and Franz Wenzel, carnine and inosic acid. II. and III., A., i, 322, 540.

Hake, Cecil Napier, and Marcus Bell, the action of sulphuric and nitric acids in the nitration of cellulose, A., i, 457.

Halban, Hans von, rôle of the solvent in chemical kinetics, A., ii, 722.

Halberkann, Josef, assamin, A., i, 660. Haldane, John Scott, and Edward P. Poulton, effects of want of oxygen on respiration, A., ii, 66.

Haldane, John Scott. See also Arthur Boycott and C. Gordon Douglas.

Hale, C. F. See Walter Parke Bradley. Hale, Worth, physiological action of the alkaloids of the Papaveraceæ, A., ii, 333.

Hall, Walter. See Martin Kochmann. Haller, Albin, and Ed. Bauer, a general method of preparing mono-, di-, and tri-alkylacetophenones, A., i,

general method for the preparation of trialkylacetic acids, A., i, 131.

dimethylcamphor and dimethylcampholic acid, A., i, 594.

preparation of o-, m-, and p-hydroxy-, p-dimethylamino, and p-diethylamino-benzylidenecamphors, and of p- and m-tolylidenecamphors, A., i, 595.

new trialkylacetophenones and trialkylacetic acids derived from them, A., i, 654.

Halliburton, William Dobinson, the bleaching of flour, A., ii, 917.

Halliburton, William Dobinson, J. P. Candler, and A. W. Sikes, the human pituitary, A., ii, 417.

Hallwachs, Wilhelm, photo-electric sensitiveness of potassium as a function of the wave-length, A., ii, 952.

photo-electric measurement of small ozone concentrations; efficiency of Goldstein's ozonisation process at great dilutions, A., ii, 1050.

Hamburger, Hartog Jakob, passage of calcium ions through the blood-corpuscles, A., 11, 1030.

Hamill, P. See Walter Ernest Dixon.

Hammarsten, Olof, the bile of polar animals. III. The bile of the walrus, A., ii, 819.

colour reaction of cholic acid and dilute hydrochloric acid, A., ii,

Hampshire, Charles Herbert. See Arthur William Crossley.

Hamsik, Ant., action of intestinal lipase, A., ii, 326.

Hâncu, V. H., tautomerism of aliphatic ketones, A., i, 364.

Handa, M., characterisation of indicators, A., ii, 931.

Handovsky, Hans. See Wolfgang Pauli. Hann, Archie Cecil Osborn. See Frank Tutin.

Hannemann, K. See Karl Auwers. Hannes, B., and Alb. Jodlbauer, effect of temperature on the photodynamic action and the action of light on invertase, A., ii, 848.

Hanriot, Maurice, chloralic acids, A., i,

new method for determining the constitution of sugars, A., i, 287.

Hansen, Christian Johannes, volatilisation and sublimation at minimum temperatures in a vacuum, particularly of high molecular carbon compounds, A., ii, 212.

a source of error but little considered in the determination of boiling points under diminished pressure, A., ii, 969.

Hansen, Edward Kenneth, phycoerythin, the pigment of the red algae, P., 117; discussion, P., 117.

Hansen, G. Hirschfeldt. See Niels Bjerrum.

Hansen, Robert, filter holder, A., ii,

Hanssen, C. J. T., reform of chemical and physical calculations, A., 562.

Hansteen, ansteen, Barthold, correlations in vegetable metabolism, A., ii, 84.

Hantzsch, Arthur [Rudolf], Cain's theory of diazonium and ammonium salts, A., i, 193, 535.

pantochromism and chromoisomerism of violurates and allied oximinoketone salts, A., i, 331.

salts of azobenzene, amino- and hydroxy-azo-compounds with mineral acids, A., i, 536.

reaction between hydrogen sulphide and cyanaminodithiocarbonates, A., i, 894.

condition of substances in absolute sulphuric acid, A., ii, 18, 973.

- Hantzsch, Arthur [Rudolf], polymerism as the cause of the difference of colour of halides and sulphites, A., ii, 198.
- Hantzsch, Arthur, and Percy Claude Cameron Isherwood, salts and esters of the violuric acid group, A., i, 333.
- Hantzsch, Arthur, and Basile Issaias, polychromatic and chromotropic violurates, A., i, 335.
- Hantzsch, Arthur, and Georg Kanasirski, coloured and colourless salts of ethylnitrolic acid, A., i, 281.
- Hantzsch, Arthur, and W. Kemmerich, polychromatic salts from oximino-
- oxazolones, A., i, 336. Hantzsch, Arthur, and A. Korczyński, nitroanthrone, A., i, 394.
- Hantzsch, Arthur, and Norman Picton, the chromophore of salts from polynitrobenzene derivatives, A., i, 467.
- Hantzsch, Arthur, and Philip Wilfred Robertson, optical investigation of the copper complex in ammonia and pyridine solutions, A., ii, 44.

copper complexes in ammoniacal solu-

- tion, A., ii, 579. Hanuš, Josef, and Ot. Quadrat, complex organic aluminium compounds, A., i,
- Hanzlik, Paul J., and Philip Bouvier Hawk, uric acid excretion in normal man, A., ii, 79.
- Hanzlik, Paul J., and Torald Sollmann, absorption of phenol from the alimentary canal, A., ii, 498.
- Happel, Hans, inactive gases and the equation of state, A., ii, 806.
- extension of the law of corresponding states, A., ii, 853.
- Harden, Arthur, and William John Young, the alcoholic ferment of yeastjuice. IV. The fermentation of dextrose, mannose, and lævulose by yeastjuice, A., i, 863.
- Hardy, William B. See Thomas Barlow Wood.
- Harlow, Marie M., and Percy G. Stiles, effect of shaking on ptyalin, A., i,
- Harnack, Erich, and Hermann Hildebrandt, the varying activity of apomorphine preparations and the pharmacological behaviour of apomorphine derivatives (euporphine, etc.), A., ii,
- Harries, Carl Dietrich, and Ernst Alefeld, semi-aldehyde of succinic acid [\$\beta\aldehydopropionic acid], A., i, 132.
- Harries, Carl Dietrich, and Max Boegemann, lævulinaldehyde, A., i, 134.

- Harries, Carl Dietrich, [with Walther Frank], action of ozone on oleic acid, A., i, 131.
- Harries, Carl Dietrich, and Alfred Himmelmann, B-aldehydopropionic acid, A., i, 133.
- Harries, Carl Dietrich, and Rudolf **Koetschau**, ethylene ozonide, \underline{A} ., i, 755.
- Harries, Carl Dietrich, and Hans von Splawa-Neyman, so-called Δ^{1,3} dihydrobenzene and its molecular refraction, A., i, 218.

an aldehyde from pinene, A., i, 247. Harrison, (Miss) J. Peachy. See Eugene

C. Bingham.

Harrop, (Miss) Dorothy, Roland Victor Norris, and Charles Weizmann, derivatives of naphthacenequinone. Part III., T., 279; P., 33.

some derivatives of anthraquinone, T.,

1312; P., 203.

- Hart, Edwin Bret, volumetric estimation of caseinogen in cow's milk, A., ii,
- Hart, Edwin Bret, Elmer V. McCollum, and J. G. Fuller, rôle of inorganic phosphorus in nutrition, A., ii, 161. rôle of inorganic phosphorus in the
- nutrition of animals, A., ii, 1033. Hart, Edwin Bret, Elmer V. McCollum, and G. C. Humprey, rôle of the ash constituents of wheat bran in the
- metabolism of herbivora, A., ii, 413. Hart, Edwin Bret, and W. E. Tottingham, the nature of the acid soluble phosphorus compounds of some important feeding materials, A., ii, 926. Hart, Edwin Bret. See also John L.

Sammis.

- Hart, F., quantitative folded papers, A., ii, 178.
- Hartley, Ernald George Justinian. (Earl of) Berkeley.
- Hartley, Harold, and William Henry Barrett, sodium sulphite and its equilibrium with water, T., 1178; P., 164.
- Hartley, Percival, the fat of the liver, kidney, and heart. II., A., ii, 597.
- Hartley, Walter Noel, the constitution of para-benzoquinone, T., 52.
 - connexion between band and line spectra of the sa elements, A., ii, 279. samemetallic
- Hartley, Walter Noel, and Alfred Godfrey Gordon Leonard, the absorption spectra of para-benzoquinone, quinol, and quinhydrone in the state of vapour and in solution, T., 34.
- Hartmann, Johannes, normal lines from the arc spectrum of iron in the definite system of Rowland, A., ii, 280.

Hartmann, Max. See Otto Dimroth.

Hartmann, Wilhelm. See Carl Paal.

Hartogh, E. See Gustav Schultz.

Hartwell, Burt Laws, and F. R. Pember, sodium as a partial substitute for potassium, A., ii, 754.

Hartwich, C., and A. Jama, camomile

oil, A., i, 944.

Hartwich, C., and F. Toggenburg, micro-sublimation test for arsenic trioxide, A., ii, 437.

Harvey, Frederic A., a-rays of radium-B and atmospheric radioactivity, A., ii, 203.

Harvey, Thomas Featherstone, ethereal oil from Salvia Sclarea, A., i, 39.
Harwood, Henry F. See Paul Jannasch.

Haselfoot, C. E., charges on ions produced by radium, A., ii, 285.

Haselhoff, Emil, decomposition of soil-

producing rocks, A., ii, 259.

action of sulphurous acid on soils, A., ii, 928.

Hasenbäumer, J. See Josef König.

Hasselbalch, K. A., the action of light on blood-pigments and blood-corpuscles, and the optical sensitisation of the action, A., i, 857.

Hasselt, J. F. B. van, constitution of bixin, A., i, 598.

Hassler. F. See Max Dennstedt.

Hassreidter, V., separation of nickel from iron by means of ammonia, A.,

Hata, S., inhibition and reactivation of enzyme action by mercuric chloride, A., i, 543.

liver ferments, with special reference to the gelatinolytic enzyme, A., ii, 416.

Hatcher, Robert Anthony, absorption, excretion, and destruction of strophanthine, A., ii, 169.

Hatfield, H. Stafford, new estimate of

the size of an atom, A., ii, 652.

Hatfield, William H., the decarburisa-

tion of iron-carbon alloys, A., ii, 486. Hatschek, Emil, crystalline form of calcium carbonate precipitated from concentrated solutions, A., ii, 142.

Hauenstein, Emil. See Richard Willstätter.

Hauser, Enrique, method to avoid cracking vacuum vessels whilst manipulating liquid air, A., ii, 135.

Hauser, Otto, risorite, a new mineral, A., ii, 60.

the so-called dysanalyte from Vogtsburg, in the Kaiserstuhl, A., ii, 60.

the keilhauite-zirkelite group, and a new mineral of that group, A., ii, 901.

Hauser, Otto, and L. Finckh, plumboniobite, A., ii, 676.

Hauser, Otto, and H. Herzfeld, monoclinic modification of potassium dichromate, A., ii, 1001.

Hauser, Otto, and Fritz Wirth, solubilities of the oxalates of the rare earths. II. Solubility of manganous oxalate in water, ammonium oxalate, sulphuric or oxalic acid, and their mixtures, A., i, 360.

basic sulphates of thorium and cerium, A., ii, 54.

estimation of thorium in monazite sand, A., ii, 352.

simplification of Mosander's method for the separation of cerium from the other ceritic earths, A., ii, 940.

Hausmann, Walther, sensibilising action of animal pigments. I., A., ii, 69. photodynamic action of chlorophyll and its relation to the photosynthetic assimilation of plants, A., ii,

Hausmann, Walther, and W. Kolmer, the sensitising action of vegetable and animal pigments on paramœcia, A., ii, 78.

Hausmann, Walther, and Leopold (Ritter) von Portheim, photodynamic action of extracts of etiolated plants, A., ii, 925.

Hawk, Philip Bouvier. See Paul J. Hanzlik, Paul E. Howe, and M. E.

Haworth, Walter Norman, the condensation of ketones and aldehydes with the sodium derivative of ethyl cyanoacetate, T., 480; P., 76.

Haworth, Walter Norman. See also Henry Dent, Gardner.

Hay, James Gordon. See Raphael Mel-

dola.

Healy, Frank A., space relation of forces in the atom, A., ii, 653.

Hébert, Alexandre, action of zinc dust at high temperatures on various types of aliphatic and aromatic acids, A., i,

Hébert, Alexandre, and André Kling, influence of radium radiations on chlorophyllic and respiratory functions

of plants, A., ii, 753. Hedblom, C. A. See Carl Luca Alsberg. Heddle, Matthew F., mineralogy of the Færoe Islands, A., ii, 62.

Hedin, Sven Gustav, kinetics of enzymes, A., i, 73.

Hefelmann, Rudolf, the caffeine-content of raw coffee and a modification of Juckenack and Hilger's method for estimating caffeine, A., ii, 193.

Hefelmann, Rudolf, potassium hydrogen tartrate as standard substance, A., ii,

Heide, Karl von der, new forms of percolating and extraction apparatus, A., ii, 431.

Heide, Karl von der, and H. Steiner, estimation of succinic acid in wine, A., ii, 444.

estimation of malic acid in wine, A., ii, 445.

Heidelberger, M. See FloydJayMetzger.

Heiduschka, A., p-toluenesulphinic acid, A., i, 144.

Heiduschka, A., and H. W. Gloth, extraction of phytosterols and cholesterols from fats, A., i, 381.

Heiduschka, A., and K. Pfizenmaier, behaviour of fatty acids in Arnold's distillation process, A., i, 130.

Heiduschka, A., and O. Rothacker, condensation of phenylazoimide with phenylmethylpyrazolone, A., i, 851.

Heikel, Gunnar, estimation of vegetable alkaloids by means of mercuric potassium iodide [Mayer's solution], A., ii,

Heilner, Ernst, the effect of subcutaneously-administered urea on metabolism, A., ii, 327.

Heimannsberg, Alban. See Karl Bernhard Lehmann.

Heimrod, George William, and Phoebus A. Levene, anodic oxidation of aldehydes, A., i, 85.

Heimsoth, G. See Alois Bömer.

Heintz, W. See Hermann Matthes. Heinze, Berthold, are fungi able to utilise the elementary nitrogen of the air and to increase the total nitrogen in the soil? A., ii, 510.

Heinzelmann, Alfred. See Otto Ruff. Heise, Robert. See Emil Abderhalden. Heitman, Arnold H. C. See Erick Clemmensen.

Hele, T. Shirley, metabolism in cystinuria, A., ii, 683.

Hell, Carl, and Oscar Schaal, hexahydropropiophenone, hexahydrobenzyl methyl ketone, ethyl cyclohexylacetoacetate, and a compound, $C_{10}H_{12}O_4$, obtained in the preparation of the acetoacetate, A., i, 593.

Heller, Gustav, the action of dichloroacetic acid on aniline and its homo-

logues, A., i, 20.

constitution of anthranil. VI., A., i, 832.

Heller, Gustav, [with Max Kammann], derivatives of 3:5-dinitrophenol, A., i, 567.

Heller, Gustav, [with Otto Langkopf], transformation of a phloroglucinol derivative into one of cyclohexantrione, A., i, 656.

Heller, Gustav, and Heinrich L. Meyer, asymmetric dibromofluorescein, A., i,

Heller, Gustav, [with Julius Sölling], N-hydroxydioxindole: trioxindole, $\bar{\mathbf{A}}$., i. 183.

Hellsten, A. F., the influence of training on the output of carbon dioxide in isometric muscular work, A., 1029.

Hemmelmayr [von Augustenfeld], Franz von, gentisic acid (2:5-dihydroxybenzoic acid) and derivatives, A., i, 387.

Hemmeter, O. See Hermann Finger. Hempelmann, Ernst. See Karl Fries.

Henderson, George Gerald, and James Watson Agnew, contributions to the chemistry of the terpenes. Part IV. The oxidation of pinene with mercuric acetate, T., 289; P., 35.

Henderson, George Gerald, and William Cameron, contributions tochemistry of the terpenes. Part V. The action of chromyl chloride on terpinene and on limonene, T., 969; P., 151.

Henderson, George Gerald, and Wilfred James Stevenson Eastburn, the conversion of pinene into sobrerol, T., 1465; P., 211.

Henderson, George Gerald. See also J.

C. Galletly.

Henderson, Lawrence Joseph, and H. M. Adler, retention of alkali by the kidney, A., ii, 500.

Henderson, Laurence Joseph, and Karl Spiro, ionic equilibrium in the animal I. The equilibrium of organism. acids and bases in the urine, A., ii, 165.

Henderson, Lawrence Joseph. See also Karl Spiro.

Henderson, Yandell, acapnia and shock. III., A., ii, 421.

Henke, K. See Theodor Zincke.

Henle, Franz, the optical rotatory power of mineral oils, etc., A., ii, 675.

Henle, Franz, and Hermann Haakh, total asymmetric synthesis, A., i, 6.

Henny, Th. See Louis Pelet-Jolivet. Henri, Victor, electrical migration of

enzymes, A., i, 344. Henri, Victor, and Joseph Schnitzler, action of ultra-violet rays on acetic

fermentation in wine, A., ii, 753. Henri, Victor, and G. Stodel, sterilisation of milk by ultra-violet rays, A., ii, 335.

Henri, Victor. See also P. Cernovodeanu.

Henrich, Ferdinand [August Karl], investigations on the gases of the Wiesbaden thermal springs, A., ii,

the radioactivity of the gases of the Wiesbaden hot springs, A., ii,

apparatus for separating the inactive gases from mixtures by means of the electric flame, A., ii, 1000.

Henrich, Ferdinand, and Paul Roters, orcinol monomethyl ether and an oxidation product of amino-orcinol monomethyl ether (2-amino-5hydroxy-3-methoxytoluene), A., i, 57.

Henriot, Emile, radiation of potassium

salts, A., ii, 458. Henriot, Émile, and G. Vavon, radioactivity of potassium salts, A., ii,

Henriques, Valdemar, estimation of amino acids in urine, A., ii, 506.

can nitrogenous equilibrium be maintained on diets containing zein or gliadin as the only nitrogenous constituents? A., ii, 594.

Henry, Louis, direct dehydration of certain tertiary alcohols, A., i, 79.

Henseling, F. See M. Mayer.

Hepner, Albert. See Theodor Pfeiffer. Herden, P. C. den, estimation of carbohydrates in foods, A., ii, 1057.

Hérissey, Henri, and G. Doby, oxidation of dimethyldehydrodiisoeugenol and of dimethyldehydrodivanillin, A., i, 788.

EdmondEmileHerman, I. See Blaise.

Herman, nitrometer [volumeter] with barometric correction, A., ii, 181.

Hermann, Walter, action of oxidising and reducing gases on the colour of minerals, A., ii, 56.

Hernández. See Ferrer y Hernández.

Herre, Erich. See Fritz Ullmann. Herschfinkel, Heinrich, evolution radium emanation, A., ii, 714.

decomposition of carbon dioxide by ultra-violet rays, A., ii, 778.

Herschfinkel, Heinrich. See also Fritz Ephraim.

Herschkowitsch, Mordko, oxidation of ammonia by potassium permanganate and the effect of ammonium salts on the reaction, A., ii, 40.

Herschmann, Friedrich. See Ferdinand Blumenthal.

Herscovici, B. See Alfred Stock.

Herter, Christian Archibald, scatole and indole in wood of Celtis reticulosa, A., ii, 426.

Herter, Christian Archibald, and A. I. Kendall, bacillus infantilis, A., ii,

Herz, Otto. See *Emil* Erlenmeyer, jun.

Herz, Paul. See Eilhard A. Mitscherlich.

Herz, Walter [George], bismuthous com-

pounds. III., A., ii, 150. Herz, Walter, and Alfred Bulla, hydrolysis of bismuth halides, A., ii,

320. influence of temperature on the

hydrolysis of bismuth halides, A., ii, 674.

equilibrium reactions with bismuth

hydroxide, A., ii, 896.

Herz, Walter, and F. Kuhn, solubility
in mixed solvents. VII., A., ii, 28.

Herzfeld, E. See Gustav Schultz. Herzfeld, H. See Otto Hauser. Herzig, Josef, and Br. Hofmann, com-

pletely methylated flavone deriva-tives, A., i, 165, 403.

Herzig, Josef, and K. Klimosch, the

two isomeric monoalkyl ethers of euxanthone, A., i, 46.

constitution and colour of xanthones and allied substances, A., i, 732.

Herzig, Josef, and V. Renner, tannin methyl ether, A., i, 713.

Herzog, C. See Felix Kaufler.

Herzog, Johannes, a new formation of esters by the action of chlorocarbonates on acids, A., i, 568.

Herzog, Reginald Oliver, the relationship between pepsin and rennin, A., i. 621.

relation between surface tension and specific volume of non-associated

liquids, A., ii, 124. calculation of critical densities, A., ii,

Herzog, Reginald Oliver, and J. Adler, adsorption of sugars by animal charcoal, A., ii, 469.

Herzog, Reginald Oliver, and F. Hörth, the stereochemistry of lactic acid fermentation, A., ii, 601.

the estimation of mannose, arabinose, xylose, and hydrolysed milk sugar, A., ii, 625.

Reginald Oliver, Herzog, andMargolis, the action of pepsin on egg-albumin, A., i, 621.

Herzog, Reginald Oliver, and A. Meier, oxidation by fungi. II., A., ii, 423.

Reginald Oliver, and A. Herzog, Polotzky, citric acid fermentation, A., i, 285.

Herzog, Reginald Oliver. See also Carl Engler.

Hes, A., gravimetric estimation of nitric acid, A., ii, 265.

Hess, Fritz. See Otto Dimroth.

Hess, Hermann. See Heinrich Wieland.

Hess, Leo, estimation of "neutral" sulphur in urine, A., ii, 180.

Hess, V. F., general relationship between volume contraction and the three usual forms of the refraction formula in the case of mixtures of liquids, A., ii, 1.

Hessen, Victor. See Bernhard Schöndorff.

Heteren, Willem J. van, and H. van der Waerden, examination of mint-nickel, A., ii, 350.

eubner, Wolfgang, the lability of levithin, A., i, 5. Heubner,

Heuse, Wilhelm. See Karl Scheel.

Heusler, Friedrich, and Franz Richarz, magnetisable manganese X. Manganese-albumin-copper, A., ii,

Hevesy, Georg von, the electrolytic separation of the alkali metals from fused alkali hydroxides and the solubility of the metals in the electrolyte, A., ii, 806.

Hewitt, John Theodore, Sidney Herbert Newman, and Thomas Field Winmill, studies in the azine series. Part I. The constitution of safranine, T., 577; P.,

Hewitt, John Theodore, and Ferdinand Bernard Thole, the colour and constitution of azo-compounds. Part IV., T., 1393; P., 208.

Hewitt, John Theodore, and William Thomas, the colour and constitution of azo-compounds. Part III., T., 1292; P., 190.

Hewitt, John Theodor. See also Bertram Haward Buttle.

See Karl Heyden, Friedrich von der. Auwers.

Heyden, Paul. See Bernhard Schöndorff.

Wilhelm. See August Mi-Heyden, chaelis.

See Emil Fromm. **Heyder**, R.

Heydweiller, Adolf, heat of ionisation and the ionisation constant of water, A., ii, 292.

Heyer, estimation of calcium oxide in presence of calcium carbonate, etc., A., ii, 267, 1053.

Heygendorff, von, apparatus for rapidly obtaining a stream of water at constant temperature for refractometers and polarimeters, A., ii, 306.

new burette attachment to store bottle,

A., ii, 341.

Heyn, E, and O. Bauer, influence of the treatment on the solubility of iron and steel in sulphuric acid, A., ii, 486.

Heynemann, Hans. See Alfred Stock. **Hibbert**, (Miss) Eva, titration of copper and chromium and of copper. chromium, and iron in admixture, A., ii, 349.

volumetric estimation of titanium and of titanium in the presence of iron, A., ii, 351.

Hibbert, (Miss) Eva. See also Edmund Knecht.

Hibbert, Gilbert Stanley. See Oscar Baudisch.

Hibbert, Harold, the estimation of hydroxyl derivatives in mixtures of organic compounds, P., 57.

a simple method for determining the chemical affinity of organic substances, P., 57; discussion, P.,

the stability of compounds derived from tertiary amines and magnesium

alkyl halides, P., 118. Hibbert, Harold, and Archibald Wise, a new method for the separation of tertiary from secondary and primary amines, P., 119.

Harold. Hibbert, See also Arthur Michael and John Joseph Sudborough. Hickmans, (Miss) Evelyn Marion. See

Alexander Findlay.

Hicks, William Longton. See Arthur Walsh Titherlev.

Higuchi, Shigeji, chemical investigations of placenta, A., ii, 76.

pharmacological actions of the placenta, A., ii, 503.

ash constituents of the placenta, A., ii, 1034.

Higuchi, Shigeji. See also Walther Löb.

Hildebrand, Joel H., Jones and Allen's "colour demonstration of the dissociating action of water," A., ii,

purification of mercury, A., ii, 734. Hildebrand, Joel H., and Ben Leon Glascock, colour of iodine solutions, A., ii, 225.

Hildebrandt, Hermann, oxidation of borneolglucoside in a biochemical manner, A., ii, 918.

Hildebrandt, Hermann. See also Erich Harnack.

Hilditch, Thomas Percy, the effect of contiguous unsaturated groups on optical activity. Part I, T., 331; P., 29.

the effect of contiguous unsaturated groups on optical activity. Part II. Acids containing two adjacent ethenoid groups, T., 1570; P., 214. the effect of contiguous unsaturated

groups on optical activity. Part III. The normal series of fatty dibasic acids, T., 1578; P., 214.

Hilditch, Thomas Percy, and Samuel

Smiles, chlorides of aromatic sulphine

acids, A., i, 18. Hilditch, Warren W. See Frank Pell Underhill.

Hilgenberg, Gustav. See Conrad Willge-

Hilgendorff, G. See Emil Erlenmeyer. Hill, Arthur E., and John P. Simmons, solubility of salts in concentrated acids, A., ii, 647.

Hill, Arthur E., and William A. H. Zink, volumetric estimation of barium,

A., ii, 267.

Hill, Leonard Erskine, and Martin Flack, influence of oxygen on athletes, A., ii, 249.

Hille, estimation of the oxidation numbers of urine with potassium permanganate, A., ii, 712.

Hilpert, Siegfried, genetic and constitutive relations in the magnetic properties of ferrites and of iron oxides, A., ii, 672.
Hilpert, Sieyfried, and Paul Weiller,

lead silicates, A., ii, 890.

Himmelbauer, Alfred, phenyl sulphide, A., i, 570. method for the preparation of colloidal

sulphur, A., ii, 566.

Himmelmann, Alfred. See Dietrich Harries.

Himstedt, Frans, and H. von Dechend, spectral analysis of the glow light in different gases, A., ii, 3.

Hines, Murray Arnold. See Gregory Paul Baxter.

Hinrichs, Gustav Dethlef, synthesis of silver nitrate and determination of the atomic weight of sulphur, A., ii, 140.

true atomic weight of silver, A., ii,

atomic weight of potassium, A., ii, 400. practical method for the simultaneous calculation of atomic weights: general results, A., ii, 653. proposed solution of the equation of

condition for calculating atomic weights, A., ii, 723.

Hinrichs, Gustav Dethlef, the atomic weight of silver, A., ii, 808.

Hinsberg, Oscar [Heinrich Daniel], constitution of disulphoxides. II., A., i, 6.

a- and B-acetanilide disulphoxide, A., i, 374.

remarks on dihydroazines, A., i, 845.

Hinselmann, Hans, degradation of glycogen and formation of sugar in the liver of normal dogs, and of those deprived of their pancreas, A, ii,

Hintikka, S. V. See Gustav Komppa. Hiorns, Arthur H., and S. Lamb, iufluence of small quantities of arsenic and antimony on copper, A., ii, 578.

Hirayama, K., some picryl derivatives of protein fission products, A., i, 341.

action of some acid chlorides on prot-

amines, A., i, 344.

Hirsch, Paul. See Emil Abderhalden. Hirschberg, Z. See Pavel Iw. Petrenko-Kritschenko.

Hirschstein, L., the origin of glycine from uric acid, A., ii, 77.

Hirt, W. See Karl Auwers. Hissink, D. J., Mitscherlich's method for estimating very small quantities

of nitrogen, A., ii, 435.
estimation of phosphoric acid in manures by Pemberton's modified process and by von Lorentz's method, A., ii, 437.

Hodgson, Herbert Henry, some reactions of phenyl iodochloride and iodosobenzene acetate, A., i, 18.

Hodgson, Herbert Henry. SeeWalter Myers Gardner.

Hodgson, Thomas Reginald, separation of mixtures of some aliphatic acids by means of benzene and toluene, A., ii, 947.

Hodsman, H. J. See Fritz Haber.

Höber, Rudolf [Otto Anselm], the influence of neutral salts on hæmoly sis, A., ii, 70.

the significance of the cataphoresis of blood-corpuscles, A., ii, 903.

the permeability of cells for dyes, A., ii, 912.

Höber, Rudolf, [with M. Iwaschkiewitsch], action of alkali salts on cilitated epithelium, A., ii, 598. Höber, Rudolf, and Heinrich Walden-

berg, the influence of salts of strong organic bases on the resting current and excitability of frog's muscle, A., ii, 251.

Höfle, J., and G. Vervuert, potassium mercuri-iodide, A., ii, 1014.

Hölter, Lothar. See Hermann Grossmann.

Hoenen, P. H. J. See Frans Antoon Hubert Schreinemakers.

Hönigschmid, Otto, silicone, A., ii, 805.

silicides of the metals of the alkaline earths, A., ii, 808.

Hoering, Paul, alkylated halohydrin and vinyl ethers, A., i, 81.

Hoering, Paul, and Fritz Baum, a method of applying the Griguard reaction to hydroxyaldehydes and alkyl hydroxycarboxylates, A., i, 570.

eparation of tertiary aromatic alcohols, A., i, 571. preparation

preparation of alkoxymethyl ethers of aromatic hydroxy-compounds, A., i, 572.

stereochemistry of ethylene derivatives: two stereoisomeric isosafroles, A., i, 788.

Hoering, Paul, and Karl Paul Grälert, so-called photoanethole; a contribution to the chemical action of light, A., i, 378.

Hörlein, Heinrich. See Fritz Ach and

Ludwig Knorr.

Hörth, F. See Reginald Oliver Herzog. Hof, Hans, magnesium oxychlorides, A., ii, 668.

action of lead oxide and some lead salts on concentrated solutions of magnesium chloride and a new process for making white lead, A., ii,

Hoff, Jacobus Henricus van't, synthetic ferment action, A., ii, 988.

Hoffman, Alfred, condensation of acetone by calcium oxide, A., i, 553.

Hoffmann, Felix. See Otto Stark.

Hoffmann, F. La Roche & Co., preparation of cotarnine cholate, A., i,

preparation of guaiacol-5-sulphonic acid and its salts, A., i, 789.

Hoffmann, Josef, action of chlorine on ferroboride and manganese boride at high temperature, A., ii, 48.

Hoffmann, M. See C. Bloch.

Hofmann, Adolf, hydrazones of sugars and their acetates, A., i, 519.

Hofmann, Br. See Josef Herzig

Hofmann, Karl A., Prussian blue and Turnbull's blue, A., i, 637.

Hofmann, Karl A., and Karl Buchner,

guanidine perchromate, A., i, 636. action of guanidine carbonate on sodium cobaltinitrite: trihydroxotrinitrocobaltiate, A., i, 775.

nitritoplato-acids, A , i, 783.

Hofmann, Karl A., and H. Wagner, application of the theory of complex ions to the reactions of mercury cyanide with silver salts and alkali hydroxides, A., i, 559.

Hofmann, Karl A., and (Graf) Armin Zedtwitz, nitrosyl perchlorate, the anhydride of nitrous and perchloric acids, A., ii, 568.

Hofmeier, F. See Robert Kremann.

Hogley, C. F., secondary spectrum of hydrogen, A., ii, 359.

search for the heavier gases of the helium groups in minerals, A., ii,

Hohlweg, Hermann, and F. Voit, influence of high body-temperature on the decomposition of sugar in the animal body, A., ii, 162.

Holland, William West. See Harmon Northrop Morse.

Holleman, Arnold Frederik, nitration of toluene, A., i, 17.

nitration of p-chlorotoluene, A., i,

quantitative estimation of the products of nitration of m-chloro- and mbromo-benzoic acid, A., i, 28.

preparation of 2-chloro-3-nitrotoluene, A., i, 93.

estimation of small quantities of impurities in o-toluidine and o-nitrotoluene, A., ii, 192.

Holleman, Arnold Frederik, and J. J. Polak, [with Foeko Hendrik van der Laan, and P. C. J. Euwes], bromination of toluene. II., A., i, 93.

Holliger, M., estimation of sulphur in coals and cokes, ii, Α., 699.

Hollinger, Adolf, the partition of the sugar in blood, A., ii, 496.

Holmberg, Bror, ester-acids of thiocarboxylic acids with aliphatic alcoholacids. III., A., i, 286.
Holmes, John, and Philip John Sage-

man, contributions to the theory of solutions, T., 1919; P., 231.

Holmes, Mary E., the use of the rotating anode in electrolytic separations, A., ii, 184.

Holmgren, I., studies on capillarity and adsorption; method for determining the concentration of dilute solutions of mineral acids, A., ii, 25.

Holsboer, See Adolf Kauf-Max. mann.

Holt, Alfred, jun., the decomposition of carbon dioxide by the silent electric discharge, T., 30.

action of hydrogen on sodium, A., ii, 807.

Holt, Alfred, jun., dissociation of water vapour, A., ii, 468.

Homberger, Alfred. See Otto Wallach. Homberger, A. W. See. WilliamAlbert Noyes.

Homer, (Miss) Annie. See John Edward Purvis.

Hoogenhuyze, C. J. C. van, and H. Verploegh, oxygen and creatinine excretion, A., ii, 331.

Hope, Edward, and William Henry Perkin, jun., the action of bromocyclohexane and of 4-bromo-1methylcyclohexane on the sodium derivative of ethyl malonate, T., 1360; P., 207.

ethyl benzoylacetate, T., 2042; P., 296.

Horatiis, Cesare de. See Gino Abati. Horn, Otto. See Hans Stobbe.

Horvath, Béla. See Stephan Bugarszki. Hoshiai, Zin-nosuke, behaviour of pyridine in the hen's organism, A., ii, 919.

Hottinger, R., weighing hygroscopic substances in the open, A., ii,

Houben, Josef, [with Walter Brassert, Leo Ettinger, Robert Freund, and Erich Kellner], introduction of the nitroso-group into the nucleus of N-alkylated esters of anthranilic acid, A., i, 794.

Houben, Josef, Walter Brassert, and Leo Ettinger, [with Erich Kellner], aromatic nitroso-compounds, azomethinecarboxylic acids, and the preparation of benzoquinoneoximecarboxylic acid, A., i, 645.

Houben, Josef, and Arnold Schottmüller, [with Walter Brassert], synthesis of aromatic amino-acids by rearrangement. II., A., i, 921.

Houllevigue, Louis, ionisation of air by high tension electric cables, A., ii, 639.

Houston, Robert A., rare Renfrewshire minerals, A., ii, 63.

Houston, Robert A., and Alexander S. Russell, question in absorption spectroscopy, A., ii, 281.

Hove, Théodore van, dynamical study of two alkyl derivatives of phosphoric acid, A., i, 626.

etherifying action of organic bases, A., i, 701.

Howard, Bernard Farmborough, and O. Chick, cinchonamine and certain other rare alkaloids, A., i, 176.

Howard, George M., estimation of antimony and arsenic in lead-antimony alloys, A., ii, 98.

Howard, Hubert. See Frank George

Howe, Paul E., and Philip Bouvier Hawk, estimation of ammonia and urea in urine, A., ii, 449.

Howell, William Henry, and W. W. Duke, effect of stimulation of the accelerator nerve on the saline metabolism of the isolated heart, A., ii, 72.

Howwjanz, S. See Max Siegfried.

Hoyt, D. M. See Leo Loeb. Huber, L. See Paul Jacobson.

Hudig, J., an apparatus for decanting and filtering, A., ii, 307.

Hudson, C. S., certain numerical relations in the sugar group, A., i,

inversion of sucrose by invertase. III., A., i, 554.

hydration in solution as the cause of certain solubility influences, A., ii,

new method for measuring the electrolytic dissociation of water, A., ii,

Hübner, Carl W., bimolecular nitriles, A., i, 141.

Huerre, R., influence of reaction of the medium on the activity of maltases from maize, A., i, 543.

the maltase of buckwheat, A., i, 621. maltases of maize, A., ii, 258, 338.

Hüssy, Richard. See Adolf Kaufmann. Hüssy, Werner. See Fritz Straus. Hüttinger, K. See Robert Kremann.

Hugounenq, Louis, and Albert Morel, study of the constitution of proteins by the hydrolytic action of hydrogen fluoride; preparation of natural peptides, A., i, 195.

hydrolysis of proteins by hydrogen fluoride: new results, A., i, 685. Hulett, George, A., and W. D. Bonner,

preparation of standard hydrochloric acid, A., ii, 342.

Hulett, George Augustus, and Ralph E. DeLury, reduction of cadmium by mercury and the E.M.F. of cadmium amalgams, A., ii, 11. Hummelburger, F. See Zdenko Hanns

Skraup.

Humnicki, Vincenty. See Stanislaus Bondzyński.

Humphreys, T. C. See Thomas Slater Price.

Humphries, Herbert Brooke Perren. See Alexander McKenzie.

Humprey, G. C. See Edwin Bret Hart. Hundeshagen, Franz, as ay of commercial magnesite; estimation of small quantities of calcium in presence of much magnesium, A., ii, 439.

Hurmuzescu, Dragomir, and N. Patriciu, adioactivity of Roumanian mineral waters, A., ii, 110.

WilliamHurtley, Holdsworth. See Kenneth Somerville Caldwell.

Husek, B. See Otto Lemmermann.

Hussak, Eugen, phenacite from Brazil, A., 1i, 492.

Huston, R. C. See WilliamJayKarslake.

Hutchinson, Henry B., and Norman Harry John Miller, direct assimilation of ammonium salts by plants, A., ii, 923.

Hutchinson, Lancelot. See also Hugh MacLean and Benjamin Moore.

Hyde. Ida H., effect of salt solutions on the heart and respiration of the skate, A., ii, 67.

Hynd, Alexander. See James Colquhoun Irvine.

I.

enterokinase in the new-born child and in the human embryo, A., ii,

Ibrahim, Jussuf, and L. Kaumheimer, question of pancreas lactase (investigations on human new-born children and sucklings), A., 907.

Igersheimer, J_{\cdot} , and A_{\cdot} Rothmann, behaviour of atoxyl in the organism,

A., ii, 420.

Ikawa, Kozo, kinetics of the hydrolytic decomposition of methyl acetate by the catalytic action of acetic acid, A., ii, 559.

kinetics of two simultaneous reactions in a system, 560.

Iliovici, Georg. See Franz Fischer.

Iljin, Leo F., composition of tannin, A., i, 503.

action of phenylhydrazine on formaldehyde, A., i, 675.

action of zinc dust on tannin, A., i, 821.

Imabuchi, T., estimation of urinary indican, A., ii, 772.

Imbert, Georges, and Consortium für Industrie, Elektrochemische duction of alkyl chloroacetates from dihalogenated vinyl ethers, A., i, 453, 694, 873.

Imbert, Georges. See also Consortium für Elektrochemische Industrie. Inagaki. See Schwenkenbecher.

Indra, A. See Richard Ehrenfeld.

Inghilleri, Giuseppe, new method of preparing ammonium thiocyanate and thiocarbamide, A., i, 637.

Inglis, John Kenneth Harold, and Alfred Sidell Mason, action of Grignard's reagent on ethyl oxalate, P., 195.

Innes, A. G. See Ernst Berl.

Inouye, Katsuji. See Ernst Cohen.

Inouye, R., application of dicyanodiamide as a nitrogenous manure, A., ii,

Inouye, R. See also Umetaro Suzuki and T. Takeuchi.

Ipatieff, Wladimir N., catalytic reactions at high temperatures and pressures. XVII. Reduction of fatty compounds with an ethylene linking in presence of cupric oxide, A., i, 449.

catalytic reactions at high tempera-tures and pressures. XVIII. Re-duction of fluorene, acenaphthene, and retene in presence of nickel

oxide, A., i, 466.

catalytic reactions at high tempera-tures and pressures. XIX. Reduction of aromatic acids in presence of nickel oxide and cupric oxide, A., i, 472.

Ipatieff, Wladimir N., and W. Werchowsky, the precipitation of metals from aqueous solutions of their salts by hydrogen at high temperatures and pressures, A., ii, 564. Irie, Y. See Umetaro Suzuki.

Irvine, James Colquhoun, a polarimetric method of identifying chitin, T., 564; P., 89.

Irvine, James Colquhoun, and Robert Gilmour, the constitution of glucose Part II. Condensation derivatives. derivatives of glucose with aromatic amino-compounds, T., 1545; P., 218.

Irvine, James Colquhoun, and Alexander Hynd, monomethyl lævulose and its derivatives; constitution of lævulosediacetone, T., 1220; P., 176.

Irvine, James Colquhoun. See also R. A. Robertson.

Isaac, (Miss) Florence.See Henry Alexander Miers.

Iscovesco, Henri, influence of cholesterol on hæmolysis by soaps, A., ii, 816.

Isherwood, Percy Claude Cameron, the coloured salts and derivatives of the thiovioluric acid group; preliminary

note, P., 120. Isherwood, Percy Claude Cameron. See also Arthur Hantzsch.

Isler, Mav H., side-chain halogen substituted methylanthraquinone, A., i, 811.

Issaias, Basile. See Arthur Hantzsch. Ivanoff, L. L., tale from Kossoi-Brod, Urals, A., ii, 324.

Iwanoff, Leonid, formation of organic phosphorus compounds and their function in zymase fermentation, A., i, 752.

Iwanowsky, Watzlaff, apparatus for reversed filtration and its application to the estimation of fibre, A., ii, 272.

Iwaschkiewitsch, M. See Rudolf Hober. Izar, Guido, influence of silver hydrosols and salts on nitrogen metabolism, A., ii, 905.

action of arsenic on autolysis, A., ii,

action of silver salts on the autolysis of liver, A., ii, 907.

Izar, Guido. See also Marcel Ascoli and C. Bezzola.

Izgaryscheff, N. Nicolai D. See Zelinsky.

J.

Jabiczyński, Casimir, diffusion through membranes, A., ii, 300.

lead chromate and its change of colour, A., ii, 313.

Jaboin, A., and Beaudoin, elimination of radium bromide [in the organism], A., ii, 165.

Jaboulay, Emile, the estimation of vanadium in steel, A., ii, 705.

Jack, Robert, dissymmetrical separations in the Zeeman effect in tungsten and molybdenum, A., ii, 280.

Jackson, Charles Loring, and H. E. Bigelow. 2-bromo-1:3:5-tri-iodo-4:6dinitrobenzene, A., i, 465.

Jackson, Charles Loring, and Latham Clarke, modification of Scheibler's extractor for use with large quantities of a solid, A., ii, 826.

Jackson, Charles Loring, and Augustus Henry Fiske, action of sodium hydroxide on tetrabromo-o-benzoquinone, A., i, 657.

Jackson, Charles Loring, and G. L. Kelley, hemi-ether of hexachloroethoxy-o-quinocatechol, A., i, 495.

Jackson, D. E., prolonged existence of

adrenaline in blood, A., ii, 159.

Jackson, (Miss) Kate Maud, and Henry Allen Dugdale Neville, substituted amides of tartaric acid, P., 226.

Jacobs, Walter A., and Phoebus A.

Levene, nucleic acids, A., i, 447.

Jacobs, Walter A. See also Phoebus A. Levene.

Jacobsen, Jules, preparation of silver dimercurous arsenate and phosphate, A., ii, 887.

decomposition of silver tetrachloroplatinate by water and the preparation of fulminating platinum, A., ii,

Jacobsohn, Felix, assay of lead sulphides, A., ii, 185.

analysis of sulphur antimonii auratum, A., ii, 942.

Jacobsohn, Felix. See also Fritz Frank.

Jacobsonn. See Carl Mannich.

Jacobson, Paul [Heinrich], [with C.
Bartsch, A. Loeb, and A. Steinbrenck], transformations of azo-compounds by means of hydrogen chloride in alcoholic solution, A., i,

diazonium salts of highly halogenated parasemidines and certain other highly halogenated bases, A., i,

Jacobson, Paul, [with O. Fabian, H. L. Fulda, E. Jankowski, and L. Huber], behaviour of ethers of o-hydroxyazocompounds when reduced with stannous chloride and hydrochloric acid, A., i, 852.

Jacoby, Ernst. See Ferdinand Blumenthal.

Jacoby, Hans. See Fritz Foerster.

Jacoby, J. See M. Mayer.

Jacopson-Jacopmann, W. See Eugen Khotinsky.

Jäger, Carl, [preparation of substituted azines], A., i, 845.

Jaeger, Frans Maurits, tri-halogen substitution products of aromatic compounds, A., i, 381.

Jänecke, Ernst, isomorphism of ternary mixtures in which the components are not completely miscible, A., ii, 872.

Jaffé, George, electrical conductivity of pure hexane, A., ii, 208.

Jaffé, Max, the scission of the benzene ring in the organism. I. The appearance of muconic acid in the urine after doses of benzene, A., ii, 914.

Jager, L. de, chemistry of unine, A., ii, 1060.

Jahn, Stephan, ozone, III. and IV., A., ii, 37.

Jakalo, A. See Br. Radziszewski.

Jakowkin, Alexander A., osmotic pressure of complex solutions, A., ii, 796.

Jakubowski, Zyg. von, and Stefan von Niementowski, 8:8'-diquinolylearboxylic acids, A., i, 264.

Jama, A. See C. Hartwich.

James, Charles, and W. F. Langelier, bromates of the rare earths. II. Bromates of the cerium group and yttrium, A., ii, 734.

James, Thomas Campbell, and John Joseph Sudborough, halogen derivatives of cinnamic acid, T., 1538; P., 211. Jandolo, Giovanni, xylenolglycollic [di-

methylphenoxyacetic] acids and their derivatives, A., i, 101.

Janicki, L., constitution of the spectral lines of the elements. I., A., ii, 774. Jankowski, E. See Paul Jacobson.

Jannasch, Paul, and Henry F. Harwood, volatilisation of boric acid by heating in a current of the vapours of carbon tetrachloride and methyl alcohol, A., ii, 728.

quantitative volatilisation of vanadic acid from its compounds by heating in a current of carbon tetrachloride

vapour, A., ii, 767.

Jannasch, Paul, and W. Jilke, volatilisation of phosphoric acid and its quantitative separation from phosphates of the metals of the ammonium sulphide group, A., ii, 759.

Janssen, Rudolf Léon. See Alexander Gutbier.

Januschke, Hans, the abolition of oxalic acid poisoning in the frog, and the cause of oxalic acid action, A., ii, 1043.

Jappelli, A., salivary secretion. IV. Influence of non-electrolytes, A., ii, 160. Jaquerod, Adrien, electrolysis of alkali chlorides; electrical conductivities, densities, and specific heats of solutions of potassium chloride and of

potassium hydroxide, A., ii, 293. Jarkowsky, W. See Paul Askenasy. Jassonneix. See Binet du Jassonneix. Jastrowitz, Hermann, metabolism of

glycine in liver affections, A., ii, 70. Jaubert, George F., new formation of liquid alloys of potassium and sodium, A., ii, 41.

apparatus for estimating oxygen in peroxides, A., ii, 434.

Javillier, Maurice, occurrence and rôle of zinc in plants, A., ii, 173.

Javillier, Maurice. See also Gabriel Bertrand.

Javorsky, W., substitution of zinc by magnesium in the synthesis of unsaturated alcohols, A., i, 151.

action of magnesium on a mixture of allyl bromide and a terpene ketone, A., i, 168.

Jeffery, John H. See George Cecil Jones. Jelhchaninoff, E. See Petr. G. Melikoff.

Jenkins, John H. B., analysis of London clay, A., ii, 64. Jensen, P. Boysen, degradation of sugar

during the respiratory process, A., ii,

Jerusalem, Ernst. See Otto von Fürth. Jerusalem, George, the morphotropic relationships between the derivatives of picric acid, T., 1275; P., 201.

Jesse, Richard Henry, jun. See Gregory Paul Baxter.

Jilke, W. See Paul Jannasch.

Job, André, and Clarens, simplified form of constant volume ureometer, A.,

preparation of hypobromite from a bromide for the estimation of urea, A., ii, 837.

Jodlbauer, Alb. See B. Hannes.

Jörg, P. See Theodor Zincke.

Jörgensen, Gunner, estimation of some of the organic acids occurring in fruits, A., ii, 445. detection of "saccharin" in beer, A.,

ii, 448.

estimation of phosphoric acid in mineral phosphates, A., ii, 829.

Johannesen, J. C. F. See Henrik Bull. Johansson, Johan E., carbohydrate metabolism, A., ii, 161.

Johns, Carl Oscar, pyrimidines.

Formation of purine derivatives from 4-methylcytosine, A., i, 191.

Johnsen, Arrien, regular intergrowth of carnallite and hæmatite, A., ii, 410.

Johnson, Frederick Murray Godschall, vapour pressure of the ammonium halogen compounds, A., ii, 23.

Johnson, Frederick Murray Godschall, Douglas McIntosh, and liquid chlorine, A., ii, 881.

formation of ozone by the ultra-violet

rays, A., ii, 881.

Johnson, Treat Baldwin, and Herbert H. Guest, thiocyanates and thiocarbimides. VIII. New class of thiocarbimides; thiocarbimidoethers, A., i, 371

XLV. Sulphur derivapyrimidines. tives of 5-hydroxyuracil; preparation of 5-benzylthioluracil and 5benzylthiolcytosine, A., i, 744.

I. Synthesis of phenyl-Amines. ethylmethylamine, A., i, 784.

Johnson, Treat Baldwin, and D. Brecse Jones, pyrimidines. XXXIX. Syntheses of new derivatives of hydroxyuracil (isobarbituric acid), A., i, 59.

XLII Synthesis of 5pyrimidines. hydroxy-1-methyluracil, A., i, 423. Johnson, Treat Baldwin, and Kenneth G. Mackenzie, pyrimidines. XLVI. Dimethyl derivatives of 2-aminopyrimidine; preparation of 2-methylamino-5-methylpyrimidine, Α., 839.

Johnson, Treat Baldwin. See also Henry Lord Wheeler.

Johnston, John, application of Nernst's theorem to certain heterogeneous equilibria, A., ii, 390.

change of the equivalent conductivity of ions with the temperature, A., ii,

Johnston, John. See also Arthur Amos Noyes.

Jolibois, Pierre, tin phosphides, A., ii, allotropic states of phosphorus, A., ii,

726.Jolles, Adolf [F.], estimation of albumin

in urine, A., ii, 194. estimation of urea, A., ii, 275.

Joly, John, distribution of thorium in the earth's surface materials, A., ii, 458, 637.

radium content of sea-water, A., ii,

radioactivity of certain lavas, A., ii,

Jona, Temistocle, relations between the cryoscopic constants and position isomerism in disubstituted derivatives of benzene; influence of the substituent groups, A., ii, 860.

Jones, Bernard Mouat, the spontaneous crystallisation of solutions of sodium carbonate and sodium thiosulphate,

T., 1672; P., 213.

Jones, Charles O., the physiological effects of selenium compounds with relation to their action on glycogen and sugar derivatives in the tissue, A., ii, 1041.

Jones, D. Breese. See Treat Baldwin Johnson and Thomas Burr

Osborne.

Jones, Edward William Taylor, colorimetric method for the estimation of formaldeliyde in milk, A., ii, 99.

Jones, George Cecil, and John H. Jeffery, estimation of iron by permanganate in presence of hydrochloric acid, A., ii, 704.

Jones, Grinnell, explanation of the negative coefficient of expansion of silver iodide, A., ii, 210.

Jones, Grinnell. See also TheodoreWilliam Richards.

Jones, Harry Clary, present status of the solvate theory, A., ii, 221.

Jones, Harry Clary, and John A. Anderson, absorption spectra of neodymium and praseodymium chlorides in water, methyl alcohol, ethyl alcohol, and mixtures of these solvents, A., ii, 197.

absorption spectra of solutions of a number of salts in water in certain non-aqueous solvents, and in mixtures of these solvents with water.

XXIV., A., ii, 359.

Jones, Harry Clary, and Edward G. Mahin, conductivity of solutions of lithium nitrate in ternary mixtures of acetone, methyl alcohol, ethyl alcohol, and water; viscosity and fluidity of the mixtures, A., ii, 539.

conductivity and viscosity of dilute solutions of lithium nitrate and cadmium iodide in binary and ternary mixtures of acetone with methyl alcohol, ethyl alcohol, and

water, A., ii, 957.

Jones, Harry Clary, and W. W. Strong, absorption spectra of certain salt solu-

tions, A., ii, 775. Jones, Harry Clary. See also M. R. Schmidt.

Jones, Humphrey Owen, and Hubert Sanderson Tasker, the action of mercaptans on acid chlorides. Part I. Oxalyl chloride; the mono- and di-thio-oxalates, T., 1904; P., 247. thio-oxalates; preliminary note, P.,

Jones, Humphrey Owen. See also John Gunning Moore Dunlop and Hubert Sanderson Tasker.

Jones, Lionel Manfred. See Thomas Slater Price.

See V. N. Leonard, Jones, Walter. J. R. Miller, M. N. Straughn, and Milton C. Winternitz.

Jones, William Jacob, and Kennedy Joseph Previté Orton, the chlorination of acetanilide, T., 1056; P., 146.

Jones, William Jacob. See also Kennedy Joseph Previté Orton.

Jonescu, (Mlle.) Anna, detection of benzoic acid in foodstuffs, A., ii, 627,

Jonescu, D., pharmacological investigation of tetrahydronaphthylamine, A., ii, 599.

Jong, Anne Willem Karel de, estimation of alkaloids in coca leaves, A., ii, 276.

cyanogenetic plants, A., ii, 424.

Jonker, W. P. A., the system sulphurarsenic, A., ii, 397.

freezing-point and boiling-point curves in a binary system, A., ii, 466.

Jordan, Stroud. See Alvin Sawyer Wheeler.

Willem Paulinus, heat of Jorissen. hydration, A., ii, 120.

some corroded metals, A., ii, 311.

estimation of dissolved oxygen in water, A., ii, 343.

Jorissen, Willem Paulinus, and H. Filippo, jun., laboratory preparation of sodium or potassium hydroxide free from carbonate, A., ii, 311. lecture experiments [oxides of copper], A., ii, 564.

Jorissen, Willem Paulinus, and J. Rutten, naphthalene picrate and the estimation of naphthalene, A., ii, 523.

Joseph, Don R., effect of magnesium on some of the toxic effects of eserine, A., ii, 170.

Jouard, Farel Louis. See Marston Taylor Bogert.

Jovitschitsch, Milorad Z., solubility of chromic oxide, A., ii, 243.

new chromium mineral from Servia, A., ii, 246.

Jowett, Hooper Albert Dickinson, and Frank Lee Pyman, relation between chemical constitution and physiological action in the tropeines. II., T. 1020; P., 165. Jüngel, Karl. See Fritz Ullmann.

Jüptner [von Jonstorff], Hanns (Freiherr) von, vaporisation: III., A., ii, 21. Jürgens, Wilhelm. See Julius Tafel.

Jüttner, Ferencz, reaction-velocity and diffusion, A., ii, 300.

Juillard. See Paul Freundler.

Junker, F. See Ernst Beckmann.

Junkersdorf, Peter. See Richard Anschütz and Bernhard Schöndorff.

Juschkevitsch, N., theory of the fusion of copper in cupola furnaces, A., ii, 577. Juschtschenko, A. J., influence of iodothyrin, spermine, and adrenaline on

oxidation processes, and on the toxicity of the urine, A., ii, 169. Just. Gerhard, and W. Berezowsky.

relation between the rate of a chemical reaction and those of its intermediate

changes, A., ii, 651. Just, G. See Fritz Haber.

XCVI. ii.

Justin-Mueller, Ed., adsorption (dyeing) and cohesion (felting) of woollen fibres and swelling affinity, A., ii, 302.

K.

Kaas, K. See Robert Kremann. Kablukoff, Iwan A., and Al. Sachanoff, hydrolytic and electrolytic dissociation of aluminium bromide in aqueous solution, A., ii, 965.

Kahlenberg, Louis [Albert Berthold], osmotic studies, A., ii, 301.

Kahlenberg, Louis, and Walter Wittich, equilibrium in the system; silver chloride and pyridine, A., i, 602.

Kahn, Robert, and Ludwig Benda, some homologues and derivatives of arsanilic acid. II. Oxidation of aminotolylarsinic acids, A., i, 75.

Kahn, R. H., the internal secretion of chromaffine tissue, A., ii, 686.

Kailan, Anton, behaviour of sulphuric acid in ester formation, A., ii, 218. formation of esters, A., ii, 305, 723.

Kaim, Hans. See Karl Löffler. Kajiura, S., is choline present in the cerebro-spinal fluid of epileptics? A., ii, 71.

Kalb, Ludwig, dehydroindigotin, a new oxidation product of indigotin. A., i, 966.

dehydroindigotin. II. The hydrogen sulphite compounds of dehydroindigotin and a new process of indigo-dyeing, A., i, 967.

Kallauner, O., magnesium oxychlorides, A., ii, 809.

Kalle & Co., preparation of o-nitrobenzaldehyde, and o-nitrobenzaldoxime, A., i, 76.

preparation of o-nitrobenzonitrile and o-nitrobenzamide, A., i, 230.

preparation of a substituted a-oxythionaphthen, A., i, 252.

preparation of indoxylcarboxylic acid

and indoxyl, A., i, 256. [preparation of alkylthiol derivatives of primary aromatic amines], A., i,

[preparation of arylsulphoxyacetic acids], A., i, 477.

preparation of o-nitro-derivatives of nitriles, A., i, 717.
preparation of aromatic acyl-p-di-

amines, A., i, 736.

preparation of o-aminobenzonitrile and its substitution products, A., i, 793. Kamerlingh Onnes. See Onnes.

Kametaka, Tokuhei, derivatives of protocatechuic acid, A., i, 387.

Kametaka, Tokuhei, and Arthur George Perkin, carthamine; preliminary note, P., 223.

Kametaka, Tokuhei.See also Emil

Fischer. Kammann, Max. See Gustav Heller. Kanasirski, Georg. See Arthur Hantzsch.

Kansky, E. See Carl Neuberg. Kantorowicz, Hans. See Franz Sachs.

Kappen, Hubert, chemical changes of calcium cyanamide in manuring, A., i, 92.

Kappen, Hubert, changes in calcium cyanamide when stored and their estimation, A., ii, 609.

bacteria which decompose cyanamide, A., ii, 822.

Karczag, Lázló. See Willy Marckwald and Carl Neuberg.

Karl, Georges. See Amé Pictet.

Karslake, William Jay, procedure for the oxidation of chromic acid to perchromic acid, A., ii, 269.

Karslake, William Jay, and P. A. Bond, oxidation products of 6-nitro-1:3-dimethylbenzene-4-sulphonic acid, A., i, 231.

Karslake, William Jay, and R. C. Huston, action of nitric acid on benzoyl chloride in presence of acetic anhydride, A., i, 301.

6-nitro-4-sulpho-3-toluic acid and some of its derivatives. A., i. 795.

of its derivatives, A., i, 795. **Karsten**, B. J. See Ernst Hendrik **Büchner**.

Karstens, H., thorium, A., ii, 243.

Karvonen, A., halogen ethers, A., i,

Kasatkin, F. S. See Alexis A. Shu-koff.

Kassner, Georg [Max Julius], preparation of hydrogen iodide from barium peroxide, iodine, and sulphur dioxide, A., ii, 992.

Kastle, Joseph Hoeing, peroxydase accelerators and their possible significance for biological oxidations, A., i, 75.

decomposition of the leucosulphonic acids of rosaniline hydrochloride and crystal-violet in aqueous solution, A., i, 845.

oxidation of carbon monoxide, A., ii, 508.

Kastle, Joseph Hocing, and Norman Roberts, tests for pus and blood, A., ii, 528.

Katayama, Massao. See Max Bodenstein.

Kato, Kan, microchemical detection of glycogen, A., ii, 355.

Kato, Yogoro, reaction between ferric chloride and potassium ferricyanide, A., i, 463.

electrical conductivity and dissociation of sulphuric acid in aqueous solutions at high temperatures, A., ii, 538.

" tofu," A., ii, 607.

Kauffmann, Hugo [Josef], fluorescence of potassium quinoldisulphonate, A., i, 96.

nitroquinol dimethyl ether and theory of solution, A., ii, 107.

Kauffmann, Hugo, and Immanuel Fritz, chromophores without double linkings, A., i, 95.

triphenylcarbinols, A., i, 99.

Kaufler, Felix, and C. Herzog, electrolysis of carboxy-acids, A., i, 870.

Kaufler, Felix, and E. Kunz, acid haloid salts, A., i, 136, 556.

Kaufmann, Adolf, and Alberto Albertini, cyanodihydrocyclic amines. II. Quinoline series. A., i, 958.

oline series, A., i, 958.

Kaufmann, Adolf, and Alberto Albertini,
[and, in part, Max Holsboer], cyanodihydrocyclic amines. I. Acridine
series, A., i, 606.

Kaufmann, Adolf, [with Richard Hüssy and A. Luterbacher], acetylation of amines and phenols. A. i. 783.

amines and phenols, A., i, 783.

Kaufmann, Adolf, and A. Luterbacher, preparation of acid anhydrides, A., i, 792.

Kaufmann, Adolf, and Radoslav Radošević, [with Richard Hüssy and Wulf Damje], ψ-phenanthroline, A., i, 608.

Kaumheimer, L. See J. Ibrahim. Kautzsch, J. See Joh. D'Ans.

Kautzsch, Karl. See Emil Abderhalden.

Kay, Francis William, the conversion of d-α-methylisoserine into d-α-methylisoseric acid, T., 560; P., 90.

Kay, Francis William. See also Amé Pictet.

Kaya, R. See Robert Henry Aders Plimmer.

Kaye, G. W. C. See T. H. Laby.
Kayser, E., and A. Demolon, influence of aeration on the formation of volatile products in alcoholic fermenta-

tion, A., ii, 170. life of yeast after fermentation, A., ii, 823.

Kazay, Endre von, importance of refractometric investigations in pharmacy, A., ii, 277.

Keane, Charles Alexander, and Percival Narracott, experiments on the separation of mixtures of some aliphatic acids by means of benzene, A., ii, 947.

Keesing, A., plait-point temperatures of the system water-phenol, A., ii, 117.Keetman, Bruno, ionium, A., ii, 852.

Kehrmann, [Johann August Ludwig] Friedrich, history of the discovery of the rules of the so-called "steric hindrance," A., ii, 130.
Kehrmann, Friedrich, and O. Dengler,

Kehrmann, Friedrich, and O. Dengler, [with Karl Scheunert], carboxonium dyes. II. Strongly basic, neutral, salt-forming, nitrogen-free oxonium compounds and the constitution of fluorescein, A. i, 249.

Kehrmann, Friedrich, and E. F. Engelke, derivatives of 8-amino-\beta-naphthol, A., i. 150.

Kehrmann, Friedrich, \mathbf{and} Werner Gresly, the azoxine analogue of aposafranine, A., i, 189.

Kehrmann, Friedrich, and W. Poplawski, behaviour of hydroxy-p-phenylenediamine and its unsymmetrical dialkyl derivatives in acetic acid solution on oxidation with air, A., i, 516.

Kehrmann, Friedrich, and A. Stépanoff, derivatives of 5-phenylacridine, A., i, 54.

Kelber, C. See Hermann Apitzsch.

Kelhofer, W., distribution of sugar, acid, and tannin in apples, A., ii, 1047.

Keller, Hugo. See Wilhelm Schlenk.

Kelley, G. L. See Charles Loring Jackson.

Kellner, Erich. See Josef Houben.

Kellner, J., theory of hydrolysis of fats and oils, A., i, 357, 548, 759.

Kellner, Oskar, examination of calcium

phosphate food, A., ii, 617. Kellogg, David R, effect of neutral salts on hydrolysis by water, A., i, 203,

Kemmerich, W. See Arthur Hantzsch. Kemp, James Furman, and C. G. Gunther, [garnet from Idaho], A., ii,

Kendall, Arthur I., bacillus infantilis, A., ii, 422.

Kendall, Arthur I. See also Christian Archibald Herter.

Kennaway, Ernest Laurence, the effect of muscular work on the excretion of endogenous purines, A., ii, 166.

Kennedy, W. T., active deposit from actinium in uniform electric fields, A., ii, 955.

Kenrick, Frank Boteler, hydrates and acid salts of ferrous sulphate A., ii, 147.

Kenyon, Joseph. See Robert Howson Pickard.

Kerb, Joh. Wolfgang. See Georg Bredig. Kernbaum, Miroslaw, chemical action of the penetrating radium rays on water, A., ii, 364, 714.

decomposition of water by ultra-violet rays, A., ii, 717.

Kernot, Giuseppe, influence of potassium persulphate on the catalytic decom-position of hydrogen peroxide by means of colloidal iridium solutions, A., ii, 880.

solubility of barium sulphate in ammonium acetate solutions, A., ii, 940.

Kernot, Giuseppe, and F. Arena, action of colloidal iridium solutions on hydrogen peroxide, A., ii, 880. action of colloidal rhodium solutions

hydrogen peroxide, A., on881.

Kernot, Giuseppe, and F. de Simone Niquesa, absorption of hydrogen by colloidal platinum and palladium solutions, A., ii, 878.

Kerp, Wilhelm, and P. Wöhler, combined sulphurous acids. IV. and V., A., i, 806.

Khotinsky, Eugène, pyrrole, A., i, 602.

a-siliconaphthoic acid, A., i, 864. Khotinsky, Eugène, and W. Jacopson-Jacopmann, 4-amino-3-methoxybenzaldehyde, A., i, 804.

Khotinsky, Eugène, and M. Melamed, action of organo-magnesium compounds on boric esters, A., i, 864.

Khotinsky, Eugène, and Raphael Patzewitch, condensation of aromatic carbinols with pyrrole, A., i, 830.

Khotinsky, Eugène, and Max Soloweitschik, azopyrroles and their reduction, A., i, 616.

Kiesel, Alexander, fermentative cleavage of ammonia in higher plants, A., ii,

autolytic decomposition of arginine in plants, A., ii, 694.

behaviour of asparagine in the autolysis of plants, A., ii, 694.

Kieser, A. J., preparation of crystalline silicon, A., ii, 41.

Kijner, Nicolai M., bromination of cyclopropanecarboxylic acid, A., i, 694. benzoyl iodide and its relation towards simple ethers, A., i, 715.

Kikkoji, T., casein and paracasein, A., i, 685.

autolysis, A., ii, 1035.

Kikkoji, T., and Carl Neuberg, behaviour of aminoacetaldehyde in the animal organism, A., ii, 822.

employment of hydrogen peroxide in investigations on oxydases, A., ii, 1060.

Kilchling, K. See Johann Koenigsberger.

Kilian, Herman F. C. See Eberhard Rimbach.

Kiliani, Heinrich, digitoxonic and digitalonic acid, A., i, 552.

action of calcium hydroxide on lactose, A., i, 882.

Kiliani, Heinrich, and Fritz Eisenlohr. products of the reaction between lactose and calcium hydroxide, A., i, 553.

Kilpi, Sulo. See Henrik Wegelius. King, I. See Carl Voegtlin.

Kinzlberger & Co., electrolytic preparation of glyoxylic acid, A., i, 694.

Kipping, Frederic Stanley, a study of some asymmetric compounds, T., 408; P.,

Kipping, Frederic Stanley, and Harold Davies, organic derivatives of silicon. Part IX. Experiments on the resolution of dl-benzylethylpropylisobutyl-silicanesulphonic acid, T., 69; P., 9.

Kipping, Frederic Stanley, and Bernard Dunstan Wilkinson Luff, isomeric derivatives of phosphoric acid, P., 203.

Kipping, Frederic Stanley, and Geoffrey Martin, the action of fuming sulphuric acid on triphenylsilicol, T., 489; P., 66.

Kipping, Frederic Stanley, and William Jackson Pope, crystallisation of externally compensated mixtures, T., 103; P., 9.

pping, Frederic Stanley. See also Bernard Dunstan Wilkinson Luff, Kipping, Geoffrey Martin, and Arthur Henry Salway.

Kirchhoff, Georg. See Wilhelm Steinkopf.

Kirpal, Alfred, course of the Friedel-Craft reaction with unsymmetrical polycarboxylic acids, A., i, 509.

Kissin, S. M. See Richard Meyer.

Kissling, Richard, estimation of the volatile organic acids of tobacco and the behaviour of the oxalic acid, A., ii, 707.

Kitaj, M. See Erich Beschke.

Klassert, Martin, estimation of essential oils, A., ii, 271.

Kleeman, R. D., velocity of the cathode rays ejected by substances exposed to the γ -rays of radium, A., ii, 364.

ionisation [produced] in various gases by secondary γ -rays, A., ii, 636. determination of a constant in capil-

larity, A., ii, 645.

relations in capillarity, A., ii, 869.

Kleiber, Alb., estimation of nitrogen in saltpetre by means of stannous chloride and iron filings, A., ii, 517.

Kleine, A., new apparatus for the estima-

tion of carbon, A., ii, 437. Kleisinger, Emil. See Wilhelm Wisli-

Klemensiewicz, K. See Fritz Haber. Klemm, A. See Ernst Deussen.

Kliegl, Alfred, new method of formation of acridone, A., i, 255.

Kliegl, Alfred, and Karl Haas, aromatic homologues of s-dichlorodimethyl ether, A., i, 570.

Klimont, Isidor, and E. Meisels, occurrence of mixed glycerides in natural fats, A., ii, 597.

Klimosch, K. See Josef Herzig.

Kling, André, action of semicarbazide on chloroaldehydes, A., i, 214.

Kling, André, and Paul Roy, estimation of added water in altered milks, A., ii, 525.

Kling, André. See also Alexandre Hébert.

Klobb, Timothée, modifications of anthesterol and its benzoate, A., i, 471.

Klopfer, Theodor. See Ernst Beckmann. Klopstock, H., the active substance of chlorates, A., ii, 136.

Klotz, Oskar, the large white or soapy kidney, A., ii, 507.

Klut, Walter, estimation of the hardness

of water, A., ii, 183. estimation of iron in water, A., ii, 1055.

Knaffl-Lenz, Erich von, the so-called artificial complements, A., ii, 904.

Knapp, Arthur William. See Herbert Sutcliffe Shrewsbury.

Knecht, Edmund, the reduction of perchlorates by titanous salts, P., 229. Knecht, Edmund, and J. P. Batey, con-

dition of some dyes in aqueous solution, A., i, 612.

modification of the Beckmann apparatus by which constant readings are obtained in determining the boiling points of aqueous solutions, A., ii, 791.

Knecht, Edmund, and (Miss) Eva Hibbert, a volumetric process for the estimation of tungsten, P., 227.

Knoch, Max. See Otto Ruff.

Knoche, W., measurements of the active emanation of sea-water from the Atlantic Ocean, A., ii, 287.

Knocke, A., volatilisation of difficultly volatile metals, particularly platinum and iron, in evacuated glass vessels, A., ii, 211.

Knocke, A. See also F. Karfft.

Knöpfer, Gustav, transformation of azines into hydrazones, A., i, 188.

Knöpfle, Franz, estimation of lead in tinned utensils, etc., A., ii, 702.

Knoll & Co., preparation of esters of cellulose and their transformation products by the action of acid anhydrides in the presence of salts, A., i, 290.

[preparation of phenolphthalein esters], A., i, 932.

Knopp, O., thermo-elements, A., ii, 640.

Knorr, Angelo. See Wilhelm Schlenk.

Knorr, Ludwig, Howard Butler, and Heinrich Hörlein, ψ-codeine, A., i, 827. Knorr, Ludwig, and Heinrich Hörlein,

synthesis of 3:4:8-trihydroxyphenanthrene derivatives, A., i, 918.

Knorr, Ludwig, Heinrich Hörlein, and Franz Staubach, morphine. Acetoxyacetylcodeine, A., i, 951.

XXI. Acetoxyacetyl de morphine. rivatives of isocodeine, \psi-codeine, and allo- ψ -codeine, A., i, 952.

Knorr, Ludwig, and Arno Weidel, hydrazophenylmethyl [s-phenylmethylhydrazine] from phenylpyrazole, A., i, 965.

Knorr, Ludwig. See also Fritz Ach.

Knorre, Georg von, analysis of coal-gas and similar gaseous mixtures; estimation of nitrogen in coal-gas, A., ii, 698.

Knowlton, Herbert Stanley. See David

Runciman Boyd.

Knox, Joseph, the solubility of bismuth trisulphide in alkali sulphides and of bismuth trioxide in alkali hydroxides, T., 1760; P., 226.

volumetric estimation of mercury and the estimation of silver in presence of mercury, T., 1768; P., 227.

Knudsen, Martin, laws of the molecularand viscosity-diffusion of through tubes, A., ii, 216.

molecular diffusion of gases through pores and [the phenomenon of] effusion, A., ii, 385.

Knudsen, Peter, electrolytic reduction of aldehyde ammonias in sulphuric acid solution, A., i, 890.

Kober, Philip Adolph, preparation and use of asbestos for Gooch crucibles, A., ii, 610.

Kober, Philip Adolph. See also Phoebus A. Levene.

Kober, Samy. See Karl Löffler.

Kobert, Karl. See August Michaelis.

Koch, Alfred R. See Richard Sydney Curtiss.

Koch, *Erich*, estimation of the alkalis in drinking waters, A., ii, 761.

Koch, E., changes of phosphatic nutrients

in the human body, A., ii, 192.

Koch, Waldemar, and Sydney A. Mann, chemical analysis of brain, A., ii, 499.

Kochmann, Martin, influence of ethyl alcohol on yeast fermentation, A., ii, 336.

Kochmann, Martin, and Walter Hall, influence of alcohol on metabolism in

animals during inanition, A., ii, 414. whler, A. See Edmond Émile Blaise. öhler, A. See Edward Vongerichten. Kæhler, A. Köhler, A. Köhler, Fr. See Ernst Mohr.

Koelker, Arthur H. See Emil Abderhalden.

König, C. See Eduard Laubé.

König, Josef, and J. Hasenbäumer, the measurement of osmotic pressure, A., ii, 555.

König, Josef, and W. Sutthoff, so-called nitrogen-free extract substances in foods, A., ii, 608.

Koenigs, Ernst, and Bruno Mvlo. some amides of amino-acids, A., i,

Koenigsberger, Johann, conduction of electricity, A., ii, 289.

Koenigsberger, Johann, and K. Kilchling, behaviour of bound and "free" electrons towards electromagnetic radiation, A., ii, 367.

Königsberger, Johann Georg. See Wol Johannes Müller.

Koepsel, Adolf, a new electrical method for the continuous analysis of gas mixtures, and its application to the measurement of the velocity of gas currents, A., ii, 89, 610.

Körber, Friedrich, influence of pressure on the electrolytic conductivity of solutions, A., ii, 719.

Körner, Wilhelm, and Angelo Contardi, action of calcium hypochlorite on m-nitroaniline, A., i, 220.

Köthner, Paul. See Theodore William Richards.

Koetschau, Rudolf. See Carl Dietrich

Kötz, Arthur, and B. Merkel, action of ammonia and amines on tetrahydrosalicylic esters, A., i, 157.

Kohan, Marie, mercury poisoning with the simultaneous action of hirudin, A., ii, 902.

Kohler, Elmer Peter, action of alkali hydroxides on a-bromo-ketones, A.,

phenyl vinyl ketone and some of its homologues, A., i, 938.

Kohlmeyer, Ernst J., the fusion of ferric oxide, A., ii, 581.

Kohlrausch, Arnt, the behaviour of betaine, methylpyridinium hydroxide, and trigonellinein the animal organism, A., ii, 918.

Kohlrausch, F. L., and Erich Plate, the ingestion and excretion of radium emanations by the human organism, A., ii, 913.

Kohlrausch, F. L. See also F. Nagelschmidt.

Kohlschütter, Volkmar, cathodic volatilisation of metals in dilute gases. V .. A., ii, 639.

Kohn, Moritz, a peculiar method of formation of nitrobenzene from mdinitrobenzene, A., i, 561.

Kohn, Moritz, the lactones of αy-dihydroxy-ay-dimethylvaleric acid and a-methylamino-γ-hydroxy-αγ-dimethylvaleric acid, A., i, 599.

the solubility of cuprous iodide, A., ii,

891.

Kohn, Moritz, and Noe L. Müller, behaviour of tribromophenol towards benzene in the presence of aluminium chloride, A., i, 567.

Kohn-Abrest, Emile, aluminium; analysis of aluminium powder, A., ii,

apparatus for estimating hydrogen given off on treating metals with acids, A., ii, 617.

action of hydrogen chloride on aluminium; method of estimation of

metallic aluminium, A., ii, 735. Kohn-Abrest, Émile, and J. Carvallo, thermal phenomena which accompany the action of water on aluminium

powder, A., ii, 316.

Kohnstamm, Philipp, and J. Chr.
Reeders, phenomena of condensation for mixtures of carbonic acid and urethane in connexion with double retrograde condensation, A., ii, 546.

See also J. Kohnstamm, Philipp.

Timmermans.

Kolb, A., [with G. Melzer, A. Merckle, and C. Teufel], double nitrates and double sulphates of the rare earths, A., i, 16.

Kollo, Constantin, potassium hydrogen tartrate as standard substance, A., ii,

Kolmer, W. See Walther Hausmann. Komatsu, Shigeru, amine salts of phthalamic, phenylphthalamic, and phenyl-

succinamic acids, A., i, 483. Komatsu, Shigeru. See also Mitsuru

Kuhara.

Komppa, Gustav, complete synthesis of camphor, A., i, 110.

the camphenilone group. I. Cam-

phenilol, A., i, 500.

syntheses in the camphor and terpene series. I. Complete synthesis of apocamphoric acid and its derivatives, A., i, 726.

Komppa, Gustav, and S. V. Hintikka, synthesis of dimethylnorcampholide,

A., i, 301.

Kondakoff, Iwan L., fenchyl derivatives, A., i, 311.

terpinenes, A., i, 502. history of the terpenes, A., i, 942.

Konen, Heinrich, and Hermann Finger, the spectra of spark discharges in liquids, A., ii, 357.

Koninck, Lucien Louis de, precipitation of cobalt by potassium nitrite, A., ii. 269.

precipitation of arsenic by hydrogen sulphide, A., ii, 345.

precipitation of Fischer's salt (potassium cobaltinitrite), A., ii, 520.

preservation of filter-paper; its influence on certain estimations, Λ ., ii, 611.

iron-alum as a standard in titrations, A., ii, 611.

Koninck, Lucien Louis de, and Lejeune, use of pinchcock burettes for titrations with iodine and permanganate, A., ii, 341.

Konowaloff, J. IV., various relations between calcium and magnesium in

nutritive solutions, A., ii, 695.

Konowaloff, W. K. See Wladimir W. Tschelinzeff.

Konstantikoff, N. See Richard Lorenz. Korczyński, Antoni, addition of hydrogen chloride to organic bases and azo-compounds, A., i, 123.

chromo-isomeric salts of o-nitrophenols,

A., i, 148.

abnormal salts. II., A., i, 639.

Korczyński, Antoni. See also Arthur Hantzsch.

Kosegarten, Th. See Heinrich Biltz. Kossel, Albrecht, and Fr. Weiss, clupeone, A., i, 344.

action of alkalis on protein. I. and II., A., i, 542.

Kostanecki, Stanislaus von, and Josef Tambor, 2-hydroxystilbene, A., i,

the coumaran group. II., A., i, 319.

Kostanecki, Stanislaus von. See also S. Czaplicki, H. Dumont, and A. Graf-

Kostytscheff, S., the relation between respiration and alcoholic fermentation, A., ii, 84.

the rôle of zymases in the respiratory processes of seed-plants, A., ii, 173.

Kotake, Y., and Y. Sera, does a change of fat into glycogen occur in the silkworm during metamorphosis? A., ii, 912.

Kowalski, Joseph de, decline of lowtemperature phosphorescence, A., ii,

Kowalski, Joseph de. See also J. Dzierbicki.

Kozai, Yoshinao, soils of acid reaction, A., ii, 87.

Kozak, Jean, action of potassium hydroxide on acetyl-ψ-isatindioxime, A., i, 673.

Kozłowski, Stanislas, the ratio of inorganic bases to acids in normal human urine, A., ii, 505.

Koźniewski, Tad., iodine derivatives of cinchona alkaloids, A., i, 826.

Krafft, [Wilhelm Ludwig] Friedrich [Emil], vacuum distillation and the effect of gravity on the boiling point, A., ii, 969.

effect of gravity on the boiling point; determination of the boiling point under the ordinary pressure, A., ii, 969.

Krafft, Friedrich, and A. Knocke, volatility of arsenic and thallium in vacuum and a method of calculating the boiling points of metals, A., ii, 211.

Krasowsky, N., berries of Rhamnus cathartica and the methods of separating the substances contained therein, A., ii, 174.

Krasowsky, N. See also Nicolai A. Waljaschko.

Krassa, P., passivity of iron, A., ii,

Kraus, Edward Henry, and C. W. Cook, iodyrite from Tonopah, Nevada, A., ii, 324.

Krause, E., valyl-leucine anhydride, A., i, 87.

See also Zdenko Hanns Krause, E. Skraup.

Krauz, Cyrill. See Emil Votoćek. Krebs, P. See Heinrich Biltz.

Krell, A. See Alexander Gutbier.

Krell. See Paul Nicolardot.

Kremann, Robert [Konrad], isomorphous mixtures; the systems o-, m-, and p-chloronitrobenzene and o-, m-, and p-bromonitrobenzene, A., ii, 986.

existence of double salts, in particular of carnallite and schoenite, in aqueous solution, A., ii, 1000.

Kremann, Robert, [with Erwin Benesch, Willy Decolle, P. Dolch, K. Kaas, F. Pilch, and F. Scherenziss], influence of substitution in the components on the equilibrium of binary solutions. III., A., ii, 28.

Kremann, Robert, and F. Hofmeier, hydr-

ates of selenic acid, A., ii, 138. Kremann, Robert, and K. Hüttinger, solubility of aluminium hydroxide in solutions of aluminium sulphate and artificial production of alumian, A., ii, 1015.

Kremann, Robert, and E. Philippi, temperature co-efficient of the molecular surface energy of equimolecular mixtures of aniline and the three isomeric nitrophenols, A., ii 24.

Kremann, Robert, and A. Zitek, formation of potassium nitrate from sodium nitrate and potassium carbonate from the standpoint of the phase rule, A., ii,

Krepelka. See Karl Bernhard Lehmann. Kress, O., and Floyd Jay Metzger, does thorium exist as thorium silicate in monazite? A., ii, 588.

Kreutz, Adolf, the theobromine-content of cocoa and a new method for the estimation of theobromine, A., ii,

the theobromine-content of cocoa beans, A., ii, 606.

Kreutz, Stefan, optical characters of minerals of the amphibole group and their relation to the chemical composition, A., ii, 154.

parallel growths of different substances, A., ii, 667.

crystallisation of ammonium chloride, A., ii, 731.

Krieble, Vernon K. See James Wallace Walker.

Krietemeyer, Ludwig. See Michaelis.

Krimberg, R., constituents of meat extract, A., i, 950.

Kristeller, L. See Phoebus A. Levene. Kröber, E., action of bacteria and yeasts in rendering soluble the phosphoric acid of compounds insoluble in water,

A., ii, 510. Kröner, A., methods of preventing superheating, A., ii, 544.

Kropff, Alfred H. See Marston Taylor Bogert.

Kropp, Walter, and Herman Decker, constitution of the fluorescein and quinolphthalein dyes, A., i, 248.

Kropp, Walter, and Herman Decker, [and, in part, Clemens Zoellner], derivatives of benzylphenaceturic acid. A., i, 388.

Walter. See also Kropp, Herman Decker and Emil Fischer.

Krüger, Martin, the purine substances normally excreted in man (when neither tea nor coffee have been taken). A., ii, 166.

See Gustav Wimmer. Krüger, W.

Krulla, Rudolf, two new arrangements for producing emission spectra, A., ii, 358.

crystal-like arrangement of fine solid particles, A., ii, 389.

adsorption with special reference to the ascent of salt solutions in filter paper, A., ii, 469.

Krumbhaar, Wilhelm. See Adolf Sieverts.

Krummacher, Otto, and Ernst Weinland, sugar formation in pupæ, A., ii, 419.

Kruys. M. J. van't, estimation of barium sulphate in presence of interfering sub-

stances, A., ii, 939.

Kruyt, Hugo R., dynamic allotropy of sulphur. II. [Binary] systems containing sulphur, A., ii, 228. dyn mic allotropy of sulphur; the

system sulphur-benzoic acid, A., ii,

Kruyt, Hugo R. See also Ernst Cohen. Krym, S. W., conditions of solubility of silver iodide in sodium iodide solutions, A., ii, 574.

Krzemieniewski, Severin, Azotobacter chroococcum, A., ii. 335. Kubinsky, J. See Hermann Standinger.

Kubler, Konrad, chemistry of Condu-

rango bark, A., i, 40. constituents of Vincetoxicum root,

A., i<u>,</u> 41.

Kubler, Konrad. See also Rudolf Boehm. Kubli, Heinrich. See Richard Will-

Kudo. T., the influence of acids, alkalis, neutral salts, and carbohydrates on trypsin, A., i, 124.

Kühling, Otto, and O. Berkold, action of nitrogen on commercial barium carbide, A., i, 140.

Kühling, Otto, and L. Frank, ketones of the pyrrolidone series, A., i, 954.

Kühling, Otto, and B. Schneider, condensation products of alloxan, A., i, 424.

Kümmel, Gottfried, and E. Remy, electrolytic reduction of a nitro-derivative of pyrazolone, A., i, 422.

Kümmel, Gottfried, and F. Wobig, molecular condition of chlorine exposed to light, A., ii, 476.

Küng, Albert. See Ernst Winterstein. Künkler, A., and H. Schwedhelm, formation of mineral oils from the salts of fatty acids and the metals of the alkaline earths, A., i, 281.

Küster, William, bile pigments: bilirubin, biliverdin, and their fission

products, A., i, 319. hæmatin, A., i, 749.

Küttner, Siegmund, peptic digestion of casein from the standpoint of the acidity of its cleavage products, A., ii, 905.

Kuhara, Mitsuru, and Shigeru Komatsu, isomeric phenylphthalimides and some allied compounds, A., i, 484.

Kuhles, Jakob. See Karl Bernhard Lehmann.

Kuhn, Emil. See Fritz Ullmann.

Kuhn, F. See Walter Herz,

Kuliga, Erich. See Paul Rabe.

Kulka, W. See Richard Ehrenfeld. Kummerell, V., supercooling of water, A., ii, 307.

Kunckell, Franz, 3:5-dibromoaceto-ptoluidide and its nitro-derivatives, A., i, 20.

Kunckell, Franz, and Ernst Vollhase, acetylch'oroacetyltetrahydroquinoline, A., i, 834.

Kunz, E. See Felix Kaufler.

Kunze, H., estimation of manganese in pig iron by the persulphate method, A., ii, 186.

Kurbatoff, W. A., concerning the [luminiferous] ether, A., ii, 109. variation of Trouton's constant in a

given homologous system, A., ii,

latent heat of evaporation of isoamyl ether, A., ii, 119.

latent heat of evaporation and specific

heat of naphthalene, A., ii, 120. latent heat of vaporisation of benzoin isobutyl ether, A., ii, 120.

latent heat of vaporisation of acetic anhydride and determination of the association of liquids, A., ii, 120.

has the crystallising force any influence on properties in the amorphous condition? Latent heat of vaporisation of p-toluidine, A., ii, 132.

specific heats of non-metals: sulphur, A., ii, 465.

conception of the element, A., ii, 475.

Kurbatoff, W. A., [and, in part, M. M. Matvéeff, the structure of hardened steel, A., ii, 241.

Kurnakoff, Nicolai S., and S. Schemtschuschny, electrical conductivity and plasticity of isomorphous mixtures of lead with indium and thallium, A., ii, 855.

Kurnakoff, Nicolai S. See also Wladimir I. Smirnoff.

Kurovski, E. K. See Sebastian M. Tanatar.

Kurtenacker, A. See Josef Habermann. Kusnetzoff, P. I., tetra-acetamide com-pound of calcium chloride, A., i, 461.

hydrates of the halogen salts of calcium, A., ii, 574.

labile forms of tetrahydrated manganese bromide and chloride, A., ii, 580.

Kusumoto, Chosaburō, the maltase of the blood-serum and liver, A., ii, 69.

the influence of tolylenediamine on the cholesterol content of the fæces, A., ii, 79.

Kusumoto, Chosaburō, the cholesterol content of dogs' fæces with ordinary nutrition and after administration

of cholesterol, A., ii, 79. the content of dogs' fæces in cholesterol and coprosterol, A., ii, 79.

Kutscheroff, M. G., hydration of hydrocarbons of the acetylene series by means of cadmium, zinc, and magnesium salts, A., i, 625.

Kužma, Gottlieb. See Georg Baborovský.

L.

Laan, Foeko Hendrik van der. See Arnold Frederik Holleman.

Laar, Johannes Jacobus van, meltingpoint or freezing-point curves of binary systems when the solid phase is a mixture of the two components and a compound is formed, A., ii, 376.

theoretical considerations on the electrolytic dissociation of dissolved electrolytes, A., ii, 965.

Labat, A., a mode of production of iodoform, A., i, 689.

reaction of hordenine and urotropine, A., ii, 527.

new reactions of hydrastine, hydrastinine, and narcotine, A., ii, 710.

new reactions of opianic acid and their applications to the detection of hydrastine and narcotine, A., ii, 710.

a reaction of the methylenic ether group in the aromatic series, A., ii, 771.

Labbé, Henri, and G. Vitri, unestimated substances in diabetic urine, A., ii, 821.

Laborde, A., condensation of radium emanation, A., ii, 634.

Laborde, J., physiological mechanism of the coloration of red grapes and of autumn leaves, A., ii, 85.

Laby, T. H., and G. W. C. Kaye, gaseous ionisation and pressure, A., ii, 111.

Lacroix, [Antoine François] Alfred, minerals of the fumaroles of Vesuvius, A., ii, 57.

minerals of the pegmatite-veins with lithia-tourmaline in Madagascar, A., ii, 58.

the pumice of the volcano of Mont

Dore, A., ii, 63. mode of formation of the Puy de

Dôme, A., ii, 65. lavas of the last eruption of Vulcano, Lipari Islands, A., ii, 156.

Lacroix, [Antoine François] Alfred. meteorite of St. Christophe-la-Chartreuse (Vendée), A., ii, 248.

danburite from Madagascar, A., ii, 812.

radioactive minerals from Madagascar, A., ii, 813.

Lacroix, Alfred. See also Adolphe Carnot.

Ladd, E. F., and H. P. Bassett, bleaching of flour, A., i, 341.

Ladenburg, Albert, partial racemism, A., i, 252.

Ladenburg, Albert, and W. Sobecki, a new instance of nitrogen isomerism in the piperidine series, A., i, 831.

Ladenburg, Eric. See Heinrich Rubens. Laer, Henri van, malt catalase and the mineral catalysts, A., i, 688.

Lafore, J. See Maurice Lombard. Lahociński, Z. See Ludwick Bruner.

Lainé, E. See Achille Müntz.

Lamb, A. B. See Martin A. Rosanoff. Lamb, S. See Arthur H. Hiorns.

Lambrecht, Walther, action of phthalic anhydride on m-cresol, A., i, 949.

Lampe, Br., 1:5- and 1:8-anthradiol [rufol and chrysazol], A., i, 379. Lampe, Victor. See S. Czaplicki. Lampel, H., and Zdenko Hanns Skraup,

hydrolysis of serum-globulin by alkalis, A., i, 537.

Lamplough, Francis Edward Everard, determination of the rate of chemical change by measurement of the gases evolved, P., 23; discussion, P., 24; A., ii, 30.

the determination of the rate of decomposition of benzenediazonium chloride, P., 166.

Landecker, Max. See Ludwig Weiss. Lander, Georg Druce, and H. W. Winter, detection of poisonous metals, A., ii, 95.

Landers, Hermann. See Johannes Thiele. Landolf, Frederic, the occurrence of different urinary sugars and their origin from different organs, A., ii,

Landolt, Hans [Heinrich], permeability of glass to vapours, A., ii, 1005.

Landsteiner, Karl, Robertson's theory of adsorption, A., ii, 27.

Arnold. See Eugène Grand-Lang, mougin.

Lang, H. K. See Karl Bernhard Lehmann.

Lang, William Robert, and John Obins Woodhouse, some esters of arsenious acid. Part II. Resorcinyl arsenite, P., 199.

Lange, Martin, new synthesis of pyrazine derivatives by the action of aromatic nitroso-o-hydroxy-compounds on acetaldehyde in the presence of ammonia or primary aliphatic amines, A., i, 261.

Lange, Werner. See Otto Wallach. Lange, Wilhelm. See Johannes Brode.

Langelier, W. F. See Charles James. Langheld, Kurt, degradation of a-aminoacids to aliphatic aldehydes by means of sodium hypochlorite, A., i, 138. behaviour of a-amino-acids towards sodium hypochlorite, A., i, 557.

Langkopf, Otto. See Gustav Heller. Langley, Ralph W., estimation of zinc

as pyrophosphate, A., ii, 1053.

Langley, Ralph W. See also Harry Ward Foote.

Lapworth, Arthur, note on the variation in the catalytic activity of mineral oxide with changes in their concentration, P., 19.

Lapworth, Arthur, and James Riddick Partington, the influence of water on the availability of hydrogen chloride

in alcoholic solution, P., 307.

Lapworth, Arthur, and Elkan Wechsler, experiments on substituted allenecarboxylic acids. Part I., P., 307.

Lapworth, Arthur. See also Reginald William Lane Clarke.

Laqueur, Ernst, the action of gases on autolysis, with special reference to their action on metabolism, A., ii,

the action of arsenic on autolysis, A., ii, 500.

Larguier des Bancels, J., electric charge of textile substances immersed in water or in electrolytic solutions, A., ii, 720.

La Rosa, thermal effects of the musical arc, [probable crystallisation carbon], A., ii, 311.

thermal effects of the musical arc; probable fusion of carbon, A., ii, 399.

Larsen, Esper S., relation between the refractive index and the density of some crystallised silicates and their

glasses, A., ii, 841. Larsen, Esper S. See also Eugene T. Allen.

Laschtschenko, P. N. See Nicolai A. Pushin.

Lattes, Leone, production of sugar in the perfused liver of diabetic animals, A., ii, 908.

Laubé, Eduard, and C. König, dianthraquinonylphenylenediamine. IV., A., i. 54.

Lauber, E. See Richard Lorenz.

Laurie, Arthur Pillans, electromotive force of iodine concentration cells, one electrode of which is saturated with iodine, A., ii, 856.

Law, Douglas J. See Henry Richardson Procter.

La Wall, Charles H., is formaldehyde produced by boiling solutions of sucrose? A., ii, 835.

Lawroff, D., coaguloses. IV., A., i, 624. Lazennec, I., new derivatives of catechol; preparation of phenylethylenecatechol, A., i, 469.

new derivatives of catechol, A., i, 488. Lazzarini, Guido. See Camillo Manuelli. Leathes, John Beresford, and L. Meyer-Wedell, desaturation of fatty acids in the liver, A., ii, 416.

Leavenworth, Charles Samuel. Thomas Burr Osborne.

Lebeau, Paul [Marie Alfred], silicon hydrides, A., ii, 138.

Lebeau, Paul, and P. Bossuet, the system silicon-magnesium, A., ii, 403.

Lebedeff, A. von, attempts to explain cellfree fermentation by means of experiments with the ultra-filter, A., i, 863.

Le Blanc, Max [Julius Louis], and Horace Greeley Byers, anodic behaviour of tungsten, A., ii, 1020.

Le Blanc, Max, and D. Reichinstein, hybrid elements, A., ii, 476.

Le Chatelier, Henri [Louis], law of constant dissociation pressures, A., ii, 721.

Le Chatelier, Henri, and S. Wologdine, ordinary carbon, A., ii, 662. iron phosphides, A., ii, 1017.

Lederer, R. See R. Ehrmann.

Leduc, [Sylvestre] Anatole, weight of silver, A., ii, 140.

compressibility of gases between 0 and 3 atmospheres at all temperatures, A., ii, 298.

molecular volumes, densities, and atomic weights, A., ii, 381.

calculation of molecular weights by means of vapour densities: toluene, A., ii, 382.

coefficients of expansion of gases, A., ii, 542.

internal pressure of a gas, A., ii, 550. new form of characteristic equation of

gases, A., ii, 644.
Lee, William Emerson, action of tobaccosmoke, A., ii, 81.

Leersum, P. van. are the cinchona alkaloids a protection for the plant? A., ii, 513.

Lefevre, Jules, the nutritive effect of amides on the germinating seeds, the detached embryo, and the green plant, A., ii, 83.

Lefèvre, Jules, influence of certain nutrient media on the development of embryos of Pinus Pinea, A., ii, 693.

Lehalleur, J. Pepin, analysis of special steels, A., ii, 704. Lehmann, F. See Erwin Rupp.

Lehmann, Karl Bernhard, hygienic studies on nickel, A., ii, 333.

Lehmann, Karl Bernhard, [with Joseph AlbanBiederbeck, Ludwig Bitter, Heimannsberg, Krepelka, Jakob Kuhles, H. K. Lang, S. Noda, Franz Schmidt, T. Tani, Harry Warburg, and Adolf Weger], chemical and toxicological studies on tobacco, tobaccosmoke, and smoking, A., ii, 334.

Lehmann, Karl Bernhard, and Adolf Treutlein, the injury to health caused by long-continued ingestion of sodium sulphite in small doses, A., ii, 333.

Lehmann, Otto, experiments and models in illustration of liquid crystals, A., ii, 799.

Leiser, R. See Paul Askenasy.

Leithäuser, G. See Emil Warburg. Lejeune. See Lucien Louis de Koninck. Lemaire, Joseph, action of ethyl mesoxalate on alkyl magnesium halides and

the synthesis of βδ-dimethylpentane-βδ-diol, A., i, 199.

Lemaire, P., reaction of uranium and

cadmium salts, A., ii, 187.

Lematte, L., and A. Savès, physical constants of peptones, A., i, 344.

Lemmermann, Otto, properties and action of ammonium sulphate containing an excess of sulphuric acid, A., ii,

Lemmermann, Otto, H. Fischer, and B. Husek, effect of different bases on the changes of ammonia and nitrate nitrogen, A., ii, 602.

Lemoult, Paul, new series of leuco-bases and of colouring matters derived from diphenylethylene, A., i, 836.

comparisons between nitriles and carb-

ylamines, A., ii, 644.

simplified method and apparatus for determining the calorific power of combustible gases, A., ii, 793.

thermochemistry of phosphorus compounds, A., ii, 865.

estimation of phosphorus in combustible substances by the bomb calori-

meter, A., ii, 936.

enard, Philipp, Heike Kamerlingh Onnes, and W. E. Pauli, behaviour Lenard, of the phosphorescent sulphides of the alkaline earths at various temperatures, and particularly at very low temperatures, A., ii, 777.

Lenard, Philipp, and Sem Saeland, photo-electric and actino-dielectric action in the phosphorescence of the

alkaline earth sulphides, A., ii, 283. Lendrich, K., and Rudolf Murdfield, an error in the estimation of caffeine by Juckenack and Hilger's method, A., ii, 193.

Lendrich, K., and E. Nottbohm, estimation of caffeine in coffee, A., ii, 449. Lenger, Walter. See Alfred Stock.

Lenher, Victor, atomic weight of tellurium, A., ii, 230.

non-existence of tellurium oxychloride, A., ii, 231.

Lenher, Victor, and P. D. Potter, reaction between fused potassium nitrate and tellurium dioxide, A., ii, 231.

Lenher, Victor. See also M. E. Diemer. Lenormand, C., determination of the degree of polution of sea-water by the estimation of the organic matters, A., ii, 943.

León. See Calafat y León.

Leonard, Alfred Godfrey Gordon, See Walter Noel Hartley. Leonard, V. N., and Walter Jones, pre-

formed hypoxanthine, A., ii, 911.

Leopold, Gerard H., three-phase equilibrium, showing a pressure minimum, in the case of a dissociating compound of two components. I. and II., A., ii, 218, 472

Lepape, Adolphe. See Charles Moureu.

Lepere, F., the presence of fluorine in grapes, A., ii, 338.

Lepeschkin, W. W., permeability of the plasma membrane for dissolved substances, A., ii, 603.

Lepetit, Roberto, preparation of the salts of p-ethoxyphenylaminomethyl sulphurous acid, A., i, 569.

Lépine, Raphael, and Raymond Boulud, the total sugar of the blood, A., ii,

total sugar in the plasma and globules of blood, A., ii, 903.

Lepsius, Bernhard, application electrolysis in inorganic chemical manufactures, A., ii, 885.

Leroide, J., alcohols and aromatic hydrocarbons derived from fenchone, A., i, 596.

Le Rossignol, Robert. See Fritz Haber. Leroux, \bar{A} . See K. Friedrich.

Leroux, Henri, tetrahydronaphthyl glycols (cis and trans) and their combination, A., i, 299.

naphthan-\(\beta\)-diols, A., i, 569.

Leroy, Edouard. See Octave Dony-Hénault.

Lesage. See Robert Fosse.

Les Établissements Poulenc Frères, preparation of acyl derivatives of the esters of the aminohydroxy-acids, A., i, 229.

preparation of glycerylphosphates, particularly crystallisable sodium glycerylphosphates, A., i, 451.

[preparations containing colloidal gold], A., ii, 407.

Les Etablissements Poulenc Frères & Ernest Fourneau, preparation of alkyl dialkylamino-aaa-trichloro-B-hydroxyethoxyisobutyrate, A., i, 210.

Leslie, (Miss) May Sybil. See Harry

Medforth Dawson.

Lespieau, Robert, and Vavon, dipropargyl, its magnesium derivative, and Δβε-hexadi-inene-a (-dicarboxylic acid, A., i, 450.

Lespieau, Robert, and Viguier, halogen derivatives of γ -hydroxycrotonic acid,

A., i, 205.

Lesser, Ernst J., chemical processes in

worms. II., A., ii, 419. Le Sueur, Henry Rondel, formation of Part heterocyclic compounds. 1-Phenylpyrrolidine-2:5-dicarboxylic acid from adipic acid, T., 273; P., 36.

Letsche, Eugen, glycocholic and paraglycocholic acids, A., i, 587.

degradation of cholic acid by oxida-

tion,_A., i, 697.

Leuchs, Hermann, and Walter Geiger, strychnine alkaloids. VI. Preparation of brucinesulphonic acids and cause of the nitric acid reaction for brucine, A., i, 828.

Leuchs, Hermann, and Arthur Geserick, synthesis and reactions of ethyl phloroglucinoldicarboxylate; condensation of esters containing nitrogen and the preparation of sodium cyanate, A., i, 106.

Leuchs, Hermann, and Ernesto Möbis, application of 8-chlorovalerolactone in the preparation of acids and lactones,

A., i, 361.

Leuchs, Hermann, and Wilhelm Schneider, strychnos alkaloids. II. New method for the preparation of sul-

phonic acids, A., i, 120. strychnos alkaloids. IV IV. Reactions of strychninonic acid and fission of the strychnine molecule, A., i, 602. strychnos alkaloids. V. Isomeric strychninesulphonic acids, A., i, 671.

Leuchs, Hermann, and Lothar E. Weber, strychnos alkaloids. III. Reactions of brucinonic acid and fission of

the brucine molecule, A., i, 253. rychnos alkaloids. VII. Fission of strychnos alkaloids. brucinonic acid and of brucinolone, A., i, 954.

Levaditi, G., the mechanism of the action of arsenic derivatives in trypanosomiasis, A., ii, 919.

Levallois. See Louis Bouveault.

Levene, Phoebus A., preparation of glucothionic acid, A., i, 276. conjugated phosphoric acids of plant

seeds, A., i, 290.

yeast nucleic acid, A., i, 541.

Levene, Phoebus A., and Walter A. Jacobs, inosic acid, A., i, 164, 540.

the pentose in nucleic acids. I. and II., A., i, 541, 858.

guanylic acid, A., i, 620.

yeast nucleic acid. I. and II., A., i,

620, 686.

Levene, Phoebus A., and Philip Adolph Kober, elimination of nitrogen after the administration of glycine, asparagine, and glycyl-glycine anhydride, A., ii, 166.

Levene, Phoebus A., and L. Kristeller, creatinine output in man, A., ii,

Levene, Phoebus A., and Gustave M. Meyer, estimation of urea in urines, A., ii, 709.

Levene, Phoebus A., and Donald D. van Slyke, plasteins. II., A., i, 277.

leucine fraction of proteins, A., ii,

Levene, Phoebus A. See also George William Heimrod and Walter A. Jacobs.

Levi, Mario Giacomo, and S. Castellani, certain electrolytic borates, A., ii, 143.

Levi, Mario Giacomo, and E. Migliorini, electrochemical reactions induced by sulphur ions, A., ii, 229.

Levi, Mario Giacomo. See also Raffaelo Nasini.

Levi-Malvano, Mario, and Antonio Mannino, equilibria among the stereoisomerides of santonin, A., i, 32.

partial racemism in santonin derivatives, A., i, 801.

Levin, Max, and Rudolf Ruer, radio-activity of ordinary matter, A., ii, 779.

Levites, Semen J., deaminoproteins, A.,

the digestion of fat in the animal body, A., ii, 904.

Levy, Albert M., French sub-alpine tertiary basalts, A., ii, 591.

Levy, Arthur Garfield. See Bertram Blount.

See Xavier Rocques. **Lévy**, L.

Levy, Richard. See Arthur Rosenheim. Lewin, Louis, quinine and blood-pigment, A., 1i, 593.

Lewin, Louis, A. Miethe, and E. Stenger, the behaviour of acetylene to blood, A., i, 857.

Lewin, Louis, and Otto Poppenberg, carbon monoxide poisoning by explosion gases, A., ii, 690.

Lewinski, Joh., the limits of hippuric acid formation in man and the technique of hippuric acid estimation, A., ii, 820.

Lewis, Gilbert Newton, and Ledyard W. Sargent, potential of the ferro-ferricyanide electrode, A., ii, 369.

potentials between liquids, A., ii, 369. Lewis, Samuel Judd. See Edgar Wedekind.

Lewis, William Cudmore McCullagh, adsorption in relation to Gibbs's theory; the mercury adsorbing surface, P., 258; discussion, P., 258.

experimental investigation of Gibbs's theory of surface concentration regarded as the basis of adsorption. II., A., ii, 383.

electrical charge of colloidal silver, A., ii, 465.

size and electric charge of the oil particles in oil-water emulsions, A.,

Lewis, Warren Kendall, modification of Ostwald's bromide voltameter, A., ii,

Lewis, W. Lee, action of Fehling's solution on maltose, A., i, 767.

Ley, Heinrich, internally complex salts, A., i, 138.

Ley, Heinrich, and M. Ulrich, constitution of amino-acids, A., ii, 844.

Ley, Heinrich, and H. Winkler, stereoisomerism of internally complex salts, A., i, 886.

Lichtwitz, and Otto Rosenbach, colloids

in urine. I., A., ii, 750. Lichty, David Martin, absolute sulphuric acid; its preparation from sulphur trioxide and water; its specific electrical conductivity and that of more dilute acid, A., ii, 38.

Liddle, Leonard M. See Henry Lord Wheeler.

Lidholm, Johann H., preparation of acetylene di- and tetra-chlorides from acetylene and chloride, A., i, 198.

Lieben, Adolf. See Margarete Furcht. Liebenberg, Adolf Ritter von, manurial experiments with calcium cyanamide on winter cereals and sugar beet, A., ii, 698.

Liebermann, Carl, allo- and iso-cinnamic acids, A., i, 303.

nomenclature of the lignones, A., i, 495.

Liebermann, Carl, and Hans Liebermann, alkylated carminic acids, A., i,

Liebermann, Carl, and Simon Linderbaum, synthesis of xanthophanic acid: 7-hydroxychromone-6-carboxylic acid. V., A., i, 403.

Liebermann, Carl, and H. Truchsäss, glaucophanic and xanthophanic acids. VI., A., i, 405.

Liebermann, Hans, application of the carbamino-reaction. V., A., ii, 103.

Liebermann, Hans. See also Carl Liebermann.

Liebermann, Paul von, method for the estimation of phosphoric acid in urine and in alkali phosphate solutions, A., ii, 617.

Liebert, F., decomposition of uric acid by bacteria, A., ii, 691.

Liebig, Hans von, resorcinolbenzein, A., i, 98.

Liechtenhan, Carl. See Hans Rupe.

Lier, E. H. B. van, the interfibrillar substance of the dermis, A., ii, 748.

Liesegang, Raphael Ed., colloidal symbiosis, A., ii, 283. apparent colloidal diffusion; porosity

of collodion membranes, A., ii, 304.

Lifschütz, Isaac, oxidation of products of cholesterol in the animal organism. III., A., ii, 77; IV., A., ii, 1038. Ligot, O. See M. de Molinari.

Lilienblüm, A. See Pavel Iw. Petrenko-Kritschenko.

Lillie, Ralph S., connexion between changes of permeability and stimulation, A., ii, 419.

relation of ions to contractile processes. IV., A., ii, 749.

Limbosch, H., critical solution phenomena and saturation curves of the system: water, pyridine, and sodium carbonate, A., ii, 472.

Linarix, A., periodides of organic bases, A., i, 769.

Lind, S. C., and F. W. Bliss, velocity of hydrolysis of an inorganic salt, potassium ruthenium chloride, A., ii, 743.

Lindberg, Sven. See Eugen Hamberger.

Lindenbaum, Simon. See Carl Liebermann.

A., luminescence \mathcal{B} . Lindiner, crystalline form of potassium sodium sulphate, A., ii, 950. Lindner, F. See Alexander Gutbier.

Lingenbrink, H. See Fritz Ach.

Linnert, Kurt, does caviare contain purine bases? A., ii, 684.

Linnert, Kurt. See also Sigmund Fränkel.

Lipp, Andreas, and E. Scheller, hexane-one-β-ol, A., i, 451.

synthesis of ethyl p-orsellate, A., i,

Lippmann, Edmund Oskar von, acetonedicarboxylic acid from calcium sucrate, A., i, 11.

Lipski, Jakob, synthesis of ammonia from its elements, A., ii, 478.

Lissizin, Th., the occurrence of azelaic acid among the oxidation products of keratin, A., i, 859.

Litterscheid, Franz M., volumetric estimation of copper by means of

potassium iodide, A., ii, 348.

Little, Harry Frank Victor, Edward
Cahen, and Gilbert Thomas Morgan, the estimation of arsenic in organic compounds, T., 1477; P., 212.

Little, William Gordon, the relative importance of inorganic cations, inorganic ca of sodium especially those calcium in the causation of gout and the production of gouty deposits, A., ii, 331.

Ljalin, L. M., new method of estimating starch in grains and meal, A., ii, 625. Lloyd, Percy Vivian. See Clarence

Arthur Seyler.

Lockemann, Georg, detection of small quantities of arsenic and preparation of arsenic-free chemicals, A., ii,

the excretion of atoxyl through the urine; reply to the observation of F. Blumenthal, A., ii, 421.

Lockemann, Georg, and Martin Paucke, the excretion and detection of atoxyl in the urine, A., ii, 167.

Lockemann, Georg, J. Thies, and Heinrich Wichern, catalase of the blood, A., ii, 324.

Loczka, Josef, analysis of plumosite from Felsöbánya, A., ii, 153.

Loeb, Arthur. See Paul Jacobson.

Loeb, Jacques, electrolytic dissociation and physiological activity of pepsin and trypsin, A., i, 860.

chemical constitution and physiological activity of acids, A., ii, 168.

Loeb, Leo, S. M. Fleischer, and D. M. Hoyt, the influence of calcium chloride on the formation of transudates, A., ii, 252.

Löb, Walther, the scission of sugars. III. Electrolysis of dextrose, A., i,

formation of butyric acid from alcohol under the influence of the silent discharge, A., i, 759.

Löb, Walther, the scission of sugars. V. The reversal of the sugar synthesis, A., i, 767.

the formation of nitrogenous com pounds from nitrogen and alcohol under the influence of the silent discharge, A., i, 769.

the scission of sugars. VI. The electrolytic reduction of dextrose, A., i, 881.

electrochemical reduction of condensation products of aldehydes with amines, A., i, 910.

Walther, and Shigeji Higuchi, Löb, enzymes of the placenta, A., ii, 1034.

Löb, Walther, and Georg Pulvermacher, the scission of sugars. IV. The electrolysis of glycerol and glycol, A., i, 352.

Löffler, Karl, constitution of ψ -con-

hydrine, A., i, 180. constitution and synthesis of e-coniceine (2-methylconidine and iso-2methylconidine), A., i, 326. b-ψ-conhydrine, A., i, 327. Löffler, Karl, and Max Flügel, 2-γ-

hydroxypropylpiperidine and a new synthesis of piperolidine (δ-coniceine), A., i, 831.

Löffler, Karl, and Curt Freytag, new preparation of 1-alkylpyrrolidines, A., ī. 830.

Löffler, Karl, and Gotthold Friedrich, synthesis of β -coniceine $(l-\alpha-allyl-a-ally$ piperidine), A., i, 180.

Löffler, Karl, and Hans Kaim, synthesis of inactive δ-coniceine, A., i, 179.

Löffler, Karl, and Samy Kober, formation of i-nicotine from methyl-δ-3pyridylbutylamine (dihydrometanicotine), A., i, 827.

Löffler, Karl, and Fritz Stietzel, 4picolylalkine [4-B-hydroxyethyl pyridine], 4-pipecolylalkine [4-8-hydroxyethylpiperidine], and quinuclidine, A., i, 181.

Löffler, Karl, and Fritz Thiel, condensation of 2:6-lutidine with formaldehyde and derivatives of 2-methyl-6methylolpyridine, A., i, 182.

Löffler, Karl, and Reinhold Tschunke, constitution of conhydrine (optically active a-ethylpiperidylalkine), A., i, 324.

Löffler, Karl. See also Jacques M. Albahary.

Löhmann, E. See Hartwig Franzen. Löhnis, Felix, and R. Moll, decomposition of calcium cyanamide, A., i, 92.

Loesche, A. See Ernst Deussen. Lötsch, Ernst. See A. Scheunert. Loevenhart, Arthur Solomon. See W.

E. Grove.

Loew, Oscar [Carl Benedict], condensation of formaldehyde, A., i, 456. is dicyanodiamide poisonous to crops?

A., ii, 177.

is the omission of magnesium in soil analysis justifiable? A., ii, 258. theory of catalase action, A., ii, 685. formation of ozone in a flame, A., ii, 993.

a reaction for acid soils, A., ii, 1060.

Löw, Oskar. See Gustav Schultz.

Löwenberg, Emanuel. See Richard Anschütz.

Löwenstein, Ernst, hydrates, the vapour pressure of which varies continuously with the composition, A., ii, 736.

Loewenstein, Willi. See Kurt Arndt.
Löwenthal, Simon, and E. Edelstein,
the influence of radium emanations
on autolysis, A., ii, 74.

Loewenthal, Simon, and Julius Wohlgemuth, diastases. VIII. The influence of radium emanations on the action of the diastatic ferment, A., ii, 1038.

the diastatic ferment, A., ii, 1038. Löwinger. Berthold, rapid estimation of sodium hydrogen carbonate in presence of sodium carbonate, A., ii, 1053.

Lohmann, Alfred, neurine, a constituent of the suprarenal gland, A., ii, 504.

Lohmann, Wilhelm, distinctions between natural, artificial, and synthetic camphors, A., ii, 525.

Lohmann, Wilhelm. See also Ernst Dorn.

Lohnstein, Rudolf, electrolytic production of silver mirrors, A., ii, 859.

Lohnstein, Theodor, Tate's law, A., ii, 25.

Lombard, Maurice, and J. Lafore, estimation of nitrates by Grandval and Lajoux's method, A., ii, 436.

Lombardi, M. See Giuseppe Bonamartini. Lombardo, C., detection of mercury in organs by means of the microscope, A., ii, 185.

London, E. S., digestion in the animal body. XXVIII. and XXX., A., ii, 593.

digestion in the animal body. XXXIII.

The rôle of the intestinal epithelium in the digestion and absorption of proteins, A., ii, 817.

chemistry of digestion and absorption in the animal body. XXXIV. Further methods, A., ii, 1031.

chemistry of digestion and absorption in the animal body. XXXVI. The behaviour of nucleo-protein in the alimentary canal, A., ii, 1031.

alimentary canal, A., ii, 1031.

London, E. S., and N. Boljarski, the part played by the liver in creatinine metabolism, A., ii, 1035.

London, E. S., and N. A. Dobrowelskaja, digestion in the animal body. XXXI., A., ii, 593.

London, E. S., and W. W. Polowzowa. chemistry of digestion and absorption in the animal body. XXXV. Digestion and absorption in the stomach of the dog, A., ii, 1031.

chemistry of digestion and absorption in the animal body. XXXVIII. The relation between digestion time and absorption, A., ii, 1031.

London, E. S., and F. J. Riwosch-Sandberg, digestion in the animal body. XXXII., A., ii, 593.

chemistry of digestion and absorption in the animal body. XXXVII. The intestinal digestion of proteins, A., ii, 1031.

London, E. S., and A. Sivré, digestion in the animal body. XXIX., A., ii, 593.

London E. S. See also Emil Abderhalden.

Lonius, Anton, dependence of the gas diffusion coefficient on the mixture ratio, A., ii, 646.

ratio, A., ii, 646.

Loomis, N. E. See Hermon C. Cooper.

Loose, Anton, reactions of ethyl diazoacetate, A., i, 463.

Loose, R. See Erwin Rupp.

Lorenz, Richard, oxide theory of the oxygen electrode, A., ii, 15.
 Lorenz, Richard, and A. Böhi, theory of

Lorenz, Richard, and A. Böhi, theory of electrolytic ions. II. Electrolytic dissociation of water, A., ii, 541.

Lorenz, Richard, and E. Lauber, oxide theory of the oxygen electrode. II. and III., A., ii, 371, 463.

Lorenz, Richard, and Percy Edwin Spielmann, oxide theory of the oxygen electrode. IV. and V., A., ii, 640.

Lorenz, Richard, [and, in part, Percy E. Spielmann and N. Konstantinoff], oxide theory of oxygen electrodes. VI., A., ii, 857.

Loria, Stanislas, dispersion of light in gases. I. Dispersion of acetylene and methane, A., ii, 279.

the dispersion of light in gases. II. Ethylene and ethane, A., ii, 453.

determination of the dispersion of light in non-luminous saturated sodium vapour at 385°, A., ii, 949.

Loring, F. H., new method of mathematically harmonising the weights of the elements, together with a review of kindred work, and some observations concerning the inert gases and satellites, A., ii, 392.

mathematically harmonising the elements, A., ii, 562.

Loring, F. H., relations between the inactive gases and the radioactive elements, A., ii, 715.

Losanitsch, Milivoj S., nitroacetaldehydediethylacetal, A., i, 880.

new potash apparatus, A., ii, 270.

Lothrop, Alfred Peirce, the effects of bone ash on digestion and metabolism, A., ii, 594.

Lott, Robert H., fruit of Viburnum nudum, A., ii, 427.

Lottermoser, [C. A.] Alfred, freezing of hydrosols, A., ii, 27. Lotz, Walter. See Hans Rupe.

Louise, Emile, method of analysis by miscibility curves: application to edible oils, A., ii, 722.

Lovisato, Domenico, rosasite, a new mineral from the mines of Rosas (Sulcis, Sardinia), A., ii, 246.

Loviton, L., use of ammonium nitrate in analysis of metals, A., ii, 834.

Lowry, Thomas Martin, measurement of rotatory dispersive power in the visible and ultra-violet regions of the spectrum, A., ii, 200.

method of producing an intense cadmium spectrum, with a proposal for the use of mercury and cadmium as standards in refractometry, A., ii,

Lowry, Thomas Martin, and Cecil Henry Desch, studies of dynamic isomerism. Part VIII. The relationship between absorption spectra and isomeric absorption spectra change; halogen, nitro-, and methyl derivatives of camphor, T., 807; P., 13.

studies of dynamic isomerism. Part IX. The relationship between absorption spectra and isomeric change; absorption spectra of sulphonic derivatives of camphor, T., 1340; P., 192.

Lublin, Jarl. See Eugen Bamberger.

Luc, A. de. See Frédéric Reverdin. Lucas, H. J. See William McPherson. Lucas, (Mlle.) Pauline, fission of phenyl aryl ketones and phenyl naphthyl ketones by sodamide, A., i, 488.

Luchmann, E. See Hermann Bollenbach.

Luckhardt, A. B.See Anton J. Carlson.

W. J., isomorphism and Luczizky, polymorphism of the mercury haloids, A., ii, 483.

Ludwig, Albert, dependence of valency on volume in certain tervalent elements, A., ii, 875.

Lüdy & Co., preparation of menthyl a-bromoisovalerate, A., i, 497.

Lüning, Otto, estimation of acids in hydrogen peroxide by titration, A., ii,

Lüppo-Cramer, tanning and adsorption compounds of gelatin, A., i, 275.

retarding action of bromides in photographic developers as a colloidochemical process, A., ii, 284. detection of traces of chlorides in

gelatin, A., ii, 1050.

Luff, Bernard Dunstan Wilkinson, and Frederic Stanley Kipping, the resolution of asymmetrical derivatives of phosphoric acid, T., 1993; P., 256. Luff, Bernard Dunstan Wilkinson. See

also Frederic Stanley Kipping.

Luksch, E. See Hans Rupe. Lummel, H. J. van. See Charles Marius van Deventer.

Lumpp, Hermann. See Julius Schmidt. Lund, V. Koren. See Heinrich Goldschmidt.

Lundberg, John, hydrolysis of sodium borates, A., ii, 978.Lundell, G. E. F. See Arthur Wesley

Browne.

Lundén, Harald, influence of temperature on the internal energy and the free energy of electrolytic dissociation of weak acids and bases, A., ii, 116.

Luniak, Andreas, crotonic anhydride, A., i, 284, 454.

Luterbacher, A. See Adolf Kaufmann. Luther, Robert, and George Shannon Forbes, quantitative study of the $\mathbf{between}$ photochemical reaction quinine and chromic acid, A., ii, 632.

Luther, Robert, and Arthur C. Michie, electromotive behaviour of mixtures of uranyl and uranous salts, A., ii, 115.

Lutshinsky, magnetic transformation of lead, A., ii, 641.

Lutz, Oscar, and R. Swinne, the detection of arsenic acid in the presence of arsenious acid by means of magnesia mixture, A., ii, 1052.

Lux, Paul. See Rudolf Wegscheider.

M.

Maag, Rudolf. See Alfred Wohl.

Maaren-Jansen, A. van der. See Julius Bredt.

Maas, Johanna, and Julius Sand, hexathiocyano-salts of molybdenum, A., i,

Macallum, Archibald B., and C. C. Benson, composition of dilute urine, A., ii, 506.

McCay, LeRoy Wiley, separation of tin and antimony, A., ii, 351.

M'Clenahan, F. M., development of fat in the black walnut (Juglans nigra), A., ii, 924.

McCollum, Elmer V., nuclein synthesis in the animal body, A., ii, 1033.

McCollum, Elmer V., and W. A. Brannon, disappearance of pentosans from the digestive tract of the cow, A., ii, 1033.

McCollum, Elmer V. See also Edwin Bret Hart.

McCombie, Hamilton, and (Miss) Ethel Parry, condensations of cyanohydrins. Part I. Condensation products from anisaldehydecyanohydrin and cinnamaldehydecyanohydrin, T., 584; P., 95.

MacConkey (Alfred), differentiation of lactose-fermenting bacilli, A, ii, 510.

McCoy, Herbert Newby, and George C.
Ashman, preparation of urano-uranic oxide and a standard of radioactivity, A., ii, 148.

McCoy, Herbert Newby, and Herbert H. Bunzel, speed of oxidation, by air, of uranous solutions; volumetric estimation of uranium, A., ii, 406. volumetric estimation of uranium, A., ii, 441.

McDonald, David Paterson. See Thomas Stewart Patterson.

McFarland, David F. See Henry Lord Wheeler.

McGowan, J. P., simple method for filling toluene thermo-regulators, A., ii, 380.

McIntosh, Douglas. See Frederick Murray Godschall Johnson.

McKee, Ralph Harper, oxygen ethers of the dialkylcarbamides, A., i, 635.

McKenzie, Alexander, and George William Clough, experiments on the Walden inversion. Part II. The interconversion of the optically active mandelic acids, T., 777; P., 70.

McKenzie, Alexander, and Herbert Brooke Perren Humphries, studies in asymmetric synthesis. Part VIII. The asymmetric synthesis of l-mandelic acid, T., 1105; P., 164.

McKenzie, Alexander, and Hermann August Müller, studies in asymmetric synthesis. Part VII. The influence of the d-amyl group, T., 544; P., 88

Mackenzie, John Edwin, a simple lecture experiment to illustrate simultaneously three stages of oxidation, A., ii, 3.3.

MacKenzie, Kenneth G. See Treat Baldwin Johnson.

MacKey, John Francis, some esters of antimony trioxide, T., 604; P., 98.

MacLaurin, James S., and Willie Donovan, rapid estimation of iron in iron ores, ii, A., 833.

MacLean, Hugh, the nitrogen of lecithin and other phosphatides, A., i, 128. the lecithin of egg-yolk, A., i, 282.

the nitrogenous radicle of lecithin and other phosphatides, A., i, 547.

action of muscarine and pilocarpine on the heart, A., ii, 254.

a mono-aminodiphosphatide in eggyolk, A., ii, 499.

estimation of oxalic acid in urine, A., ii, 524.

MacLean, Hugh, and Lancelot Hutchinson, hæmolytic action of certain bile derivatives, A., ii, 816.

McLellan, Basil G. See Samuel Henry Davies.

Macleod, John James Rickard, experimental glycosuria. IV. Cause of the hyperglycæmia produced by asphyxia, A., ii, 168.

estimation of reducing substances in blood, A., ii, 442.

post-mortem glycogenolysis, A., ii, 501.

MacMahon, Patrick Sarsfield. See David Leonard Chapman.

McPherson, R. H. See William Lash Miller.

MacPherson, Warren. See Henry Augustus Torrey.

McPherson, William, and H. J. Lucas, action of unsymmetrical benzoylphenylhydrazine on o-benzoquinone, A., i, 103

Madsen, E. Höst, condensation of aldehydes with phenolcarboxylic acids. II., A., i, 162.

Madsen, John Percival Vissing, secondary γ-radiation, A., ii, 365.

Madsen, John Percival Vissing. See also William Henry Bragg.

Mäkelt, E. See Herbert Freundlich.

Magri, A. See Nazareno Tarugi.

Mahin, Edward G. See Harry Clary
Jones.

Mai, Carl, detection and estimation of arsenic in cemetery soil, A., ii, 345.

Mai, Julius, gasometric work by means of V. Meyer's vapour density principle, A., ii, 89.

Mailhe, Alphonse, action of finely-divided metals on aliphatic acids, A., i, 452. action of finely-divided metals on the

aliphatic acid anhydrides, A., i, 692.

Mailhe, Alphonse. See also Paul
Sabatier.

Maillard, P., new method of working in the estimation of sugars by Bonnan's process, A., ii, 945.

See Georges Urbain. Maillard.

Mair, William, sewage purification, A., ii, 171.

Maire, M. See Edmond Émile Blaise. Maitland, Andrew Gibb, tantalite and

gadolinite from Western Australia, A., i, 59.

Majima, Riko, elæostearic acid, A., i, 204.

main constituent of Japanese lac; urushiol and urushiol dimethyl ether, A., i, 402.

main constituent of Japanese lac. Oxidation of urushiol dimethyl ether by ozone, A., i, 945.

Major, Moriz. See Adolf Sieverts.

Makita, F. See Otto Cohnheim.

Makoshi, Kojiro, the aconitines from aconite tubers, Japanese 669.

Makovetzki, A. E., relation between the compositions of the vapour and solution with binary mixtures exhibiting a maximum or minimum [pressure], A., ii, 215.

Makower, Walter, the number, and the absorption by matter, of the \$\beta\$-particles emitted by radium, A., ii,

volatility of radium-A and radium-C, A., ii, 456.

Makower, Walter. See also Sydney

Makowka, O., replacement of formic acid by its esters, especially as concerns its behaviour towards bicarbonate solutions, A., i, 694.

Malachoff, B. See Pavel Iw. Petrenko-Kirschenko.

Malarski, Henryk, and Leon Marchlewski, the chlorophyll group. IV. Zinc chlorophyll and zinc prophyllotaonin, A., i, 947.

Malcolm, John. See Frank Fitchett. Malfatti, Hans, levulose in urine, A., ii, 331.

iron sulphide. III., ii, 581.

formaldehyde-titration of amino-acids in urine, A., ii, 837.

Malfitano, Giovanni, physico-chemical properties of the colloidal particles or granules, A., ii, 473.

Malschevsky, S. P. See Eugen von Biron.

Maltese, Raffaelc, 2:6-dinitro-4-amino-mxylene, A., i, 466.

Malvezin, Philippe, partition-coefficient and its application to the estimation of volatile acids in wines, A., ii,

a new apparatus for fractional distillation, A., ii, 826.

Mameli, Efisio, cubebin. II. and III. A., i, 503.

4:5-dinitro-1:2-catechol methylene [4:5-dinitro-1:2-methylenedioxybenzene], A., i, 711.

hydroxyazo-derivatives obtained from 4-amino-1:2-catechol methylene ether [4-amino-1:2-methylenedioxybenzene], A., i, 854.

m-nitro-p-aminophenylarsinic acid, A.,

i, 980.

Mameli, Efisio, [with Cesare Bignami, and Raimondo Bonu], formation of acetophenones from derivatives of propylbenzene, A., i, 721.

Mameli, Efisio, [with Cesare Bignami,

Raimondo Bonu, and Edoardo Broccal, saturated a-hydroxy-\beta-alkyloxy-de-rivatives of aromatic olefines with

propenyl chains, A., i, 714.

Mameli, Efisio, and A. Patta, p-iodophenylarsinic acid and arsenious p iodophenyl iodide, A., i, 543.

Manchot, Wilhelm, demonstration of the presence of ozone in flames, A., ii, 993.

the action of ozone on metals and the cause of passivity, A., ii,

Manchot, Wilhelm, and J. R. Furlong, isomerism of anils (Schiff's bases), A., i. 805.

Mandelbaum, R., calcium monoborates, A., ii, 666.

estimation of boric acid, A., ii, 701.

Manea, A., colour reaction of oleic acid; quick method of identifying vegetable fibre, A., ii, 190.

Mangubi, B. V. See Hyppolyt A. Trephilieff.

Mann, Sydney A. See Waldemar Koch. Mannich, Carl, and W. Jacobsohn, syntheses in the adrenaline series, A., i,

Mannino, A. See Guido Bargellini and Mario Levi-Malvano.

Mansfeld, G., narcosis and deficiency of oxygen. I., A., ii, 750.Mansier, assay of oil of turpentine by

bromine; estimation of free bromine by sodium formate, A., ii, 1056.

Manteufel. See Paul Uhlenhuth.

Manuelli, Camillo, and Guido Lazzarini, electrolysis of solutions of selenious acid, A., ii, 230.

Marais, H., example of isodimorphism; [ethylammonium halides], A., i, 86.

Marburg, Richard. See Ludwig Wolff. Marc, Robert, alum, A., ii, 47, 146.

crystallisation from aqueous solutions. II., A., ii, 798.

Marc, Robert, and Walther Wenk. crystallisation from aqueous solutions. III., A., ii, 983.

Marcelin, René, spontaneous crystallisation, A., ii, 302.

Marchetti, Guerriero. See Angelo Angeli.

Marchlewski, [Paul] Leon [Theodor], the chlorophyll group. III. New method of decomposition in the chemistry of chlorophyll, A., i, 174.

blood-pigment. X., A., i, 749.

Marchlewski, Leon. See also L. Barabasz and *Henryk* Malarski.

Marcille, René, estimation of nitrates in waters containing chlorine, A., ii, 829.

Marckwald, Willy, and L. Karczag, optically active methyl hydrogen esters of the tartaric acids, A., i, 361.

Marckwald, Willy, and Ernst Nolda, derivatives of the amyl alcohols from fusel oil, A., i, 350. arcus, E. See Wilhelm Biltz.

Marcus, E.

Mareeuw. See Driessen-Mareeuw. Marek, J., mercury seal in place of cork or indiarubber for connecting the combustion tube with the calcium chloride

tube, A., ii, 617.

Marenin, N., new model of the calorimeter of N. A. Hesehus, and determination by its means of the specific heat of alloys of tin and bismuth, A.,

Margolis, M. See Reginald Oliver Herzog. Marie, Charles, supertension and viscosity, A., ii, 124.

Marincola-Cattaneo, Renato. See Domcnico Carbone.

Marino, Luigi, a new type of sesquioxides, selenite of lead sesquioxide and thallic selenite, A., ii, 575.

Marle, Ernest Robert, the estimation of carbonates in presence of nitrites, sulphides, or sulphites by means of potassium dichromate, T., 1491; P., 154.

the action of carbon dioxide on nitrites, P., 74.

Marle, Ernest Robert. See also David Runciman Boyd.

Marr, $Francis \tilde{S}$., estimation of calcium carbonate in soils, A., ii, 938.

Marsden, (Miss) Effic Gwendolin.

Edward Charles Cyril Baly. Marsh, James Ernest, and Robert de Jersey Fleming Struthers, some mercury deri-

vatives of camphor, T., 1777; P., 228. Marshall, Charles Robertshaw, a reversed action during anæthesia; the action of certain convulsants, A., ii, 689. action of substances which temporarily abolish the respiration, A., ii, 689.

Marshall, J. See Otto Dimroth. Marsiglia, T. See Giulio Paris.

Martin, Charles James. See (Miss) Harriette Chick.

See Lothar Wöhler. Martin, Friedrich. Martin, Geoffrey, and Frederic Stanley Kipping, benzyl and ethyl derivatives of silicon tetrachloride, T., 302; P.,

Martin, Geoffrey. See also Frederic Stanley Kipping.

Martin, \bar{N} . A. See Harry Ward Foote. Martin. See Antoine Guntz.

Martinand, P., alcoholic fermentation in presence of sulphurous acid, A., ii, $\bar{8}22.$

Martinand, V., artificial oxydases and

peroxydases, A., i, 279. artius, Kurt von. See Otto Wallach. Martius, Kurt von.

Marx, Th. See Arthur Binz.

Mascarelli, Luigi, properties of diphenyleneiodonium hydroxide and of some of its derivatives, A., i, 94.

homologue of diphenyleneiodonium hydroxide: ditolyleneiodonium hydroxide, A., i, 907.

cyclohexane as a cryoscopic solvent, A., ii, 19.

estimation of phenol, A., ii, 353.

Mascarelli, Luigi, and V. Babini, solubility in the solid state between aromatic compounds and the corresponding hexahydrogenated [completely hydro-

genated] compounds, A., ii, 982.

Mascarelli, Luigi, and A. Constantino, cyclohexane as a cryoscopic solvent: behaviour of piperidine, A., ii, 790.

Mascarelli, Luigi, and I. Musatty, cyclohexane as a cryoscopic solvent: cryoscopic and ebullioscopic behaviour of ketones dissolved in cyclohexane, A., ii, 972.

cyclohexane as a cryoscopic solvent; behaviour of cyclohexanone dissolved in cyclohexane, A., ii, 972.

Mascré, M. See A. Goris.

Masing, G., the formation of alloys by pressure and the reactivity of metals in the solid state, A., ii, 669.

Masing, G. See also Gustav Tammann.

Masino, G., volumetric estimation of thiocyanic acid with permanganate; its application to volumetric estimation

of copper, A., ii, 1058.

Mason, Alfred Sidell. See John Kenneth Harold Inglis.

Massey, R. E., a comparison of the germicidal power of a disinfectant in solution and in the emulsified state, A., ii, 1045.

Massini, Paul. See Julius Schmidlin. Massol, Gustave, chemical composition of the deposits from the thermal waters of Uriage (Isère), A., ii, 495.

Massol, Gustave, and A. Faucon, latent heat of fusion and specific heat of propionic acid, A., ii, 791.

Masson, Henri, composition of oil of cloves; alcoholic and aldehydic constituents, A., i, 944.

Mathews, Albert Prescot, spontaneous oxidation of sugars, A., i, 289.

Mathews, Albert Prescot, and Sydney Walker, spontaneous oxidation of cysteine, A., i, 289.

action of cyanides and nitriles on the spontaneous oxidation of cysteine, Ā., i, 289.

action of iron and cyanides on the spontaneous oxidation of cystine; action of metals and strong salt solutions on the spontaneous oxidation

of cysteine, A., i, 698. Mathews, Albert Prescot. Sec alsoH. H. Bunzel.

Mathews, Joseph Howard. See Theodore William Richards.

Mathias, Emile, the diametral line of acetylene, A., ii, 552.
Mathieu, Henri, hydrolysis of proteins

by acids, A., i, 541.

Mathison, G. C., phosphorus of urine, A., ii, 252.

the output of organic phosphorus in urine, A., ii, 687.

estimation of phosphorus in urine, A., ii, 700.

Matignon, Camille, preparation of chloride of thorium, A., ii, 149.

the apparent retardation of fusion of aluminium, A., ii, 239.

equilibria between the liquid and solid phases in the system $NaCl + H_2O$, A., ii, 390.

action of magnesium on carbon monoxide, A., ii, 402.

Matignon, Camille, and R. Trannoy, rapid preparation of calcium phosphide for the evolution of hydrogen phosphide, A., ii, 236.

Matschurevitsch, I., action of zinc on a mixture of p-tolyl methyl ketone and ethyl bromoacetate, A., i, 304.

Matsui, Motooki, action of hydrogen sulphide on imino-ethers, A., i, 463.

oxidation of quinol by the catalysis of carbon, A., i, 468.

Matthes, Hermann, and W. Heintz, cotton-seed oil, especially the unsaponifiable constituents, A., i, 572. unsaponifiable constituents of parsley oil, A., ii, 754.

Matthes. Hermann. and Hermann Serger, Extractum tanaceti, A., i,

Mattill, H. A. See Amos W. Peters. Matvéeff, M. M. See W. A. Kurbatoff. Mauguin, Charles, acid properties of

halogenated amides; Hofmann's migration, A., i, 892.

Maurain and Warcollier, action of ultraviolet rays on fermenting cider, A., ii, 752.

Maurer, Ed., the hardening and tempering of iron and steel, A., ii, 317.

Maurice, H. See Charles Dhéré.
Mauthner, Ferdinand, Claisen's acid
cyanide synthesis, A., i, 160.

Mauthner, J., cholesterol. IV., A., i, 714.

Mawrow, Franz, and G. Mollow, estima-

tion of silver, A., ii, 183. Max, Jules, chlorides of certain acyl-

amino-acids, A., i, 926. Maximenko, M. S. See Nicolai A. Pushin.

May, Clarence Earl. See Marston Taylor Bogert.

May, David W., and P. L. Gile, catalase of soils, A., ii, 928.

May, Otto B. See Virgil Coblenz.

Mayeda, M., amyloid protein, A., i, 274. the protein component of chondromucoid, A., i, 274.

Fritz, thiosalicylic [o-thiol-Mayer, benzoic] acid and thioxanthone, A., i. 405.

derivatives of thiosalicylic acid and of thioxanthone, A., i, 823.

Mayer, Hans, electrical method for measuring the changes produced in chromate-gelatin films by light, A., ii,

Mayer, M., F. Henseling, V. Altmayer, and J. Jacoby, some gas reactions, A., i, 753.

Mayer, O. von. See Hartwig Franzen. Mayer, Paul, ureidoglucose [carbamidodextrose], A., ii, 508.

Mayerhofer, Ernst, Esbach's protein estimation and a new creatinine com-

pound, A., i, 771. Mazé, Pierre, P. Guérault, and Dinescu, determination of temperature of pasteurisation of milk in connexion with its industrial application; influence of heat on conservation of physiological properties of milk, A., ii, 697.

Mazzoli, C. See Louis Pelet-Jolivet. Mazzotto, Domenico, new method for determining the composition of mixed crystals deposited by alloys at different temperatures, A., ii, 1008.

Mazzucchelli, Arrigo, complex acids of molybdenum, A., i, 877.

Mazzucchelli, Arrigo, and Enrico Pantanelli, complex ozo-salts of titanium, A., i, 631.

inorganic salts of titanium peroxide, A., ii, 741.

Mazzucchelli, Arrigo. See also Emanuele Paternò.

Mecklenburg, W. See Wilhelm Biltz. Medigreceanu, Florentin. See Emil Abderhalden.

Medri, Luigi, detection of free mineral acids in wine and vinegar, A., ii,

Meer, Fritz ter. See Otto Diels.

Meerburg, Pieter Adriaan, transformation of 4:4':4"'-tetrachlorobenzopinacone into \$\beta \cdot 4:4':4'':4'''-tetrachlorobenzopinacolin and the velocity of the reaction, A., i, 722. transformation of α -4:4':4":4"'-tetra-

chlorobenzopinacolin into \$\beta\$-4:4':4": 4"'-tetrachlorobenzopinacolin the velocity of the reactions, A., i, 722.

Mehler, Hans. See Alexander Gutbier. Meier, A. See Reginald Oliver Herzog. Meigs, Edward B., heat-coagulation in plain muscle, A., ii, 251.

heat coagulation in smooth muscle: the connexion between protein coagulation and heat rigor, A., ii, 417.

Meillère, G. [Jean], preparation of hypobromite from potassium bromide and "Eau de Javel," A., ii, 837.

presence of inositol as a characteristic of natural wines, A., ii, 945.

Meisels, E. See Isidor Klimont.

Meisenheimer, Jakob, a new kind of asymmetry in the nitrogen atom, A., i, 20.

Meisenheimer, Jakob. See also Eduard Buchner.

Meitner, Lise. See Otto Hahn.

Melamed, M. See Eugen Khotinsky.

Meldola, Raphael, and James Gordon Hay, syntheses with phenol derivatives containing a mobile nitro-The interaction group. Part II. 2:3:5-trinitro-4-acetylaminophenol and amines (continued), T., 1033; P., 167.

2:3:5-trinitro-4-aminophenol and derivatives, T., 1378; P., 207.

Meldrum, Andrew Norman, and William Henry Perkin, jun., the reduction of 5-hydroxy-m-toluic acid, T., 1889; P., 249.

Melikoff, Petr. G., and E. Jelhchaninoff, orthopervanadates, A., ii, 673.

Mellanby, John, coagulation of blood. I. and II., A., ii, 158, 680.

Mellanby, John, and V. J. Woolley, relations of secretin and enterokinase to pancreatic enzymes, A., ii, 683.

Melone, Nicola. See Ezio Comanducci. Meltzer, Samuel J., and John Auer, anæsthesia and paralysis caused by magnesium salts, A., ii, 80.

Meltzer, Samuel J. See also John Auer and A. O. Shaklee.

Melzer, G. See A. Kolb.

Mendel, Lafayette Benedict, absorption of fats stained with Sudan III., A., ii,

Mendel, Lafayette Benedict, and Stanley R. Benedict, excretion of magnesium

and calcium, A., ii, 253.

Mendel, Lafayette Benedict, and Harry Gideon Wells, physiology of mollusca. Purine substance of sycotypus, A., ii, 419.

Mendeléeff, Dmitri Ivanovitsch, memorial lecture on (TILDEN), T., 2077.

Meneghini, D. See Giuseppe Bruni and Giovanni Pellini.

Menschutkin, Boris N., molecular com-pounds of magnesium bromide and iodide with derivatives of acetic and other organic acids, A., i,

acetamide as a solvent, A., i, 89.

the solubility of the molecular compounds of magnesium bromide and iodide in the organic compounds from which they are formed, A., i,

systems formed by aluminium chloride and bromide with aromatic hydrocarbons, A., i, 897.

compounds of aluminium bromide with nitro-compounds of aromatic hydrocarbons and their derivatives, A., i, 900.

relation between the structure of the aliphatic alcohols and their rate of esterification, A., ii, 988.

Mensio, Carlo, fluorides in wine, A., ii,

Menz, W., alteration of gelatin solutions; determination of their gold numbers and ultra-microscopic observations, A., i, 343.

Menzies, Alan W. C. See Alexander Smith.

Merck, [Carl] Emanuel, preparation of compounds containing active oxygen, A., ii, 1005.

Merck Guano und Phosphat Werken. Aktien-Ges, assay of [burnt] magnesite, A., ii, 619.

Merckle, A. See A. Kolb.

Franz Hubert. See Conrad Merk, Willgerodt.

Merkel, B. See Arthur Kötz.

Merling, Georg, and Robert Welde, [in part, Heinrich Eichwede and Aladar Skita], synthesis of violet perfumes. I., A., i, 479.

Merres, Ernst, estimation of total nitrogen by Mitscherlich's method, A., ii, 436.

Merres, Ernst. See also Eilhard A. Mitscherlich.

Merrill, George P., and Wirt Tassin, meteorites of Cañon Diablo, A., ii,

Merriman, Richard William. See John Wade.

Mervini, L. See Maurice Padoa. Merwin, H. E., coloration in peroxidised titanium solutions; colorimetric methods of estimating titanium and fluorine, A., ii, 942.

Merwin. H. E. See also Charles Palache.

Merzbacher, S. See Oscar Piloty.

Meslin, Georges, magnetic dichroism of
calcite and dolomite admixed with liquids, A., ii, 116. magnetic dichroism

different of minerals, A., ii, 529.

polarisation by lateral diffusion, A., ii,

magnetic dichroism of the rare earths, A., ii, 641.

Messner, Emil. See Emil Abderhalden. Mestre, P. C., variations in the respective proportions of dextrose and levulose in grape musts, A., ii, 606.

Mestrezat, W., relation between the cryo-copic points of wines and their alcoholic strength, A., ii, 189.

cerebro-spinal fluid; nature of the reducing substance; analysis of fluid from a hydrocephalous case, A., ii, 595.

Mette, Heinrich, manuring sugar beet with sodium chloride, A., ii, 697.

Mettler, Carl, electrolytic reduction of benzoic and salicylic acids to the corresponding aldehydes, A., i, 99. Metzger, Floyd Jay, volumetric method

for the estimation of cerium in the presence of other rare earths, A., ii, 620.

Metzger, Floyd Jay, and M. Heidelberger, nature of certain sodium

uranium compounds, A., ii, 893. Metzger, Floyd Jay, and C. E. Taylor, a new rapid volumetric method for the estimation of columbium in presence of tantalum, and its application to the analysis of columbium minerals, A., ii, 702,

Metzger, Floyd Jay. See also O. Kress. Meunier, Jean, combustion of gases without flame and the conditions in incandescent lighting, A., ii, 311.

See Diedrich. WilhelmSchneidewind.

Meyer, Edgar, luminescence phenomena of blue fluorspar, A., ii, 5.

Meyer, Fernand, compounds of gold with bromine, A., ii, 321.

Meyer, Gustave M., elimination of barium, A., ii, 506.

Meyer, Gustave M. See also Phoebus A.

Levene.

Meyer, Hans, new reduction product of

anthraquinone, A., i, 168.

Meyer, Hans, and Richard Turnau, formation of acid chlorides, A., i,

anilides and anisidides of aromatic ketonic and aldehydic acids, A., i,

Meyer, Heinrich L. See Gustav Heller. Meyer, Jean, electrolysis of copper solutions, A., ii, 314.

Meyer, Julius, decomposition of formic

acid by concentrated sulphuric acid, A., i, 626.

saponification in stages of the esters of dibasic acids. I. and II., A., ii, 391, 803.

rate of evolution and absorption of carbon dioxide by water, A., ii,

solubility of ammonium metavanadate, A., ii, 488.

Meyer, Karl, estimation of tin in tinplate, A., ii, 187.

Meyer, Kurt H., additive compounds of phenols and quinones, A., i, 395.

See also Theodor Meyer, Kurt H. Zincke.

See Leopold Rosenthaler. Meyer, R. Meyer, Richard, and Kurt Desamari, tribromoresoquinone, A., i, 657.

determination of molecular weights by the ebullioscopic method, A., ii, 721.

Meyer, Richard, and S. M. Kissin, phthaleinoximes, A., i, 651.

Meyer, Richard Josef, thorium, A., ii, 53, 320.

scandium. I., A., ii, 45.

Meyer, Stefan, magnetic [susceptibilities] of the rare earths, A., ii, 16.

behaviour of kunzite under the influence of Becquerel radiation, A., ii, 716.

Meyer, V. I. See Gabriel Bertrand. Meyer, Woldemar. See Edgar Wedekind.

Meyerheim, Georg. See Franz Sachs.

Meyeringh, D. J. See Frans Antoon Hubert Schreinemakers.

Meyerstein, Wilhelm, the influence of cholesterol on hæmolysis by soaps, A., ii, 681.

Meyer-Wedell, L. See John Beresford Leathes.

Meynier, J., catalysis by moisture, A.,

Michael, Arthur, benzoquinone from the standpoint of the law of entropy and the partial valency hypothesis, A., i, 494.

steric hindrance. I. Theory of esterification of organic carboxylic acids,

A., ii, 219.

Michael, Arthur, and Roger F. Brunel, the relative ease of addition in the alkylene group, A., i, 197.

Michael, Arthur, and Harold Hibbert, desmotropy and merotropy. Constitution of hydrogen cyanide, A., i, 91.

desmotropy and merotropy. VI. Constitution of cyanic acid, A., i,

214.

Michael, Arthur, and K. J. Oechslin, steric hindrance. II. influence of substituents in aromatic carboxylic acids on their esterification, A., ii,

Michael, Arthur, and Karl Wolgast, preparation of pure ketones by means of acetoacetic ester, A., i, 766

steric hindrance. III. Relation between the structure of the aliphatic alcohols and their rate of esterifica-

tion, A., ii, 873.

Michaelis, August, [with Benno von Ghiel, Wilhelm Heyden, Ludwig Krietemeyer, Thilo Mühlberg, and Dietrich Reinighaus, some derivatives of ethyl 4-chlorolutidine-3-carboxylate [ethyl 4-chloro-2:6-dimethylnicotinate], A., i, 527.

Michaelis, August, and Karl Kobert, phenylhydrazinopyrine and 5-benzeneazo-1-phenyl-3-methylpyrazole, A., i,

680.

Michaelis, August, and Konrad Schenk, 1-phenyl-4-alkyl-3:5-pyrazolidones and antipyrines of the malonic acid series, A., i, 58.

Michaelis, Leonor, electrical transporta-tion of ferments, A., i, 277.

electrical migration of enzymes, A., i, 345.

electrical migration of enzymes. Trypsin and pepsin, A., i, 345.

the electric charge of serum albumin and of ferments, A., i, 618.

Michaelis, Leonor, electrical migration of enzymes. III. Malt diastase. IV. Pepsin, A., i, 621.

mechanism of agglutination, A., ii, 304.

Michaelis, Leonor, and Peter Rona, [effect of adsorbents on yeast juice], A., i, 196.

the sugar in blood. IV. The method of osmotic compensation, A., ii, 68. adsorption, A., ii, 125.

adsorption by means of clay, A., ii, $55\bar{2}$.

the electrochemical measurement of alkalinity in blood and serum, A., ii, 680.

the sugar of the blood. VI. The distribution of sugar in the blood in hyperglycæmia, A., ii, 680. Michaelis, Leonor. See also Peter Rona.

Michaud, Louis, the physiological protein minimum, A., ii, 498.

Michel, Edmond. See Alfred Guyot.

Michel, Franz. See Fritz Ephraim.

Michel, Léopold, composition of colloidal ferric hydroxy-chlorides, A., ii, 48.

variation of the composition of colloids formed in a solution of ferric chloride according to the conditions of hydrolysis, A., ii, 146.

crystalline form of conichalcite, A., ii, 491.

Michie, Arthur C. See Robert Luther. Micklethwait, (Miss) Frances Mary Gore. See Gilbert Thomas Morgan.

Miers, Henry Alexander, and (Miss) Florence Isaac, spontaneous crystallisation of chloroacetic acid and its mixtures with naphthalene, A., i,

Mies, Wilhelm, absorption spectrum of p-xylene in the ultraviolet, A., ii, 776. Miethe, A. See Louis Lewin.

Migliorini, E. See Mario Giacomo Levi.

Miklaux, Rudolf, humus substances, A., i, 285.

Miklaux, Rudolf. See also Franz Wilhelm Dafert.

Milbauer, Jaroslav, titration of sulphites with permanganate, A., ii, 264. red lead. I. and II., A., ii, 574,

889.

Miller, D., electrolytic precipitation of cuprous oxide, A., ii, 373.
Miller, J. R., and Walter Jones, the ferments of nuclein metabolism in

gout, A., ii, 821.

Miller, Moriz. See Edgar Wedekind. Miller, Norman Harry John. See Henry B. Hutchinson.

Miller, O., constitution of sodium cellulose, A., i, 13.

Miller, William Lash, indirect analysis by means of the dilatometer; lower hydrate of sodium acetate, A., i, 81.

the ry of the direct method of determining transport numbers, A., ii,

William Lash, and R. H. Miller. McPherson, behaviour of colloidal suspensions with immiscible solvents, A , ii, 132.

Millosevich, Federico, mineralogy of Sardinia; andesine [plagiocla-e] from Monte Palmas (between Sassari and Alghero), A., ii, 248.

Mills, James E., internal heat of vaporisation, A., ii, 861.

VIII., A., ii, molecular attraction.

Mills, William Hobson, and (Miss) Alice May Bain, optically active 4-oximinocyclohexanecarboxylic acid and the configuration of the oximino-group; preliminary note, P., 177.

Milroy, J. A., a stable derivative of hæmochromogen; the carbon monoxide capacity of reduced acid hæmatin, A., i, 538.

Mines, George Ralph, spontaneous movements of amphibian muscle in saline solutions, A., ii, 75.

Minet, Adolphe. See Léonce Barthe.

Minguin, Jules, and Henri Wohlgemuth, state in solution of the tartrates of aliphatic and aromatic amines as revealed by their rotatory power, A., i, 11.

Minkman, D. C. J.See Martinus Willem Beyerinck.

Minozzi, Arnaldo, platinum selenides, A., ii, 899.

Miorandi, Mario, the Gasparini electrolytic process for the removal of organic matter in the detection of poisons, A., ii, 342.

Mirande, Marcel, influence of certain vapours on vegetal cyanogenesis; rapid method for detecting plants con-

taining hydrogen cyanide, A., ii, 824.

Mitchell, Alec Duncan, and Clarence Smith, constitution of hydroxyazo-compounds. Part II. Action of mercuric acetate on benzeneazonaphthols, T., 1430; P., 209.

volumetric estimation of sulphates, T., 2198; P., 291.

Mitscherlich, Eilhard Alfred, estimation of nitrogen, A., ii, 935.

Mitscherlich, Eilhard Alfred, PaulHerz, and Ernst Merres, quantitative nitrogen analysis for very amounts, A., ii, 614.

Mitsuda, R., the carbohydrates of Shōyu, A., ii, 928.

availability of phosphoric acid in various forms in herring guano, A., ii,

Mixter, William Gilbert, heat of oxidation of tin; heat of combination of acidic oxides with sodium oxides, A., ii, 380.

heat of formation of titanium dioxide and heat of combination of acidic oxides with sodium oxide, A., ii,

heat of combination of acidic oxides with sodium oxide. IV. Heat of formation of trisodium orthophosphate, trisodium orthoarsenate, the oxides of antimony and bismuth trioxide, A., ii, 865.

Möbis, Ernesto. See Hermann Leuchs. Möhrke, H. See Franz Sachs.

Möller, Hans G., electrolytic processes at the surface of electrodes, A., ii,

theory of concentrated solutions, A., ii, 981.

Mörner, Carl Th., the roe of the perch; percaglobulin, A., ii, 329.

dicalcium phosphate as a urinary sediment, A., ii, 331.

Mohr. Ernst, isatoic anhydride (anthranilearboxylic acid), A., i, 190. Hofmann's reaction. IV. Behaviour of

isatoic anhydride with alkalis and with barium hydroxide, A., i, 420.

the Fittig reaction and the dark blue sodium bromide resulting from sodium and bromobenzene, A., ii, 885.

Mohr, Ernst, Fr. Köhler, and H. Ulrich, V. Action of Hofmann's reaction. sodium hypochlorite and a little alkali on phthalimide, A., i, 649.

Mohr, Ernst [and, in part, Ludwig Schmidt], 5-amino-l-phenyl-3-methyl-

pyrazole, A., i, 190.

Mohr, Ernst, and Fritz Stroschein, lactimones of benzoylalanine and of benzoylphenylalanine, A., i, 581.

Moir, James, a method of harmonising the atomic weights, T., 1752; P., 213. new atomic theory, A., ii, 562.

Mojoïu, Pierre. See Paul Dutoit.

Moldenhauer, Max, preparation of metallic aluminium from aluminium silicate, A., ii, 239.

Molinari, M. de, and O. Ligot, action of manganese sulphate on various crops, A., iī, 697.

Moll, R. See Felix Löhnis.

Molliard, Marin, are the amines assimilable by the higher plants? A., ii, 1046. Mollow, G. See Franz Mawrow.

Monferrino, A., distinctive reactions for nevralteine, pyramidone, and antipyrine, A., ii, 838.

Monnier, Alf. See Louis Duparc.

Montagne, P. J., intramolecular atomic migrations. IX. Conversion of αglycols into aldehydes, A., i, 722.

Montgomerie, Harvey Hugh. See Thomas Stewart Patterson.

Monvoisin, A., objections to the use of potassium dichromate as a preservative of milk destined for analysis, A., ii, 192.

chemical composition of milk from tuberculous cows, A., ii, 1040.

Moody, Gerald Tattersall, the rusting of iron, P., 34.

Moog, Robert. See H. Guillemard.

Moore, Benjamin, hydrochloric acid in the stomach in cancer, A., ii, 80.

Moore, Benjamin, and Edward Whitley, the properties and classification of the oxidising enzymes, and analogies between enzymic activity and the effects of immune substances and complements, A., i, 623.

Moore, Benjamin, and R. Stenhouse Williams, the growth of Bacillus tuberculosis and other micro-organisms in varying percentages of oxygen, A., ii,

Moore, Benjamin, Frederick P. Wilson, and Lancelot Hutchinson, action of salts of unsaturated fatty acids in hæmolysis, A., ii, 593. bio-chemistry of hæmolysis, A., ii,

Moore, Charles Watson, the constituents of the rhizome of Apocynum androsacmifolium, T., 734; P., 85.

Charles Watson. See also Frederick Belding Power.

Moore, Gertrude. See Martin H. Fisher. Moore, Tom Sidney. See Nevil Vincent Sidgwick.

Moore, Walter Roman. See Gilbert Thomas Morgan.

Mooser, W., the aromatic compounds in urine, A., ii, 1039. [estimation of phenol and p-cresol in

urine], A., ii, 1056.

Morales Chofré, Eugenio, modifications in Victor Meyer's vapour density apparatus, A., ii, 381.

arrangement for filtering liquids maintained at constant temperature in a thermostat, A., ii, 393.

Morancé, purification of hydrated sulphuric acid from arsenic by cooling, A., ii, 395.

Morawitz, H., volumetric estimation of mercuric salts, A., ii, 185, 703.

Morawitz, P., blood-coagulation, A., ii,

oxidative processes in the blood, A., ii, 592.

Morden, Gilbert W., electrolytic estimation of thallium, A., ii, 1054.

Morel, Albert. See Louis Hugounenq. Morel, L., and Emile Terroine, action of pancreatic juice on esters, A., ii, 747.

Morelli, G., a new method for detection of indole in culture media, A., ii,

Morgan, Gilbert Thomas, and (Miss) Mary Alcock, the colour and constitution of diazonium salts. Part I., T., 1319; P., 202.

Morgan, Gilbert Thomas, and (Miss) Frances Mary Gore Micklethwait, organic derivatives of arsenic. Part II. Triaminotriphenylarsine oxide and tricamphorylarsinic acid, T., 1473; P., 212.

Morgan, Gilbert Thomas, (Miss) Frances Mary Gore Micklethwait, and George Stafford Whitby, organic derivatives of antimony. Part I. Tricamphorylstibine chloride and triphenylstibine hydroxynitrate and hydroxysulphate, P., 302.

Morgan, Gilbert Thomas, and William Roman Moore, dicamphorylphosphinic

acid, P., 310.

Morgan, Gilbert Thomas, and Joseph Allen Pickard, the production of para-diazoimides from alkyl- and arylsulphonyl-para-diamines; a general reaction, P., 300; discussion, P.,

Morgan, Gilbert Thomas. See also Edward Cahen and Harry Frank Victor

Little.

Morgan, John Livingston Rutgers, effect of water on the freezing point of molten CaCl₂,6H₂O, A., ii, 236.

calculation of the critical temperature of an associated liquid from surfacetension results, A., ii, 377.

Morgenroth, Julius, and P. Schäfer, the hæmolytically acting organ extracts, A., ii, 1036.

orgenstern, Otto, condensation of opianic and phthalaldehydic acids Morgenstern, with cyclohexanone and diethyl ketone, A., i, 803.

Morozewicz, Józef A., preparation of rare earths from mariupolite, A., ii,

hatchettite from Bonarka, near Cracow, A., ii, 409.

stellerite, a new zeolite, A., ii, 1028. Morrill, W. P. See Samuel Amberg.

Morse, Harmon Northrop, and William West Holland, osmotic pressure of sucrose solutions at 25°, A., ii, 216. regulation of temperature in the measurement of osmotic pressure, A., ii, 299.

osmotic pressure of sucrose solutions at 20°, A., ii, 386.

Mortensen, M. L., poisonous action of cobalt salts on Aspergillus niger in cultures on solid and liquid media, A., ii, 921.

Moser, L., bismuth hydroxide and its behaviour towards alkalis, A., ii, 320.

the supposed copper quadrantoxide, A., ii, 891.

Moss, Richard Jackson, the taxine in Irish yew, Taxus baccata var. Fastigiata, A., 1i, 605.

Mossler, Gustav, apparatus for the preparation of pure oxygen, A., ii,

Mostowski, St., behaviour of glucosophenetidide and of tetra-acetylglucosophenetidide in the animal organism, Ā., ii, 751.

Motschmann. See Georg Schroeter.
Mottram, V. H., fatty infiltration of the
liver in hunger, A., ii, 415.

Sigmund, methoxy-2-Motylewski, phenylcoumarones, A., i, 821.

Motylewski, Sigmund. See also G. G. Wilenko.

Mouilpied, Alfred Theophilus de, and Alexander Rule, tetraketopiperazine. Part II., T., 549; P., 71.

Mountain, Harold. See (Miss) Martha

Annie Whiteley.

Moureu, Charles, and Adolphe Lepape, radioactivity of the thermal springs of Bagnères-de-Luchon, A., ii, 363.

Mouton, Henri. See A. Cotton.

Muckermann, Ernst, formation of nitrosopyrazolidones and pyrazolones from hydrazides of unsaturated acids, A., i, 838.

Mügge, Otto, radioactivity and pleochroic

halos, A., ii, 286.

Mühlberg, Thilo. See August Michaelis. Müller, Arthur, preparation, composition, and thermal properties of electrolytic iron, A., ii, 485.

Mueller, Edward. See Gregory Paul Baxter.

Müller, Erich, m-toluic acid, A., i, 159.

Müller, Erich, and Theophil Stanisch, Prusian blue and Turnbull's blue. and II., A., i, 142, 705.

Müller, Erich, and W. Treadwell, ferrous ferrocyanides, A., i, 706.

Müller, Ernst, alkylamides of 3:4dihydro-1:2:4:5-tetrazine-3:6-dicarboxylic acid and 1:2-dihydro-1:2:4:5tetrazine-3:6-dicarboxylic acid, A., i,

Müller, Ernst. See also Theodor Curtius.

Müller, Franz. See Emil Abderhalden. Müller, Gustav, ozone apparatus, A., ii,

Müller, Hermann August. See Alexander McKenzie.

Müller, Julius, bromine derivatives of o-amino- and of o-hydroxybenzaldehyde, A., i, 937.

Müller, Karl. See Karl Auwers.

Müller, L. von. See Alexander Gutbier. Müller, Noe L., minimum quantity of electricity, A., ii, 112.

Müller, $Noe\ L$. See also Moritz Kohn. Müller, Robert. See Martin Onslow Forster.

Müller, Rudolf. See Otto Wallach.

uller, Wolf Johannes, volumetric estimation of thallium, A., ii, 348. electromotive behaviour of thallium as anode. I., A., ii, 961. Müller,

Müller, Wolf Johannes, and Johann Georg Königsberger, passivity of iron, A., ii, 1016.

Munden, Max, [forms of matter], A., ii,

Münter, F. See Hans Rupe and Wilhelm Schneidewind.

Müntz, Achille, and H. Gaudechon, diffusion of manurial salts in soil, A., ii, 259.

retardation of vegetal assimilation during cloudy weather, A., ii, 753.

Müntz, Achille, and E. Lainé, the function of septic tanks in the biological purification of sewage, A., ii, 423.

Müntz, Achille, and P. Nottin, the employment of calcium cyanamide in agriculture, A., ii. 88.

Muir, Matthew Moncrieff Pattison, iodine dioxide, T., 656; P., 88.

Mukerji, Satish Chandra. See J. A.Cunningham.

Mulder, A., burette for calibrating measuring flasks, A., ii, 90.

Mulder, Eduard, chemical composition of matter, A., ii, 34.

Muller, Joseph Auguste, volumetric estimation of lead in ores, A., ii, 96.

estimation of chromic acid, A., ii, 96. Muller, Paul Thiébaud, and M. Thouvenot, isodynamic change revealed by magnetic rotatory power, A., ii, 631.

Mundici, Curio M., disengagement of the formy! group from certain aromatic aldehydes, A., i, 719.

Muñoz del Castillo, José, decay of radium emanation when dissolved in water, A., ii, 109.

radioactivity of waters from Alange,

A., ii, 110.

Muñoz del Castillo, José, and Faustino Díaz de Rada, variation in the electrical conductivity at constant temperature of mineral waters containing radium, A., ii, 113.

Murat, 1-methylcyclohexan-2-ol and its

derivatives, A., i, 146.

Murdfield, Rudolf. See K. Lendrich. Murlin, John A., protein metabolism in

development, A., ii, 250.

Murmann, Ernest, laboratory methods,

A., ii, 990.

Murschhauser, Hans, burette for the analysis of high-grade oxygen, A., ii,

Murschhauser, Hans. See also Wilhelm Prandtl and Arthur Schlossmann.

Musatty, I. See Luigi Mascarelli. Myers, Victor C., the potassium in cerebro-spinal fluid, A., ii, 500.

Mylo, Bruno. See Ernst Koenigs and Franz Sachs.

N.

Nagel, G., formation of solid surfaces on liquids, A., ii, 797.

Nagelschmidt, F., and F. L. Kohlrausch, the physiological basis of radium emanation therapy, A., ii, 165.

Nametkin, S. S., action of nitric acid on saturated hydrocarbons. II. and III., A., i, 93, 372.

Naoum, Phokion. See Hans Stobbe. Narracott, Percival. See Charles Alex-

ander Keane.

Nasini, Raffaelo, and I. Ageno, solubility and hydrates of boric acid, A., ii, 999.

Nasini, Raffaelo, and Mario G. Levi, appearance of radioactivity in inactive volcanic materials of the last great eruption of Vesuvius (April, 1906), A., i, 7.

radioactivity of rocks and materials from the island of Ischia,

A., ii, 7.

radioactivity of Italian gaseous emana-

tions, A., ii, 110.

Nastukoff, Alexander M., preparation of diphenylmethane, A., i, 19.

Naumann, Alexander, [with Jean Rill and Ferdinand Bezold], reactions in non-aqueous solutions. IV. In methyl acetate, A., ii, 1018.

Naumann, Wilhelm. See Paul Rabe. Neave, George B., a proposed test for

halogens, A., ii, 827.

the Sabatier-Senderens test for distinguishing between primary, secondary, and tertiary alcohols, A., ii,

Nefgen, August. See Richard Anschütz.

Negro, C. See G. Costanzo.

Neher, Fred, and William Foster, preparation and physical properties of as-tetrachloroethyl ether, A., i,

ethyl ether: its as-dichlorovinyl preparation from tetrachloroethyl ether and its physical properties, A., i, 202.

Neilson, Charles Hugh, and M. H. Scheele, effect of diet on saliva, A., ii,

Neish, Arthur C., preparation of pure cerium salts and the colour of cerium oxide, A., ii, 483.

Nelson, John Maurice, and Kaufman George Falk, electron conception of valency in organic chemistry, A., i,

Nenadkevitsch, K. A., turanite and alaite, two new vanadium minerals, A., ii, 411.

Nernst, [Hermann] Walther, calculation of electromotive forces from thermal data, A., ii, 291.

lecture experiment to show the rate of chemical action, A., ii, 878.

Nesmjeloff, V., the simultaneous estimation of carbon monoxide, hydrogen, and methane by fractional combustion, A., ii, 519.

Nestler, Anton, a simple method for detecting benzoic acid in cranberries, A., ii, 426.

Netscher, Hans. See Ernst Beckmann.

Neubauer, Ernst, is the difference in the behaviour of lævulose and dextrose as glycogen formers in diabetes characteristic only for this condition? A., ii, 915.

the fate of lactic acid in normal animals, and in those poisoned with

phosphorus, A., ii, 1041. bauer, Ernst. See also Sigmund Neubauer, Ernst.

Fränkel and Otto Porges.

Neubauer, Otto, the degradation of amino-acids in the organism under normal and pathological conditions, A., ii, 750.

Neuberg, Carl, "glucothionic acids." A., i, 276.

phytin, A., i, 290.

the pentose from inosic acid and from the pancreas, A., i, 686.

the degradation of certain and hydroxy-amino-acids, A., i, 771.

the relationship of pyridine to the sugars, A., i, 832.

reaction of bile acids with rhamnose δ-methylfurfuraldehyde, A., and ii, 195.

chemical changes produced by different kinds of rays. II. Action of the direct electric current, A., ii,

the behaviour of racemic glutamic acid in putrefaction, A., 691.

Neuberg, Carl, and R. Brahn, inosic

acid, A., i, 541.

Neuberg, Carl, and Cesare Cappezzuoli, biochemical change of asparagine and aspartic acid into propionic and succinic acids, A., ii, 691.

Neuberg, Carl, and E. Kansky, the

isolation of aliphatic alcohols, A., i,

reduction of amino-acids to aminoaldehydes, A., i, 702.

Neuberg, Carl, and Lazlo Karczag, the behaviour of al-amino-valeric acid (dl-valine) in putrefaction, A., ii,

Neuberg, Carl. See also T. Kikkoji. Neukam, Karl. See Hermann Pauly.

Neuman, J. See Georg Büttner.

Neumann, Bernhard, diamonds in iron, A., ii, 1000.

Neumann, Walter. See Herbert Freund-

Neustadt, J., and Richard Abegg, electrochemical potentials in aqueous solvents, A., ii, 959.

See Neustadt, also Richard J. Abegg. Neville, Henry Allen Dugdale. See

(Miss) Kate Maud Jackson.

Newmann, Sidney Herbert. See John Theodore Hewitt.

Ney, F. See Edgar Wedekind.

Nicholl, R. H., ionic potentials of salts and their power of inhibiting glycolysis, A., i, 347.

Nicola, Renato de, action of barium chloride on the normal heart, and the heart which has undergone fatty degeneration, A., ii, 72.

Nicolardot, Paul, action of sulphur chloride (S2Cl2) on metalloids and

metals, A., ii, 138.

Nicolardot, Paul, and Krell, assay of antimony alloys, A., ii, 622.

Nicolas, G., respiratory gaseous exchanges in aërial vegetal organs of vascular plants, A., ii, 603.

Niementowski, Stefan von. von Jakubowski.

Niemeyer, Rudolf. See Robert Behrend. Nierenstein, Maximilian, rotation of tannin, A., i, 174.

tannin, A., i, 174. the so-called "bloom" of pyrogallol tannins and its identity with ellagic acid, A., i, 174.

constitution of tannin. V., A., i, 402; VI., A., i, 948.

Nierenstein, Maximilian. See also A. Breinl.

Niklewski, Bronislaw, the moving out of calcium and magnesium ions from the plant cell, A., ii, 694.

Niquesa, F. de Simone. See Giuseppe Kernot.

Nishi, M., excretion of quinine in urine, A., ii, 687.

estimation of quinine and its excretion

in the urine, A., ii, 710. Nishimura, S. See Keijiro Asō.

Noda, S. See Karl Bernhard Lehmann.

Noelting, [Domingo] Emilio, H. Freimann, and Eugène Grandmougin, reduction products of B-naphthaquin-[2-benzeneazo-a-naphthols], A., i, 442.

Noelting, Emilio, and K. Philipp, colour bases of triphenylmethane dyes. II., A., i, 61.

Nogier, Th. See Jules Courmont.

Nogueira, Alexander. See Sigmund Fränkel.

Nolda, Ernst. See Willy Marchwald. Noll, Alfred, fat synthesis in the epithelium of the frog's intestine during fat resorption, A., ii, 327.

Norman, Karl H. van, the biuret and nitric acid tests for protein, A., ii, 452.

Norris, RolandVictor.See (Miss) Dorothy Harrop.

Notaris, F. de. See Gino Abati.

Nottbohm, E. See K. Lendrich. Nottin, P. See Achille Müntz. Novák, J., action of metallic magnesium

on acetylene, A., i, 865.
Noyes, Arthur Amos, and John John-

ston, conductivity and ionisation of polyionic salts, A., ii, 854.

Noves, William Albert, and C. G. Derick, molecular rearrangements in the camphor series. II. Laurolene, A., i, 560.

William Albert, and A. W. Homberger, molecular rearrangements in the camphor series. I. Hydroxylauronic acid and isocampholactone, A., i, 133.

Nürenberg, A., iodothyreoglobulin, A., i, 273.

Yutaka, the animal fats and Nukada, the extract by light petroleum from the liver, A., ii, 73.

0.

Oberheide, F. See Edgar Wedekind. Oberhoffer, P., metallographic observations in a vacuum at high temperatures, A., ii, 1017.

Obermiller, Julius, separation of oand p-phenolsulphonic acids, A., i,

Oddo, Bernardo, new method of preparing nitrosobenzene, A., i, 637

magnesium pyrryl iodide and its use in the synthesis of pyrrole deriva-

tives, A., i, 672. use of s-diphenylcarbazide in volumetric analysis; estimation of mercury in mercurous salts, A., ii,

Oddo, Bernardo, and Antonio Beretta. volumetric estimation of lead and of sulphuric acid in their salts, A., ii,

Oddo, Bernardo, and Giovanni Del Rosso, allylxanthic acid, A., i, 129.

Oddo, Giuseppe, and E. Scandola, condition of substances in absolute sulphuric acid, A., ii, 377, 792.

O'Dowd, L., and Frederick Mollwo Perkin, determination of boiling points of very small quantities of liquids, A., ii, 20.

Oechslin, K. J.See Arthur Michael. Oechsner de Coninck, [François] William, reactions between iodoform and silver fluoride and chloride, A., i,

comparative stability of bromoform, chloroform, and iodoform, A., i, 198.

reduction of uranyl chloride, A., ii, 148.

analogies of uranium with other elements, A., ii, 318. uranates, A., ii, 319. oxides of uranium, A., ii, 583.

Seliwanoff's reaction, A., ii, 625.

action of soluble substances on insoluble substances, A., ii, 668, 732.

Oechsner de Coninck, [François] William, reactions of some salts, A., ii, 668, 734.

peruranic acid, A., ii, 673. uranyl chloride, A., ii, 673.

lead chromate, A., ii, 734. uranous oxide, A., ii, 811.

a mode of formation of uranyl nitrate, A., ii, 812.

stability and reactions of uranyl chloride, A., ii, 893.

action of uranic sulphate on calcium carbonate, A., ii, 893.

[preparation of] uranates by a wet method, A., ii, 894.

Ochler, G., the question of the existence of glycine in normal human urine, A., ii, 1039.

Oesterle, Otto A., and G. Riat, aloeemodin, A., i, 946.

Oesterle, Otto A., and Eduard Tisza, rhein, A., i, 115.
Oettinger, Erich. See Alexander Thomas

Cameron.

Ogloblin, W. N., electrolytic preparation of hypochlorites, A., ii, 804.

Oguro, Y., estimation of antipepsin in serum, A., ii, 1030. Ohl, H. See Alfred Thiel.

Okada, H., solid constituents of Japan-

ese train oil, A., i, 7.
Olie, J., jun., use of the electroscope in measuring activity, A., ii, 10.

the influence of cathode rays on the activity of metallic uranium, A., ii, 783.

Olie, J., jun. See also Ernst Cohen.

Olivari, F., investigation of the system, sulphur-iodine, A., ii, 37.

molecular weight of selenium, A., ii, 39, 568.

polyiodides, A., ii, 128, 226.

molecular weight of selenium in solution, A., ii, 805, 996.

Oliveri-Mandalà, E., addition of hydroxylamine to acetylene derivatives, A., i, 835.

Olizy, R., is there contraction when sucrose is dissolved in water? A., ii, 795. Olpp, Archibald E., nucleo-protein from the gastric mucosa, A., i, 447.

Omi, Kaoru, absorption experiments on dogs with intestinal fistulæ, A., ii, $32\bar{6}$.

Onnes, Heike Kamerlingh, apparatus for the purification of gaseous hydrogen by means of liquid hydrogen, A., ii, 564.

isotherms of monatomic gases and their binary mixtures. III. Data concerning neon and helium, A., ii, 791.

Onnes, Heike Kamerlingh, and C. Braak, measurement of very low temperatures. XXI. Standardisation of temperatures by means of boiling points of pure substances; determination οf the vapour pressure of oxygen at three temperatures, A., ii, 20.

Onnes, Heike Kamerlingh, and J. Clay, measurement of very low temperatures. XXII. The thermo-element gold-silver at liquid hydrogen temperatures, A.,

ii, 117.

Onnes, Heike Kamerlingh. See also Henri Becquerel and Philipp Lenard. Oppenheim, Karl, estimation of lactose in milk by Michaelis and Rona's "iron

method," A., ii, 836.

Oppenheim, Paul. See Martin Freund. Oppenheimer, Carl, the part played by elementary hydrogen in metabolism, A., ii, 250.

Oppenheimer, Carl. See also Arthur

Schlossmann.

Orloff, E. I., synthesis of ethylene from carbon monoxide and hydrogen by contact with nickel and palladium, A., i, 77.

contact pyrogenetic oxidation of hydrogen and carbon monoxide by air,

A., i, 127.

general conditions of contact oxidations accompanied by auto-heating of the

contact layer, A., i, 127.

Orndorff, William Ridgely, and John A. Black, tetrachlorophenolphthalein and some of its derivatives, A., i, 389. Orndorff, William Ridgely, and T. G. Delbridge, tetrachlorogallein and some

of its derivatives, A., i, 733.

Kennedy Joseph Previté, and William Jacob Jones, a crystalline bleaching powder, T., 751; P., 74. primary interaction of chlorine and acetanilides, T., 1456; P., 196.

bromination chlorination and acylanilides: a direct process; pre-

liminary note, P., 233.

chlorination and bromination of acylanilides. Part II. The action of the halogen acids on chloro- and bromo-acylaminobenzenes; preliminary note, P., 305.

estimation of the alkalinity of bleaching powder solutions, A., ii, 701.

Orton, Kennedy Joseph Previté. also William Jacob Jones and (Miss) Alice Emily Smith.

Osaka, Yūkichi, birotation of dextrose.

II., A., i, 456.

determination of solubility by means of Pulfrich's refractometer. II., A., ii, 560.

Osborne, Thomas Burr, and D. Breese Jones, hydrolysis of vitellin from the hen's egg, A., i, 341.

hydrolysis of muscle of scallop (Pectens

viradians), A., ii, 417. hydrolysis of ox-muscle, A., ii, 748.

Osborne, Thomas Burr, D. Breese Jones, and Charles Samuel Leavenworth, hydrolysis of crystallised albumin from the hen's egg, A., i, 446.

Osborne, Thomas Burr, Charles Samuel Leavenworth, and C. A. Brantlecht, different forms of nitrogen in proteins,

A., i, 72.

Ossmulsky, W. See W. Sventoslavsky. Ost, Hermann, and F. Westhoff, cellulose hydrates, A., i, 210.

Osterberg, Emil. See Charles George

Lewis **Wolf**.

Ostrogovich, Adriano, new derivatives of guanylcarbamide, A., i, 461.

tautomerism of aliphatic ketones, A., i, 764.

modification of the reduction process for copper spirals used in organic combustions, A., ii, 1052.

Ostromisslensky, Iwan von, and A. Pamfiloff, mechanism of the formation of indigotin from anthranilic acid and polyhydroxy-compounds; new synthesis of indigotin, A., i, 838.

Ostwald, Wilhelm, fundamental stoi-

cheiometric laws and the atomic theory, A., ii, 989.

Oswald, Adolf, the combination of iodine in iodothyreoglobulin, and some observations on iodothyrin, A., i, 123. introduction of iodine into the benzene ring, A., i, 143.

preparation of 3:5-di-iodotyrosine, A.,

i, 303.

iodo-2-methylindole, A., i, 512.

action of trypsin on 3:5-di-iodo-ltyrosine, A., i, 860.

protein-cleavage by dilute mineral acids, A., i, 979.

the behaviour of 3:5-di-iodo-l-tyrosine and 3:5-di-iodo-r-tyrosine in the animal organism, A., ii, 1041.

C. Nicolescu, electro-chemical behaviour of manganese, A., ii, 703. electrolytic estimation of manganese, A., ii, 703.

Otto, Richard, manurial experiments with two commercial forms of calcium cyanamide, sodium nitrate, and ammonium sulphate applied to mangolds, A., ii, 88.

Overman, Eliza. See Maxwell Adams. Owen, (Miss) Gertrude Emily. See Alexander Findlay.

Ozorovitz, N. See T. Silbermann.

P.

Paal, Carl, and August Ganghofer, estimation of nitric acid with "nitron,

A., ii, 759.

Paal, Carl, and Josef Gerum, catalytic actions of colloidal metals of the platinum group. VI. Reduction catalysis with colloidal palladium, Α., 381.

Paal, Carl, and Wilhelm Hartmann. catalytic actions of colloidal metals of the platinum group. VII. The reduction of ethylene, A., i, 545.

catalytic action of colloidal metals of the platinum group. VIII. Progressive reduction of phenylpropiolic acid, A., i, 926.

[catalytic action of colloidal palladium on the union of hydrogen and

oxygen], A., ii, 990.
Paal, Carl, and Karl Roth, catalytic actions of colloidal metals of the platinum group. V., A., i, 358.

Paal, Carl, and Kurt Zahn, colloidal

potassium chloride, A., ii, 235. colloidal potassium bromide and iodide,

A., ii, 235.

Pachon, V. See H. Busquet.

Pacini, Domenico, penetrating radiation, A., ii, 285.

Padoa, Maurice, phototropy of certain phenylhydrazones, A., i, 676. Padoa, Maurice, and F. Graziani, new

phototropic substances, A., i, 964. Padoa, Maurice, and L. Mervini, influence

of impurities on the lower limits of crystallisation, A., ii, 799.

Padova, Robert, reactions of 9:10-dihydroanthracene and of anthranol, A., i,

reactions of anthranol, A., i, 655.

Paessler, Johannes, and Arnoldi, estimation of sulphuric acid in leather, A., ii, 181.

Pagenstecher, A., the occurrence of lipases in tissues, A., ii, 686.

Palache, Charles, and H. E. Merwin, alomosite, a new lead silicate from Mexico, A., ii, 676.

Paladino, Raffaele, black cephalopod inks, A., ii, 252.

the fats of hens' eggs, A., ii, 498.

Palazzo, Francesco Carlo, polymerisation of fulminic acid, A., i, 776.

Palladin, Wladimir I., the prochromogen of the respiration chromogen of plants, A., ii, 511.

theory of the respiration of plants. and II., A., ii, 511.

Palladino, Pietro, contribution to the study of capillarity, A., ii, 553.

Palladino, Pietro, chance identity of numbers with atomic weights and approximate agreement with Mendeléeff's series, A., ii, 562.

Palmer, Chase, arizonite: ferric metatitanate, A., ii, 1026.
Palmer, Howard E. See Philip Embury

Browning.

Palomaa, M. H., preparation of ether esters, A., i, 359.

ether-like compounds. I. Etheralcohols type R·O·CH₂·CH₂·OH, of the A., i, 869.

Pamfiloff, A. See Iwan von Ostromisslensky.

Panajotow, Georg, separation of antimony and tin, A., ii, 523.

Panek, K. See Leo Popielski.

Panisset, L. See Charles Porcher. **Pannain**, Ernesto, electrolysis of santonin and of its derivatives, A., i, 32.

variations in the structure of silver coinage alloys during working, A., ii, 731.

solubility of silver and of its alloys in mixtures of acids, A., ii, 886.

volumetric estimation of silver by Gay-Lussac's method, A., ii, 937.

Pannain, Ernesto. See also Federico Giolitti.

Pantanelli, Enrico, càscola (falling) of the flowers of Frappato vines, A., ii,

Pantanelli, Enrico. See also Arrigo Mazzucchelli.

Panzer, Theodor, energetic oxidation of cholic acid by nitric acid, A., i,

Pappadà, Nicola, theory of coagulation, A., ii, 473.

Pari, Giulio Andrea. See Sigmund Fränkel.

Paris, Giulio, composition of the sand from the eruption of Vesuvius, April, 1906, A., ii, 155.

manurial experiments on cereals with

calcium nitrate, A., ii, 515.

Paris, Giulio, and T. Marsiglia, reduction of nitrates during alcoholic fermentation, A., ii, 82.

Paris, Louis, fused alumina in the amorphous state, and reproduction of blue colour of sapphires, A., ii, 47.

Pariselle, H., allylcarbinol: passage to the furfuran series, A., i, 282.

some derivatives of abo-trihydroxy-

butane. A., i, 691. Parker, H rry G, the centrifuge in quantitat ve analysis, A., ii, 610.

Parr, Samuel Wilson, weight of carbon dioxide with a table of calculated results, A., ii, 234.

Parravano, Nicola, anhydrous tungstates, A., ii, 811.

Parravano, Nicola, and G. Tommasi, salts of phenylthioglycollic [thiolphenylacetic] acid, A., i, 719.

Parrozzani, A., effect of increasing amounts of phosphatic manures on the amounts of organic phosphorus and nitrogen compounds, and on the relation between phosphorus and nitrogen in maize grain, A., ii, 698.

Parry, (Miss) Ethel. See Hamilton McCombie.

Parry, William, ethyl α-hydroxyiso-butyrate, P., 305.

Parsons, Charles Lathrop, and George J. Sargent, some organic compounds of glucinum, A., i, 873.

Partheil, Alfred, cyclopropane, A., i, 143.

analysis of red lead, A., ii, 268.

Partington, James, Riddick. See Arthur Lapworth.

Pascal, Paul, magnetic properties of

simple substances, A., ii, 116. magnetic properties of several easily liquefied gases, A., ii, 294.

chemical and magnetic study of complex compounds, A., ii, 487. chromyl subchloride, A., ii, 582.

magnetic properties of carbon and organic compounds, A., ii, 788. magnetic function of oxygen in organic compounds, A., ii, 859.

Paschen, Friedrich, infra-red line spectra. I. (Normal wave-lengths up to

27,000 Ångstrom units), A., ii, 3. ultra-red line spectra. II. Spectra of thallium, aluminium, zine, cadmium, magnesium, and calcium, A., ii, 630.

Passerini, Napoleone, composition of the ash and lapilli from the eruption of Vesuvius, April, 1906, A., ii, 155.

Pastureau, J., bromo-ketones, A., i,

oxidation of ketones and diketones by hydrogen peroxide in presence of acid, A., i, 208.

Paternò, Emanuele, organic syntheses by means of sunlight, A., i, 240.

Paternò, Emanuele, and T. Benelli, nitro-derivatives of glycerol ether, A., i, 755.

Paternò, Emanuele, and G. Chieffi, organic syntheses by means of sunlight. II., A., i, 393.

Paterno, Emanuele, and Arri o Mazzuc-chelli, emission spectra of certain elements at high temperstures, A., ii, 4.

Paternò, Emanuele, and F. Traettamosca, organic syntheses by means of sunlight. III. Phenyl isoamyl ketone and physical constants of compounds of amylene with benzaldehyde and ketones, A., i, 487.

Paternò, Ezio, hydrogen polysulphides and cryoscopy, A., ii, 118.

Patriciu, N. See Dragomir Hurmuzescu. Patta, A. See Efisio Mameli.

Patterson, Thomas Stewart, simple notation for indicating the configuration of the sugars and allied substances, A., i, 208.

Patterson, Thomas Stewart, and David Paterson McDonald, the influence of solvents on the rotation of optically active compounds. Part XIV. Ethyl tartrate in benzaldehyde and in quinol-

ine, T., 321; P., 36.
Patterson, Thomas Stewart, and Harvey Hugh Montgomerie, the influence of solvents on the rotation of optically active compounds. Part XV. Mixed solvents, T., 1128; P., 151.

Paturel, G., estimation of dry wine ex-

tracts, A., ii, 836.

Patzewitch, Raphael. See Eugen Kho-

tinsky. Paucke, Martin. See Georg Locke-

Pauli, Wolfgang, and Hans Handovsky, the changes in physical conditions of the colloids. VIII. Studies on acid albumin, A., i, 618.

Pauli, Wolfgang, and Max Samec, influence of proteins on the solubility of electrolytes, A., i, 537.

Pauli, W. E. See Philipp Lenard.

Pauly, Hermann, new syntheses of adrenaline and allied compounds, A., i, 154.

constitution of "dichloropiperonal," A., i, 165.

Pauly, Hermann, and Thomas J. R. Alexander, "dichloropiperonal," A., i, 590.

Pauly, Hermann, and Karl Gundermann, decomposition products of albumin which combine with iodine, A., i, 71.

Pauly, Hermann, and Karl Neukam, derivatives of ethyl catechol, A., i,

Pauly, Hermann, and Viktor Traumann, preparation of the salts of the mercury derivatives of fluorescein, A., i, 280.

Pawloff, P. N., dependence of the melting point of a solid substance on its surface energy, A., ii, 19, 295.

vapour pressure of the granules of solid substances, A., ii, 800.

Pawloff, P. N., relations between the surface modifications of solid crystalline substances; nature of liquid crystals, A., ii, 800.

Peachey, Stanley John. See William Jackson Pope.

Pearce, Francis. See Louis Duparc.

Pécheux, Hector, influence of foreign substances on the thermoelectric properties and the resistivity of aluminium, A., ii, 294.

electrical properties (thermoelectricity and resistivity) of copper-aluminium

alloys, A., ii, 482.

Pechmann, Hans (Freiherr von), and Wilhelm Bauer, derivatives of osotetr-

azine and of osotriazole. A., i, 270. Pegram, G. B., and H. Webb, heat development due to radioactivity of thorium_oxide, A., ii, 111.

Pélabon, Henri, fusibility of mixtures of

gold and tellurium, A., ii, 584. fusibility of mixtures of sulphur, selenium, and tellurium with metals, A., ii, 805.

Pelet-Jolivet, Louis, capillary ascension of colouring matters, A., ii, 979.

Pelet-Jolivet, Louis, and N. Andersen,

combination of silica with methyleneblue, A., i, 526.

Pelet-Jolivet, Louis, and Th. Henny, combination of pieric acid and \$-naphthol, A., i, 468.

Pelet-Jolivet, Louis, and C. Mazzoli, the decolorising properties of amorphous carbon, A., ii, 999.

Pelet-Jolivet, Louis, and Hans Siegrist, polyiodo-derivatives, A., i, 527.

the influence of electrolytes in different concentrations on the dyeing process, A., ii, 979.

Pellet, Henri, estimation of phosphoric acid as ammonium phosphomolybdate, A., ii, 182.

estimation of mineral matters in vegetable substances, A., ii, 755.

Pellini, Giovanni, selenium and iodine, A., ii, 568.

isomorphism between tellurium and sulphur, A., ii, 726.

mixed crystals of sulphur and tellurium, A., ii, 805. isomorphism of sulphates, selenates,

and tellurates, A., ii, 1002.

Pellini, Giovanni, [with C. Aureggi and R. Sacerdoti], compounds of selenium and of tellurium with selenium and of t mercury, A., ii, 1014.

Pellini, Giovanni, and D. Meneghini, true peroxide of nickel, A., 11, 50. formation of true peroxides of iron, A., ii, 486.

XCVI. ii.

Pellizzari, Guido, 1-amino-1:3:4-triazole, A., i, 534.

Peltner, Erich, rubidium peroxide hydrate and rubidium percarbonate, A., ii,

Pember, F. R. See Burt Laws Hartwell. Pembrey, Marcus Seymour. See H. S. French.

Wilhelm. See Eugen Bam-Pemsel. berger.

Perciabosco, F., and V. Rosso, direct absorption of nitrites by plants, A., ii,

Perkin, Arthur George, indoxylic acid, T., 847; P., 126.

the colouring matters of the flowers of Hibiscus sabdariffa and Thespasia lampas, T., 1855, P., 248.

the colouring matter of cotton flowers. Gossypium herbaceum. T., 2181; P., 291. Part II.,

the reduction of indirubin, P., 127. indigo products from Northern Nigeria, A., ii, 513.

Perkin, Arthur George, and Frederick Thomas, indican. Part II., T., 793; P., 125

Perkin, Arthur George. See also Tokuhei Kametaka and Frederick Thomas.

Perkin, Frederick Mollwo, and Lionel Pratt, action of alcohols on metallic calcium, T., 159; P., 18. Perkin, Frederick Mollwo.

See also (Miss) Mary Cunningham and L. O'Dowd.

Perkin, William Henry, jun., William Jackson Pope, and Otto Wallach, optically active substances containing no asymmetric atom, 1-methylcyclohexylidene-4-acetic acid, T., 1789; P., 83, 230; discussion, P., 84.

erkin, William Henry, jun., and Robert Robinson, brazilin, hæmatoxylin and their derivatives. Part X. The constitution of trimethylbrazilone, of aand β -anhydrotrimethylbrazilone, and of the corresponding hæmatoxylin derivatives, T., 381; P., 31.

Perkin, William Henry, jun., Robert Robinson, and Frederick Thomas, synthesis of cotarnic acid, T., 1977; RobertP., 262.

Perkin, William Henry, jun., and John Lionel Simonsen, cyclobutane-1:3-dicarboxylic acid and some of its derivatives, T., 1166; P., 178. note on the condensation of acetone

and hippuric acid, P., 164.

Perkin, William Henry, jun., and Otto Wallach, 1-acetyl-A1-cyclopentene as an oxidation product of Δ^1 -cyclohexeneacetic acid, A., i, 154.

Perkin, William Henry, jun. See also Oscar Baudisch, (Miss) Mary Elizabeth Dobson, Edward Hope, and Andrew Norman Meldrum.

Perkins, Claude C. See Frank Austin Gooch.

Perl, A. See Gustav Schultz.

Perley, G. A., experiments on solarisation, A., ii, 952.

Perotti, Renato, nitrogenous nutrition of plants by means of aminocompounds, A., ii, 515. physiological action and

manurial value of the salts of dicyanodiamide,

A., ii, 606.

Perrier, Gustave, estimation of fats in pork and other products containing water, A., ii, 628.

Perrier, Gustave, and L. Farcy, influence of chlorides on the estimation of nitrates in water, A., ii, 344.

Perrin, G., detection of inositol in

natural wines, A., ii, 624.
Perrot, François Louis. See Georges

Pesci, Leone, hydroxide and salts of mercuriethylenediamine, A., i, 217.

new organic mercury compounds, A., i, 348.

Peset, J., detection of phosphorus, A., ii, 265.

detection of aniline, A., ii, 274.

Peski, A. J. van, jun., saponification of phenylisonitroacetonitrile to the amide by means of hydrogen peroxide, A., i,

Pessler, Ernst, filter funnel and funnel strainer, A., ii, 35.

Pestalozza, Ugo. See Roberto Ciusa.

Peter, Willi, aliphatic compounds of polyvalent iodine. II. Derivatives of di-iodofumaric acid with polyvalent iodine, A., i, 879.

Willi. See Peter, also Johannes Thiele.

Peters, Amos W., the adsorption of diastase and catalase by colloidal protein and by normal lead phosphate, A., i, 124.

Peters, Amos W., and Opal Burres, the diastatic enzyme of paramœcium in relation to the killing concentration of copper sulphate, A., ii, 422.

Peters, Amos W., and H. A. Mattill,

diastatic enzyme of meat, A., ii,

Peters, Amos W., and H. W. Stewart, adsorption and partial purification of catalase from the liver, A., ii, 501.

Peterson, J. B. See F. W. Gill.

Petrenko-Kritschenko, Pavel Iw., [with Z. Hirschberg, A. Lilienblüm, and B. Malachoff, condensation of esters of acetonedicarboxylic acid with aldehydes by means of ammonia and amines, A., i, 959.

Petrenko-Kritschenko, Pavel Iw., and S. Schöttle, condensation of esters of acetonedicarboxylic acid with aldehydes by means of ammonia and

amines, A., i, 605.

Pfaff, August, the amount of sulphur in

electrolytic iron, A., ii, 891.

Pfeiffer, Theodor, Albert Hepner, and
L. Frank, fixation of ammonia by zeolites in soils, A., ii, 87.

action of ammoniacal nitrogen [as manure] under the influence of lime, A., ii, 515.

chloride in water, A., ii, 940. Pfeiffer,

Pfenning, F. See Erwin Rupp.
Pfenninger, Urs, investigations of the beans of Phaseolus vulgaris at different

stages of development, A., ii, 696. Pfizenmaier, K. See A. Heiduschka.

Pfleiderer, Georg, liberation of oxygen during the electrolysis of hydrochloric acid with a platinum anode, A., ii, 963.

Pflüger, Al., absorption of ethereal oils in the ultra-violet, A., ii, 630.

Pflüger, Eduard [Friedrich Wilhelm], constitution of protein, A., i, 685. Mohr's work on the origin of glycogen from protein, A., ii, 328.

the rôle of the small intestine in glycogen formation, A., ii, 328.

intestinal diabetes, A., ii, 507.

the author's method for the estimation of glycogen, and the specificity of substances of the animal body, A., ii, 946.

Pfund, A. H., re-determination of the wave-lengths of the iron lines used for comparison purposes, A., ii, 106.

Philip, James Charles, and Frederick Basil Garner, influence of various sodium salts on the solubility of sparingly soluble acids. Part II., T., 1466 ; P., 212.

Philipp, Hans. See Ernst Deussen.

Philipp, K. See Emilio Noelting. Philippe, L. H., preparation and properties of β-glucoheptitol, A., i, 136. Philippi, E. See Robert Kremann.

Phillips, Harry Edward William, the electrical conductivity of phosphoric acid, T., 59.

Piantoni, Giovanni, influence of sugars on the secretion of milk, A., ii, 164.

Piault, L., occurrence of stachyose and a glucoside hydrolysable by emulsin in the subterranean parts of Lamium album, A., ii, 338.

Piccard, Jean. See Richard Willstätter.
Piccinini, Galeazzo, mobility of the amino-group, A., i, 837.

estimation of the hardness of water by

Clark's method, A., ii, 832.

Pick, Ernst Peter, and Oswald Schwarz, the action of salts on toxin and on toxin-antitoxin combinations in presence of serum proteins, A., ii, 598.

Pick, Hans. See Paul Ehrenberg.

Pickard, Joseph Allen. See Gilbert Thomas Morgan.

Pickard, Robert Howson, and Joseph Kenyon, resolution of racemic alcohols;

preliminary note, P., 167.

Pickard, Robert Howson, and Joseph Yates, optically active reduced naphthoic acids. Part IV. Comparison of the rotatory powers of the diand tetra-hydronaphthoic acids with those of phenylallylacetic, α-phenylvaleric, β-phenyl-α-ethyl-, and β-phenyl-α-methyl-propionic acids, T., 1011; P., 152.

Pickering, Spencer [Percival] Umfreville, hydration of precipitates, T., 123; P., 12.

the carbonates of copper and the cupricarbonates, T., 1409; P., 188; discussion, P., 188.

Pickles, Samuel Shrowder. See Samuel James Manson Auld.

Pictet, Amé, and (Mlle.) M. Finkelstein, complete synthesis of laudanosine, A., i, 323.

Pictet, Amé, and Alfons Gams, synthesis of papaverine, A., i, 671.

Pictet, Amé, and Georges Karl, mixed anhydrides of sulphuric acid, A., ii, 38.

Pictet, Amé, and Francis William Kay, synthesis of isoquinoline bases, A., i, 513.

Picton, Norman. See Arthur Hantzsch. Pidduck, F. B., absorption of ultraviolet light by dilute solutions, A., ii, 454.

Pier, Mathias, specific heat of hydrogen chloride from explosion experiments, A., ii, 542.

the specific heats of argon, steam, nitrogen, and hydrogen at very high temperatures, A., ii, 789.

Pieraerts, Joseph, hydrolysis of maltose by citric acid, A., i, 136.

Seliwanoff's test for sugars of the lævulose group, A., ii, 272.

Pieszczek, Ernst, potassium chlorate containing bromate, A., ii, 516.

Piettre, Maurice, the green pigment of bile, A., i, 115.

chemical treatment of bile; separation of the bile acids, A., i, 206.

bilirubin, A., i, 402. cholic acids, A., i, 586.

estimation of glycogen and starch; detection of horse flesh in sausages, A., ii, 706.

Pighini, Giacomo, metabolism in dementia præcox, A., ii, 507.

cholesterol in cerebro-spinal fluid, A., ii, 821.

Pilch, F. See Robert Kremann.

Pilgrim, A. A. L., ethereal oil of the root bark of Cinnamomum zeylanicum, A., i, 172.

Pilling, O., general formula for saturated vapours, A., ii, 381.

Piloty, Oscar, the pigment of blood, A., i, 539.

Piloty, Oscar, and S. Merzbacher, the pigment of blood. II. So-called hæmatopyrrolidmic acid, A., i, 857. the pigment of blood. III. New cleavage of hæmatoporphyrin, A.,

Pilz, O. See Max Siegfried.

Pincussohn, Ludwig. See Emil Abderhalden.

Piñerûa Alvarez, Eugenio, rapid estimation of vanadium in ores and technical products, A., ii, 1055.

Pintza, A. See Philippe Auguste Guye. Piolti, Giuseppe, oncosine from Variney (Valle d'Aosta), A., ii, 813.

Pissarjewsky, Leo, and A. Scheljapin, heat effect and free energy of chemical action in different solvents, A., ii, 866.

Pistschimuki, P. S., methyl and ethyl esters of thiophosphoric acid, A., i, 5.

Pishtschimuki, P. S. See also Alexander E. Arbusoff.

Piutti, Arnaldo, and G. Calcagni, velocities of addition of bromine to itaconic, citraconic, and mesaconic acids. I., A., i, 360.

Plancher, Giuseppe, and Oreste Carrasco, reactions of 2:3:3:5-tetramethyl-indolenine, A., i, 959.

Plate, Erich. See F. L. Kohlrausch. Plato, G. de. See Francesco Scurti.

Pletnew, Dimitri. See Leon Asher. Plimmer. Robert Henry Aders, origin

Plimmer, Robert Henry Aders, origin of uric acid, A., ii, 817.

Plimmer, Robert Henry Aders, and R. Kaya, distribution of phosphoproteins in tissues. II., A., ii, 685. Plimmer, Robert Henry Aders, and Frederick Hughes Scott, transformations in the phosphorised compounds of the hen's egg during development, A., ii, 415.

Plogmeier, F., formation of solid surfaces on colloidal liquids and their photoelectric behaviour, A., ii; 984.

Wladimir A., abnormal course of curves, showing the change of molecular conductivity with the concentration, A., ii, 13.

electrical conductivity of solutions of compounds of dimethylpyrone with tribromoacetic acid in ethyl bromide, A., ii, 14.

decomposition of complex ions, A., ii, 17.

Plücker, W., preparation of pure ethyl alcohol, A., i, 350.

estimation of phosphoric acid in ashes, A., ii, 518.

Plüddemann, Werner. See Friedrich Auerbach.

Podszus, Emil, thermo-electric forces in electrolytes, A., ii, 16.

Pöschl, Viktor, new periodic function of the atomic weight, A., ii, 35.

Poetschke, Paul, new thermo-regulator for use with gas, A., ii, 973.

Pohl, Julius, the behaviour of phthalic acid in the animal organism, A., ii, 254.

acid poisoning, A., ii, 599.

Pohl, Robert, [calculation of the ratio of the electric charge to the mass of the molecule of mercury vapour], A., ii, 207.

Pointet, René, exception to the general method for preparation of aldehydes by means of glycidic acids, A., i, 234.

Poizat, Louis. See Alphonse Seyewetz. J. J. See Arnold Frederik Polak, Holleman.

Pollak, Jacques, and J. Carniol, trithiophloroglucinol, A., i, 791.

Pollak, Leo, adrenaline diabetes, A., ii, 915.

Pollatz, K. See Wilhelm Böttger.
Pollitzer, F., the equilibrium of the reaction $H_2S + 2I = 2HI + S$ and the dissociation of hydrogen sulphide, A., ii, 871.

Pollock, James Arthur, the electron theory of the carbon arc, A., ii, 374.

Pollok, James Holms, quantitative spark spectra of titanium, uranium, and vanadium, A., ii, 530.

spectrographic analysis of a specimen of commercial thallium, A., ii, 620.

Polotzky, A. See Reginald Oliver Herzog.

Polowzowa, W. W. See E. S. London. Poma, G., equilibrium between cuprous and cupric chlorides in hydrochloric

acid solution, A., ii, 315. constitution of the cuproso-cupric chloro-salts, A., ii, 315.

Ponnaz, Charles. See Paul Askenasy. Ponzio, Giacomo, behaviour of the com-

pounds CRPh:NOH towards nitro-

gen peroxide, A., i, 308. behaviour of a diazo-salt towards organic solvents, A., i, 338.

new method of preparing acylazoaryl compounds, A., i, 681.

reductions with ethyl alcohol, A., i, 851.

Ponzio, Giacomo, and G. Charrier, acylazoaryl compounds and behaviour of certain diazo-salts towards ethers, A., i, 443.

Pooth, Peter, Busch's nitron process, A., ii, 615.

Pope, Frank George, and Hubert Howard, the condensation of benzaldehyde with resorcinol, P., 304.

Pope, William Jackson, and Stanley John Peachey, the alkyl compounds of platinum, T., 571; P., 96

Pope, William Jackson, and John Read, condensation of oxymethylenecamphor with primary and secondary aminocompounds, T., 171; P., 18.

See Pope, WilliamJackson.Frederic Stanley Kipping and William

Henry Perkin, jun.

Popielski, Leo, and K. Panek, vasodilatin; the active substance of extracts of all parts of the digestive canal, brain, pancreas, and peptone, A., ii, 593.

Poplawski, W. See Friedrich Kehrmann

Popovici, Joan, o-bromophenyl- and abromophenyl-acetamide, A., i, 28. Poppenberg, Otto. See Louis Lewin.

Porcher, Charles, researches on indole. I. Action of oxidising agents, A., i, 511.

behaviour of the three isomeric phthalic acids in the dog's organism, A., ii, 81.

indole-producing compounds of the urine, A., ii, 506.

Porcher, Charles, and L. Panisset, presence of indole-producing substances in culture bouillon, A., ii, 602.

Porges, Otto, and Ernst Neubauer, physico-chemical researches on lecithin and cholesterol. II. and III., A., i, 756.

Portheim, Leopold (Ritter) von. See M. von Eisler and Walther Housmann.

Posner, Theodor, action of hydroxylamine on coumarins, A., i, 583. the constitution of thiophenoquinone,

A., i. 809.

Posner, Theodor, and Karl Rohde, unsaturated compounds. VII. Addition of hydroxylamine to unsaturated acids containing conjugate double linkings, A., i, 649.

so-called \psi-dichloroacetone, an alleged isomeride of dichloroacetone, A., i,

765.

Posternak, Swigel. See Albert Arnaud. Postma, S. See Andreas Smits.

Potter, P. D. See Victor Lenher.

Pouchon, M., conductivity of acid solu-

tions in presence of salts. A., i, 12. Pouget, Isidore, and D. Chouchak, colorimetric estimation of phosphoric acid, A., ii, 266.

Pouget, Isidore, and Guiraud, nitrification of soils in situ, A., ii, 428.

Pougnet, Jean, a general reagent for phenols, A., ii, 624.

Poulton, Edward P. See John Scott Haldane.

Pound, V. E., absorption of the different types of β -rays, together with a study of the secondary rays excited by them, A., ii, 204.

Povarnin, G., hydrolysis of salts of the cations Al. and Cr., A., ii, 1016.

Povarnin G., and Chitrin, reduction of Cr₂O₇" by thiosulphate, A., ii, 1020. Power, Frederick Belding, and Charles

Watson Moore, the constituents of the bark of Prunus serotina. tion of l-mandelonitrile glucoside, T., 243; P., 27.

the constituents of the fruit of Echallium Elaterium, T., 1985;

P., 260.

chemical examination of elaterium and the characters of elaterin, A., i,

Power, Frederick Belding, and Harold Rogerson, chemical examination of jalap, A., i, 819.

Power, Frederick Belding, and Arthur Henry Salway, chemical examination and physiological action of nutmeg,

A., ii, 169.

Power, Frederick Belding, and Frank Tutin, "oleuropein" from olive leaves, A., ii, 427.

Poyneer, Lois E., and H. Leroy Duffin, the fruit of Medeola Virginica and Ampelopsis quinquefolia, A., ii, 339.

Pozzi-Escot, Marius Emmanuel, preparation of absolute alcohol, A., i, 126. organic analysis with sodium peroxide, A., ii, 188.

Pozzi-Escot, Marius Emmanuel, phenolphthalein as a reagent for blood, A., ii, 195.

a new ureometer, A., ii, 276.

separation of iron from the elements of groups IV. and V. and detection of the rare earths in arable soils, A., ii, 350.

separation of chromium, iron, aluminium, and zinc in a mixture, A., ii, 621.

microchemical reaction of cobalt; nickel and cobalt dimethylaminobenzeneazobenzenesulphonates, A., ii, 705.

estimation of alkali phosphates by direct titration, A., ii, 759.

some precipitation reactions with p-sulphobenzeneazodimethylaniline, A., ii, 760.

cuvette arrangement for the estimation of nitrates by Schloesing's process, A., ii, 935.

detection of sucrose and sugars in general, A., ii, 946. detection of nitrates in presence of

oxidising substances (chlorates, bromates) and iodides and bromides, A., ii, 1051. Prager, W. L., esterification. II., A.,

ii, 33.

Prager, W. L. See also Martin A. Rosanoff.

Prandtl, Wilhelm, and Benno Bleyer, preparation of vanadium and other metals by the thermite method, A., ii,

Prandtl, Wilhelm, and Paul Borinski, pyrosulphuryl chloride, S2O5Cl2, A., ii, 310.

pyrosulphuryl chloride, action of S₂O₅Cl₂, on sulphur, selenium, and tellurium, A., ii, 566.

Prandtl, Wilhelm, and Hans Murschhauser, spitting of the acid vanadates of univalent metals, A., ii, 149.

Pratt, D. S. See Emil M. Chamot.

Pratt, Lionel. See Frederick Mollwo Perkin.

Pregl, Fritz, the mono-amino-acids of paramucin, A., i, 124.Preiswerk, Heinrich, sodalite-trachyte

from Pico de Teyde, Teneriffe, A., ii, 678.

Preti, Luigi, influence of lead salt on autolysis, A., ii, 329.

action of salts on autolysis, A., ii, 596.

uric acid formation. IV., A., ii, 909. action of lead hydrosol and lead acetate on metabolism, A., ii, 1032.

Preti, Luigi. See also C. Bezzola.

Prettner, August, estimation of nickel in nickel steels by the electrolytic method and the methods of Brunck and Grossmann, A., ii, 441.

Preuner, Gerhard, and W. Schupp, dissociation of hydrogen sulphide, A., ii,

Preuss, Georg, apparatus for the estimation of sulphur in iron and steel, A., ii, 933.

Prianischnikoff, Dmitri, physiological characterisation of ammonium salts, A., ii, 259.

Price, Thomas Slater, and T. C. Humphreys, apparatus used in methods of electroanalysis; analysis of brass, A., ii, 342.

Price, Thomas Stater, and Lionel Man-fred Jones, the benzyl and nitrobenzyl selenosulphates and the benzyl and nitrobenzyl diselenides,

T., 1729; P., 234. e, Thomas Slater, and Douglas Frank Twiss, the preparation of disulphides. Part V. Diethyl esters of α-dithiodibutyric, α-dithiodi-isobutyric, and a dithiodi-isovaleric acids, T., 1050; P., 165.
the preparation of disulphides. Part VI. Note on a new method of pre-

paring disulphides, T., 1489; P.,

211.

the preparation of disulphides. Part VII. The nitrobenzyl mercaptans and disulphides, T., 1725; P., 232. the preparation of disulphides. Part

The nitrobenzyl disulphides; a correction, P., 32.

action of alkalis on sodium alkyl thio-

sulphates, A., i, 81.

Prideaux, Edmund Brydges Rudhall, the atomic volumes of phosphorus. II. Phosphorus and bromine, T., 445.

Priestley, John Gillies. See Siegfried Ruhemann.

Pring, John Norman, and WilliamFielding, the preparation at high temperatures of some refractory metals from their chlorides, T., 1497; P., 215.

Pringsheim, Hans, the use of sodium peroxide for the quantitative analysis of organic compounds. III., A., ii, 93.

the part played by bacteria in the formation of fusel oil, A., ii, 334.

studies on the amount of oxydases in the expressed juice of fungi, A., ii, 1045.

Pringsheim, Hans, and Géza Zemplén, enzymes which produce cleavage of polysaccharides in the expressed juice of fungi, A., ii, 1045.

Pringsheim, Hans. See also Emil Abderhalden.

Pringsheim, J., the preparation and chemical properties of the xanthona substance, with some investigations of the fat-like, doubly-refracting substance in large, white kidneys, A., ii, 74.

Prins, Ada, liquid mixed crystals in binary systems, A., ii, 869.

Prior, George Thurland. See Ferruccio Zambonini.

Pritze, Max, estimation of nickel and cobalt according to Rosenheim-Huldschinsky, A., ii, 705.

Pritze, Max. See also Arthur Rosenheim.

Procter, Henry Richardson, and Douglas J. Law, diffusion of chromium, iron, and aluminium salts through gelatin jelly, A., ii, 485.

Proske, Heinrich, condensation of 4picoline, 2:6-lutidine, and 2:4:6-trimethylpyridine with cinnamaldehyde

and anisaldehyde, A., i, 413.

Prschevalsky, E. S., researches in the hexene and heptene series, A., i, 449. Prud'homme, Maurice, and A. Colin, formation of p-nitroaniline-red, A., i, 684.

See Carlo Grimaldi. Prussia, L.

Pugliese, Domenico, and Giambattista Selvaggi, action of isophthalic and terephthalic acids on p-aminophenols, A., i, 105.

Pulvermacher, Georg. See Walther Löb. Pummerer, Rudolf, preparation of benzenesulphonyl chloride, A., i, 465,

bromides of arylthioglycollic [arylthiolacetic] acids, A., i, 580.

phenylsulphoxyacetic acid, A., i, 580. pyrone derivatives, A., i, 949.

Pungs, Ernst. See Max Busch.

Purvis, John Edward, the relationship between the constitution and absorption spectra of pyridine and various derivatives, T., 294; P., 14.

absorption spectra of some compounds

of pyridine, A., ii, 5.

radiation of various spectral lines of neon, helium, and sodium in a magnetic field, A., ii, 281.

absorption spectra of concentrated and diluted solutions of chlorophyll, A., ii, 531.

absorption spectra of mesitylene and trichloromesitylene, A., ii, 535.

Purvis, John Edward, and (Miss) Annie Homer, absorption spectra of solid tetramethylpicene and of its solutions, A., ii, 531.

Pushin, Nicolai A., and P. N. Laschtschenko, nature of the platinum-lead

alloys, A., ii, 322.

Pushin, Nicolai A., and M. S. Maximenko, relation between electrical conductivity and thermo-electric power of alloys of silver with zinc, A., ii, 539. Puttkammer, Georg. See Julius Tröger. Puxeddu, Ernesto, diisoeugenol, A., i, 225.

condensation of aminohydroxy-acids with aromatic aldehydes, A., i, 238. III. and IV., A., i, 720.

See also Luigi Puxeddu, Ernesto. Francesconi.

Pyman, Frank Lee, isoquinoline derivatives. Part I. Oxidation of laudanosine, T., 1266; P., 190.

Part II. isoquinoline derivatives. The constitution of the reduction products of papaverine, T., 1610; P., 217.

isoquinoline derivatives. Part III. The oxidation of substituted 1benzyltetrahydroisoquinolines, T., 1738; P., 230.

Pyman, Frank Lee. See also Eugen Bamberger and Hooper Albert Dickinson Jowett.

Quadrat, Ot. See Josef Hanuš.

Quagliariello, G., modifications in the chemico-physical properties of bloodserum by heating at 55-60°, A., ii, 1030.

chemico-physical investigations on the crystalline lens, A., ii, 1036.

Quartaroli, Antonio, mode of combination of mineral and organic acids in wine, A., ii, 176.

phosphates, their isomerism and the transformations they undergo in soil, A., ii, 480.

Quensell, H., glycerol esters of stearolic and behenolic acids, A., i, 548.

Quinan, Clarence, critical hydroxyl ion concentrations in diastatic hydrolysis, A., i, 346. estimation of urea, A., ii, 527.

R.

Raalte, A. van, alcoholic potash, A., ii, 400.

Rabe, Paul, [with Fritz Braasch], cinchona alkaloids. XI. Identity of methylcinchonine and methylcinchonidine, A., i, 408.

Rabe, Paul, [with Erich Kuliga and Wilhelm Naumann], cinchona alkaloids. X. Fission of the ketones from cinchona bases, A., i, 407.

Rabe, Paul, [with Wilhelm Naumann and Erich Kuliga], cinchona alkaloids. IX. Oxidation of cinchona alkaloids

to ketones, A., i, 252.

Rabe, Paul, and Wilhelm Schneider, [with Fritz Braasch], 1:2-hydramines. I. β-Piperidyl-α-phenylethyl alcohol,

A., i, 413. Rada. See Díaz de Rada.

Radeliffe, Lionel Guy, examination of carbon tetrachloride, A., ii, 438.

Radcliffe, Lionel Guy, and J. Allen, the constants of jasmine flower wax, A., ii, 427.

Radoševic, Radoslav. See Adolf Kaufmann.

Radulescu, Dan, action of phosphorus pentachloride on anthraquinone, A.,

new preparation of spirocyclanes, A.,

Radziszewski, Br., [with M. Beiser, H.Bukowska, A. Jakalo, J. Rohm, S. Stenzel, and Br. Wysoczanski], glyoxalines, A., i, 422.

Raffa, Ercole, precipitation of magnesium as ammonium magnesium phos-

phate, A., ii, 183.

precipitation of magnesium as ammonium magnesium arsenate, A., ii, 347. Rakowski, Adam W. See Antony G.

Doroschewsky.

Rakusin, Michael A., optical and certain other properties of Grosny naphtha, A., i, 281.

optical properties of Cheleken ozoker-

ite, A., i, 281.

influence of centrifugal force on the optical and other properties of naphtha, A., ii, 153.

optical investigation of Sakhalin naphtha, A., ii, 246.

paraffin content of mineral oils as criterion for judging their relative geological age, A., ii, 490.

optical activity of mineral oils in an optically transparent state, A., ii, 586.

optical investigation of Bibi-Eybat naphtha, A., ii, 586.

Ramberg, Ludwig, cuprous sulphites of Étard and of Rogojski, A., ii, 1013.

Rameau. See Blanc.

Ramsay, Henrik, preparation of glycocyamines or guanino-acids. I. and II., A. i, 88, 367.

Ramsay, H., crystals of juniperol, A., i, 399.

Ramsay, (Sir) William, presidential address, T., 624.

instability of radium bromide, A., ii, 7. Ramsay, (Sir) William, and Francis

Lawry Usher, action of radium emanation on the elements of the carbon group, A., ii, 850.

Ramsay, (Sir) William. See also Robert Whytlaw Gray.

Rankin, Daniel J., potential energy of the elements, A., ii, 368.

Rankin, George A. See Earnest S. Shepherd.

Raschig, Fritz, chlorine azide [chloro-azoimide], N₃Cl, A., ii, 41. chloroamine, A., ii, 232.

Raske, Karl. See Emil Fischer. See Ernst Erdmann. Raspe, Fritz.

Rassow, Berthold, and R. Bauer, synthesis of unsymmetrical dialkylmalic esters and diethyloxalacetic esters, A., i, 631.

preparation of esters of α-halogenated

fatty acids, A., i, 758.

Rathje, Arnold, oils from lycopodium, ergot, areca nut, and Aleurites cordata seed, A., ii, 86.

composition of Amapa latex, A., ii,

Rauert, Dietrich. See Emil Bose.

Ravenna, Ciro, and O. Cereser, origin and physiological function of pento-

sans in plants, A., ii, 1046.
Ravenna, Ciro, and M. Zamorani, physiological function of hydrogen cyanide in Sorghum vulgare, A., ii, 1048.

Ravenna, Ciro. See also Giacomo Luigi Ciamician.

Rây, Prafulla Chandra, molecular volumes of the nitrites of barium, strontium, and calcium, T., 66.

the decomposition and sublimation of ammonium nitrite, T., 345; P.,

Rây, Prafulla Chandra, and Atul Chandra Ghosh, decomposition of ammonium platinichloride and ammonium platinibromide by heat, A., ii, 898.

Reach, Felix, fate of glycerol in the body, A., ii, 73.

the behaviour of the liver to foreign proteins, A., ii, 416.

See William Jackson Read, John. Pope.

Rebenstorff, H., use of the colour thermoscope. III. [Silver-mercury iodide], A., ii, 146.

demonstration of the expansions of

gases and vapours, A., ii, 307.

Rebiere, G., chemical composition of colloidal silver produced electrically, A., ii, 312.

Reboul, G., electro-capillary action and discharge in rarefied gases, A., ii, 290.

Reboul, G., [with A. Gautier], chemical action and ionisation, A., ii, 718.

Rechenberg, C. von, a source of error but little considered in the determination of boiling points under diminished pressure, A., ii, 544.

Reckleben, Hans, action of antimony hydride on dilute silver solutions, A., ii, 489.

Reclaire, A., hydrazones of sugars, A., i, 421.

Record, Frederick, apparatus for simultaneously extracting a solid and filtering the solution so obtained, A., ii, 223.

Recoura, Albert, cuprous sulphate, A., ii, 579.

Reddick, Guy A. See James A. Garner. Redgrove, Herbert Stanley, quadrivalency of oxygen, A., ii, 308.

Redlich, Karl A., two new magnesite

occurrences in Carinthia, A., ii, 410.

Reed, Burleigh B., the fruit of Pyrus arbutifolia, A., ii, 696.

Reed, Howard Sprague, relation of magnesium and phosphorus to growth of fungi, A., ii, 510.

Reed, Howard Sprague. See also Oswald Schreiner.

Reeders, J. Chr. See Philipp Kohnstamm. Reemlin, E. B. See Emil Abderhalden. Reformatsky, Alexander N., synthesis of alcohols of the series—C_nH_{2n}—₅OH, A., i, 2.

Regard and Fouilland, electric thermo-

regulator, A., ii, 379.
Rehfuss, M. E., and Philip Bouvier Hawk, Nylander's reaction, A., ii,

Reich, R., estimation of essential oil and eugenol in cloves, A., ii, 944.

Reichard, C., detection of morphine, A., ii, 194.

alkaloid reactions; eserine (physostigmine), A., ii, 526.

Reichardt, C. J., iodine compounds and gold solutions, A., ii, 262.

Reichel, Heinrich, the theory of disinfection. I .- II. The disinfecting action of phenol, A., ii, 1045.

Reichenau, Karl. See Leon Asher.

Reichenheim, Otto, conduction of electricity in electro-negative vapours and A₁-rays, A., ii, 460.

Reicher, Karl. See Julius Citron.

Reichinstein, D., kinetics of rapid

chemical and ionic reactions investigated by the oscillograph, A., ii,

Reichinstein, D. See also Max Le Blanc.

Reid, E. Emmet, an electrically-controlled gas regulator, A., ii, 296. the alcoholysis or esterification of acid amides, A., ii, 650.

Reif, Georg, 1-methylindole-2:3-dicarboxylic acid and 2-amino-1-methylindole-3-carboxylic acid, A., i, 833.

Reiff, Hermann J., pressure regulator for vacuum distillation, A., ii, 642.

Reinganum, Max, molecular dimensions on the basis of the kinetic theory of gases, A., ii, 223.

Reinhold, B., hydration of ions calculated from transference numbers and electromotive forces, A., ii, 17.

See also Ernst Hermann **R**einhold, B. Riesenfeld.

August Deitrich. Reinighaus, See Michaelis.

Reinitzer, Friedrich, the enzymes of gum-acacia and certain other gums, A., i, 751.

Reischle, Ferdinand. See Rudolf Friedrich Weinland.

Reissert, [Carl] Arnold, N-hydroxyindole derivatives from o-nitrophenylacetic acid, A., i, 51.

isomeric azoxy-compounds, A., i, 435. Reissert, Arnold, and F. Grube, o-aminobenzonitrile, A., i, 923.

Remelé, A., chemically active electrical radiation, A., ii, 9.

Remfry, Percy. See Herman Decker. Remy, E. See Gottfried Kummel.

Remy, Theodor, accumulation of nitrogen in relation to soil conditions, A., ii, 340. Rengade, Etienne, sub-oxides of cæsium, A., ii, 573.

Renner, V. See Josef Herzig.

Renouf, (Miss) Nora.See Arthur William Crossley.

See Otto Wallach. Rentschler, Mahlon. Repiton, Fernand, iodometric estimation of uric acid [in urine], A., ii, 100. the estimation of mineral acids in vinegar, A., ii, 706.

Report of the Committee of the British Association on the study of hydroaromatic substances, A., i, 372.

on the transformation of aromatic nitroamines and allied substances, and its relation to substitution in benzene derivatives, A., i, 374.

on dynamic isomerism, A., i, 397. on wave-length tables of the spectra of the elements, A., ii, 453.

on colloid chemistry, A., ii, 473.

Repossi, E., crystalline forms of some benzene derivatives, A., i, 464.

Resenscheck, Friedrich, action of colloidal ferric hydroxide on expressed yeast-juice, A., i, 74.

Rettger, Leo F., coagulation of blood, A., ii, 680.

Reuthe, Felix. See Wilhelm Wislicenus. Reverdin, Frédéric, [with A. de Luc], nitration of certain derivatives of p-aminophenol, A., i, 377, 913.

nitration of p-diethylaminobenzoic acid, A., i, 476.

Revutzky, (Miss) E. D., crystallography of 2-methylcyclohexyl benzoate, A., i,

Rewald, Bruno, the resolution of dlcamphorsulphonic acid into its optically active components, A., i,

the pentose from the pancreas, A., i, 858.

Reychler, Albert, dissociation equilibrium of binary electrolytes, A., ii,

adsorption of certain bases by soluble starch, A., ii, 977.

Reynolds, James Emerson, silicon researches. Part pyrrole, T., 505. Part XI. Silicotetra-

silicon researches. Part XII. The action of silicochloroform on potass-

ium pyrrole, T., 508. silicon researches. Part XIII. Silicon halides and pyridine, acetonitrile, etc., T., 512.
results of cooling certain hydrated

platinocyanides in liquid air, A., i, 559.

Rhodius, Richard. See Otto Diels. Riat, G. See Otto A. Oesterle.

Ricevuto, Andrea, theory of tanning, A., ii, 222.

Richard, Ludwig. See Martin Freund. Richards, Theodore William, modified form of Gooch crucible, A., ii, 877.

Richards, Theodore William, and Grinnell Jones, compressibilities of the chlorides, bromides, and iodides of sodium, potassium, silver, and thallium, A., ii, 214.

Richards, Theodore William, Paul Köthner, and Erich Tiede, atomic weights of nitrogen and silver, A., ii, 231.

Richards, Theodore William, and Joseph Howard Mathews, efficiency of fractional distillation by heat generated

electrically, A., ii, 969.

Richardson, Frederic William, and W. Walton, analysis of camphorated oil for camphor substitutes, A., ii, 102.

Richarz, Franz. See Friedrich Heusler. Richaud, A., and Bidot, new colour reaction of ferrous salts and some of its applications, A., ii, 350.

Rich, J., butane- β -ol [methylethylcarbinol] and its tartrates, A., i, 126.

Richter, Erwin, carrot oil, the ethereal oil of the fruit of Daucus carota, A., i, 943.

Richter, G., preparation of bismuth paranucleate, A., i, 275.

Riddle, Oscar, the rate of digestion in cold-blooded vertebrates, A., ii, 746.

Riedel, Adolf, and Ernst Schulz, additive capacity of unsaturated organic acids and their esters, A., i, 581.

Riedel, Adulf, and Erich Straube, condensation of butylchloral and butylchloral hydrate with malonic acid, A., i, 550.

Riedel, J. D., [iodination of the higher fatty acids and esters], A., i, 204.

action of alkali dichromates on agaricic acid, A., i, 455.

preparation of mixed santalyl esters of dibasic acids, A., i, 497.

Rieländer, A., chemistry of the brain, A., ii, 162.

Riesenfeld, Ernst Hermann, higher oxidation products of chromium. V. Perchromates, A., ii, 51.

Riesenfeld, Ernst Hermann, and B. Reinhold, calculation of ionic hydration from transport numbers and ionic velocities, A., ii, 540.

anodic formation of hydrogen peroxide, A., ii, 879.

Riess, M. See Alexander Gutbier.

Riesser, Otto, and Peter Rona, hippomelanin. II., A., i, 749.

Riesser, Otto. See also Alexander Ellinger.

Riggs, Louis W., estimation of iodine in protein combinations, A., ii, 504, 699.

Riggs, Louis W., and S. P. Beebe, iodine in human thyroids, A., ii, 504.

Rill, Jean. See Alexander Naumann. Rilliet, Auguste. See Emil Abder-

halden.
Rimbach, Eberhard, and Herman F. C.
Kilian, double fluorides of quad-

rivalent cerium, A., ii, 810. cerous salts of organic acids, A., ii, 810.

Rimbach, Eberhart, and Alwin Schubert, solubility of some comparatively insoluble salts of the rare earths, A., i, 631.

Rimini, Enrico, oxidation products of artemisin, A., i, 115.

new researches in the camphor group. III., A., i, 725.

biological oxidation of carone and fenchone. II., A., i, 728.

Rimpel, Chaim. See Heinrich Biltz.

Ringer, Wilhelm Eduard, concentration of hydrogen ions in sea-water, A., ii, 309.

concentration of hydrogen ions in dilute solutions of phosphoric acid, monosodium phosphate, and disodium phosphate, A., ii, 660.

the acidity of urine, A., ii, 687.

Ringleben, O. See Gustav Wimmer. Rischbieth, P., [lecture experiments], quantitative volumetric gas analysis and synthesis, A., ii, 564.

Ritson, Stanley, estimation of total sulphur in urine A ii 827

phur in urine, A., ii, 827.

Ritter, Friedrich. See Otto Wallach.

Ritzel Albert, absorption of granium.

Ritzel, Albert, absorption of uranium-X by charcoal, A., ii, 851.

Rivett. Albert Cherbury David. See

Rivett, Albert Cherbury David. See Nevil Vincent Sidgwick.

Riwosch-Sandberg, F. J. See E. S. London.

Roaf, Herbert Eldon, combining power of egg-white for hydrochloric and sulphuric acids, A., i, 195.

osmotic pressure of hæmoglobin, A., i, 195,

hydrolytic enzymes of invertebrates, A., ii, 71.

a method to show the presence of pentoses in the presence of ketoses, A., ii, 272.

Roberts, Ff. See Joseph Barcroft.

Roberts, Norman. See Joseph Hoeing Kastle.

Robertson, Philip Wilfred. See Arthur Hantzsch.

Robertson, Robert, the velocity of decomposition of nitroglycerin by heat. Part I., T., 1241; P., 179.

Robertson, R. A., James Colquhoun Irvine, and Mildred E. Dobson, sucroclastic enzymes in Beta vulgaris, A., ii, 695.

Robertson, T. Brailsford, synthesis of paranuclein through the agency of pepsin and the chemical mechanics of the hydrolysis and synthesis of proteins through the agency of enzymes, A., i, 342.

refractive indices of solutions of the caseinates and the acid and alkali equivalents of casein, A., i, 619.

neutrality of the tissues and tissuefluids, A., ii. 748.

fluids, A., ii, 748.

Robertson, T. Brailsford, and Theo. C.

Burnett, depression of freezing point due to caseinates in solution, A., i, 447.

Robin, Lucien, detection of benzoic and salicylic acids in fermented beverages and in milks, A., ii, 273.

Robinson, Fred. See Henry John Horstman Fenton. Robinson, Frederic William, double and triple ferrocyanides of magnesium, aluminium, and cerium with potassium and ammonium, T., 1353; P.,

Robinson, Robert, a new synthesis of oxazole derivatives, T., 2167; P., 295.

Robinson, Robert, and John Lionel Simonsen, experiments on the constitution of the aloins. Part I., T., 1085; P., 76, 153.

Robinson, Robert. See also William Henry Perkin, jun.

Robinson, William O. See Frank Kenneth Cameron.

Rochaix, A. See Jules Courmont.

Rockwood, Elbert W., influence of salicylic acid and its isomerides on metabolism, A., ii, 497.

Rocques, Xavier, variation of some diastases during the metamorphosis of a caddis-fly, Limnophilus flavicornis, A., ii, 747.

Rocques, Xavier, and L. Lévy, the nature of cyanogen compounds in kirschwasser, A., ii, 337. Rodewald, G. See Lothar Wöhler.

See Rodolico, Leonardo. EduardoFilippi.

Roehl, Wilhelm, mechanism of the action of atoxyls, A., ii, 599.

(Mlle.) B. van. Roelen, See G. Chavanne.

Rölle, H. See Erich Beschke. Römer, Fritz. See Otto Fischer.

Roemer, Hermann. See Gustav Wimmer. Roesicke, Adolf. See Emil Fromm.

Roger, L., and E. Vulquin, humin substances in peat wool ("Ouate de Tourbe"), A., i, 86.

Rogerson, Harold. See Frederick Belding Power.

Rohde, Georg, cinchona alkaloids, A., i, 505.

Rohde, Karl. See Theodor Posner.

Rohland, Paul, adsorptive power of the hydroxides of silicon, aluminium, and iron, A., ii, 27.

the odour of clay, A., ii, 404.

the behaviour of suspended matter in crystalloidal and colloidal conditions, A., ii, 473.

decomposition of substances allied to colloids, A., ii, 474.

adsorption by clays, A., ii, 551. inertness of adsorbed CO3"-ions, A., ii,

solubility of iron oxide, A., ii, 811.

Rohm, J. See Br. Radziszewski. Rohner, Franz. See Fr. Fichter.

Rolla, Luigi, theory of colloidal solutions, A., ii, 131.

Rolker, H. F. See John Bishop Tingle. Rollett, Adolf, alcoholysis of lecithin, A., i, 692.

linoleic acid, A., i, 759.

linolenic acid and linseed oil, A., i,

Rollett, Adolf. See also Johann Feigl. Romanski, Zygmunt, estimation of phosphoric acid in basic slags by weighing the "vellow precipitate," A., ii,

Romburgh, Pieter van, Javanese basilicum oil and methylchavicol, A., i, 597.

essential oil from the fruit of Morinda citrifolia, A., i, 597.

See Enrico Berté. Romeo.

Romkes, P. C., liver cells and their permeability to sugar, A., ii, 73.

Rona, Peter, and Leonor Michaelis, the sugar of the blood. V., A., ii, 249.

adsorption of sugar, A., ii, 384. the sugar of the blood. VII. Permeability of blood corpuscles for dextrose, A., ii, 680.

the condition of the calcium in milk.

I., A., ii, 913. Rona, Peter. See also Emil Aberhalden, Leonor Michaelis, and Otto Riesser.

Ronchèse, A., gasometric estimation of urea, A., ii, 103.

Ronnet, Léon, Halphen's reaction, A., ii,

Rorive, F. See Bernhard Tollens.

Rosanoff, Martin A., and C. W. Easley, partial vapour pressures of binary mixtures, A., ii, 861.

Rosanoff, Martin A., A. B. Lamb, and F. E. Breithut, new method of measuring the partial vapour pressures of binary mixtures, A., ii, 379.

Rosanoff, Martin A., and W. L. Prager, esterification. I. Victor esterification law, A., ii, 32.

Rosati, Aristide, crystallography of nitrodesmotroposantonin and β -naphthyl propyl ketone, A., i, 241.

crystallographic study of o-thymotic acid and of two isomeric thymotides, A., i, 648.

Roschdestvensky, Michael S., method for obtaining substituted thiocarbamates of monohydric alcohols, A., i, 300.

Roschdestvensky, Michael S. See also Antony G. Doroschewsky.

Rosenbach, Adolf. See Otto Wallach. Rosenbach, Otto. See Lichtwitz.

Rosenberger, Franz, cycloses, A., ii, 252. Rosenblatt, M., and (Mlle.) M. Rozenband, paralysing action of acids on alcoholic fermentation, A., ii, 752.

Rosenheim, Arthur, hexathiocyano-salts of molybdenum, A., i, 141, 558.

Rosenheim, Arthur, and Herbert Grünbaum, tetragenic double salts of antimony fluoride and their applicability as mordants, A., ii, 243.

Rosenheim, Arthur, Richard Levy, and Herbert Grünbaum, perthiocyanic acid and trithioallophanic acid, A., i, 776.

Rosenheim, Arthur, and Max Pritze, some complex selenium anions, A., ii,

Rosenheim, Otto, history of the optical activity of tannin, A., i, 599. nomenclature of lipoids, A., i, 748. pressor substances in placental extracts, A., ii, 416.

Rosenheim, Otto, and (Miss) M. Christine Tebb, so-called "protagon," A., i,

lipoids of the brain. I. Sphingomyelin, A., i, 282.

the non-existence of protagon as a definite chemical compound, A., i,

lipoids of the adrenal, A., ii, 416. Rosenow, E. See Hermann Fühner.

Rosenstiehl, Daniel Auguste, intervention of osmotic pressure in dyeing, A., ii,

Rosenthaler, Leopold, hydrolysis amygdalin by emulsin, A., i, 74. asymmetric syntheses by means of enzyme action, A., i, 74, 622. catalysing constituents of emulsin, A.,

i, 623. detection of methylpentoses in presence

of pentoses, A., ii, 353. Rosenthaler, Leopold, and R. Meyer, extracts containing glucosides, A., i,

172.Rosicky, V., morphotrophy of some synthetic compounds, A., i, 458.

Ross, Alexander D., and Robert C. Gray, magnetic properties of alloys of manganese, aluminium, and copper,

A., ii, 859. Ross, A. D. See J. G. Gray.

Rosset, H., apparatus for the estimation of fluorides in foods, A., ii, 933.

Rossi, Paolo, secondary radiation of Xrays, A., ii, 850.

Rossi, R., effect of pressure on the band spectra of the fluorides of the metals of the alkaline earths, A., ii, 775.

Rosso, V. See F. Perciabosco. Rost, H. See Georges Darzens.

Roters, Paul. See Ferdinand Henrich.

Roth, Karl. See Carl Paal.

Roth, Walter A., rate of solution of gases in water, A., ii, 646.

Rothacker, O. See A. Heiduschka.

Rothenfusser, S., detection of hydrogen peroxide, formaldehyde, and persulphates, A., ii, 91.

Rothera, A. C. H., the sodium nitroprusside reaction for acetone, A., ii,

Rothmann, A. See J. Igersheimer.

Rothmund, Victor, the reduction and estimation of perchlorates, A., ii,

solubility influences. III., A., ii, 980.

Rothmund, Victor, and A. Burgstaller, the accuracy of Volhard's method for the estimation of chlorine, A., ii,

Roure-Bertrand Fils, volatile oils, A., i, 944.

Roy, Paul. See André Kling.

Royds, T., grating spectrum of radium emanation, A., ii, 206.

comparison of the radium emanation obtained spectra by different observers, A., ii, 287.

Royds, T. See also Ernest Rutherford. Rozenband, (Mlle.) M. See Gabriel Bertrand and M. Rosenblatt.

Rubens, Heinrich, and Eric Ladenburg, reflective power of ethyl alcohol, A.,

Rubens, Heinrich. See also E. Hagen. Ruckert, A., action of Oidium lactis and Vibrio choleræ on choline hydrochloride, A., ii, 82.

Rudolfi, Ernst, dielectric constants of mixtures of solids, A., ii, 536.

Rudolph, M. See Alfred Stock.

George, molecular and some other constants of the inactive gases, A., ii, 571.

some numerical constants of radium emanation and their relation to those of the inactive gases, A., ii, 954.

Rügheimer, Leopold, combining power of metallic atoms with atoms of the same kind, A., ii, 134.

Rügheimer, Leopold,and Ludwig Gonder, molecular weight of uranium tetrachloride in boiling bismuthchloride solution, A., ii, 148.

Rügheimer, Leopold, and P. Schön, synthesis of 6:7-dimethoxyisoquinol-

ine, A., i, 605.

Ruer, Rudolf, dissociation of a compound in a state of equilibrium, A., ii, 543.

the impassable line in systems of three components and its relation to the law of combining weights, A., ii, 985.

Ruer, Rudolf. See also Max Levin. Ruff. Otto, titanium nitride, A., ii,

Ruff, Otto, and Julian Zedner, behaviour of fluorine towards nitrogen, oxygen, and chlorine at the temperature of the electric arc and the induction discharge, A., ii, 395.

Ruff, Otto, [with Julian Zedner, Max Knoch, and Hugo Graf, compounds of antimony pentachloride with anti-mony pentafluoride; a contribution to the theory of valency, A., ii, 1023.

Ruff, Otto, Julian Zedner, Emil Schiller, and Alfred Heinzelmann, some new

fluorides, A., ii, 244.

Siegfried,formation of Ruhemann, derivatives cyclohexanone $_{
m from}$ olefinic compounds, T., 109; P., 10. action of thiocarbimides on the ethyl esters of malonic and cyanoacetic acids. Part II., T., 117; P., 14.

the condensation of amides with esters of acetylenic acids, T., 984; P.,

87; discussion, P., 87.

diketodiphenylpyrroline and its analogues, T., 1603; P., 220.

Ruhemann, Siegfried, and John Gillies

Priestley, the action of ethyl carbamate on esters of organic acids and thiocarbimides, T., 449; P., 62.

Ruhland, Willy, significance of the colloidal nature of aqueous dye-solutions for their penetration into living cells, A., ii, 257.

Rule, Alexander. See Alfred Theophilus de Mouilpied.

Wladimir.Rumine, See Herman Decker.

Runkel, Karl. See Richard Anschütz. Runne, E. See Hermann Emde.

Rupe, Hans, influence of constitution on the rotatory power of optically active substances, A., ii, 950.

Rupe, Hans, and H. Altenburg, β cinenic acid, A., i, 7.

Rupe, Hans, [with E. Busolt. Dorschky, P. Häussler, Carl Liechtenhan, Walter Lotz, and F. Münter], influence of constitution on rotatory power of optically active substances, A., i, 927.

Rupe, Hans, E. Luksch, and A. Steinbach, turmeric oil, A., i, 598.

Rupert, Frank F., system, hydrogen chloride and water, A., ii, 725. solid hydrates of ammonia, A., ii, 726.

Rupp, Erwin, a simple apparatus for the cryoscopy of urine, A., ii, 167. estimation of zinc with ferrocyanide, A., ii, 184.

Rupp, Erwin, and S. Goy, mercuric oxycyanide, A., i, 295.

Rupp, Erwin, and F. Lehmann, simple preparation of mercuric oxycyanide solution from its components, A., i,

titration of diabetic sugar, A., ii, 442.

Rupp, Erwin, and R. Loose, an indicator highly sensitive towards alkali and suitable for titrations with centinormal solutions, A., ii, 90.

Rupp, Erwin, and F. Pfenning, acidimetric estimation of alkali iodides, A., ii, 434.

Ruppin, Ernst, estimation of sulphuric acid as barium sulphate, A., ii, 180, 435.

Rusconi, Arnaldo, detection of ethyl alcohol in chloroform, A., ii, 768.

Russ, Sidney, diffusion of actinium and thorium emanations, A., ii, 366, 781.

Russ, Sidney, and Walter Makower, expulsion of radioactive matter in the radium transformations, A., ii, 455,

Russell, Alexander S. See also Robert A. Houston and Frederick Soddy.

Rutherford, Ernest, some properties of the radium emanation, A., ii, 202. condensation of the radium emanation, A., ii, 456.

Rutherford, Ernest, and T. Royds, nature

of the a-particle, A., ii, 203.

Rutherford, Ernest, and Y. Tuomikoski, differences in the decay of the radium

emanation, A., ii, 456. Rutkewitsch, K., the action of calcium and strontium salts on the heart and blood-vascular system, A., ii, 909.

Rutten, J. See Willem Paulinus Jorissen.

Ryan, Hugh, and Thomas Dillon, Montana (Montan) and Montanin waxes, A., i, 629.

Ryan, J. G., enzyme concentration in saliva, A., ii, 496.

Ryffel John H., estimation of lactic acid in urine, A., ii, 707.

Ryffel, John H. See also H. S. French.

S.

Sabanéeff, Th., characteristics of ethyl lutidonedicarboxylate, A., i, 832.

Sabatier, Paul, and Alphonse Mailhe, further applications of the general method of hydrogenation based on the use of finely-divided metals, A., i, 131.

Sabatier, Paul, and Alphonse Mailhe, new general method for preparation of aliphatic amines, A., i, 292.

action of metallic oxides on methyl

alcohol, A., i, 546.

Sabatini, Angel, influence of chlorides on the estimation of nitrates in waters by Grandval and Lajoux's process, A., ii, 935.

Sabbatani, Luigi, detection of phosphorus by means of the photographic plate,

A., ii, 616.

Sacerdoti, R. See Giovanni Pellini. Sachanoff, Al. See Iwan A. Kablukoff. Sacher, Julius Friedrich, estimation of sulphuric acid as barium sulphate, A., ii, 343.

estimation of sulphuric acid as barium sulphate in solutions containing

chlorides, A., ii, 828.

Sachs, Franz, [with W. Brunetti, J. Damm, Georg Meyerheim, H. Möhrke, Bruno Mylo, M. Schwabacher, M. Steiner, and Arthur Voss], ring formations in the peri-position of the naphthalene series. I., A., i, 426.

Sachs, Franz, and Hans Kantorowicz, action of Grignard reagents on vat dyes.

I. Indigo, A., i, 425. Sachs, Franz, and Georg Meyerheim, [with W. Brunetti], azinpurines, A., ii,

Sachs, Franz, and M. Steiner, ring formation in the peri-position in the naphthalene series. II., A., i, 970.

Sackur, Otto, [with J. Alvares], passivity in acid solutions, A., ii, 305.

ckur, Otto, and E. Fritzmann, solubility of manganous hydroxide and the dissociation pressure of manganese dioxide, A., ii, 960.

Sadikoff, W. S., formation of oxalic acid from gelatinous substances, A., i,

Sadler, C. A. See Charles G. Barkla. Saeland, Sem, so-called metallic radiation, A., ii, 8.

Saeland, Sem. See also Philipp Lenard. Philip John. Sageman, See Holmes.

Saget, P. See P. Joseph Tarbouriech. Saito, Takeo, and Junji Yoshikawa, formation of dextrorotatory lactic acid during the autolysis of animal organs. IV., A., ii, 910.

Salkowski, Ernst [Leopold], Schmiedeberg's ferratin, A., i, 274.

the combination of iron and the nucleo-

protein of the liver, A., i, 274. behaviour of gelatin and proteose to bromine water, A., ii, 104.

Salkowski, Ernst [Leopold], invertin (invertase) of yeast. II., A., i,

autolysis and preservatives, A., ii, 1035.

Heinrich, Salkowski, 3:5-dinitro-4hydroxybenzoic acid, A., i, 648.

Salway, Arthur Henry, the action of nitric acid on the ethers of aromatic hydroxyaldehydes, T., 1155; P., 160; discussion, P., 161.

the synthesis of substances allied to

cotarnine, T., 1204; P., 175.
Salway, Arthur Henry, and Frederic Stanley Kipping, atmospheric oxidation of β -methylhydrindone, T., 166; P., 16.

Salway, Arthur Henry. See also Frederick Belding Power.

Samec, Max. See Wolfgang Pauli.

Sammis, John L., and Edwin Bret Hart, the relation of different acids to the precipitation of casein and to the solubility of cheese curds in salt solution, A., i, 538.

Samter, Victor, some time- and laboursaving apparatus in American chemical

laboratories, A., ii, 393.

Sanchez, Jean A., estimation of nickel in presence of cobalt, A., ii, 621.

Sand, Henry Julius Salomon, the rapid electro-analytical deposition and separation of metals. Part III., preliminary note, P., 228.
Sand, Julius. See Johanna Maas.

Sander, A. See Gustav Schultz.

Sandkuhl, Hermann. See Julius Bredt.

Sandonnini, C. See Giuseppe Bruni.
Sandqvist, Håkan, phenanthrene-3sulphonic acid and certain of its certain of its derivatives, A., i, 779.

Sanin, A., estimation of nitrite, A., ii,

Sans, J., a colour reaction for colophony, A., ii, 442.

Sante de Grazia. See Grazia.

Saporetti, Umberto, detection of salicylic acid in urine, milk, butter, and preserved tomatoes, A., ii, 101.

new reaction to distinguish between a- and β-eucaines; distinction from cocaine and its substitutes, **A.**, ii, 771.

new adulteration of pyramidone, A., ii,

Saporta, Antoine de, simplified apparatus for gas analysis at a high temperature, A., ii, 178.

Sargent, George J. See Charles Lathrop Parsons.

Sargent, Ledyard W. See Gilbert Newton Lewis.

Sasaki, Takaoti, activation of hæmolysin by amino-acids, A., ii, 249.

Savès, A. See L. Lematte.

Scaffidi, Vittorio, nucleo-protein of the pig's liver, A., i, 196. purine metabolism in selachians.

A., ii, 683.

Scala, Alberto. See Margherita Traube-Mengarini.

Scalinci, Noè. See Filippo Bottazzi. Scandola, E. See Giuseppe Oddo.

See Carl Hell. Schaal, Oscar.

Schäfer, P. See Julius Morgenroth. Schäfer, Robert. See Wilhelm Wis-

licenus. Schaefer, Walter. See Max Guthzeit. Schaeffer, A., [estimation of] iron and

copper in cheese curds, A., ii, 941. Schaeffer, John A., double fluorides of

titanium, A., i, 49. Schärer, Otto. See Carl Bülow.

Schaffer, Friedrich, detection and estimation of formaldehyde in wine stored in barrels which have been disinfected with formaldehyde, A., ii, 99.

Schall, Carl, demonstration of the absorption of colourless solutions in the

ultra-violet, A., ii, 359. decomposition of carbon tetrachloride vapour in the high tension electric arc, A., ii, 399.

Schardinger, Franz, the formation by microbial activity from starch of crystalline which do not reduce Fehling's solution, A., ii, 82.

Scharizer, Rudolf, constitution and genesis of natural ferric sulphates. VII. Inleite, janosite, copiapite, A., ii, 587.

Schaumann, H., estimation of phosphoric acid in metabolism experiments, A., ii,

School, Karl, and Wilhelm House. measurement of the saturation pressure of water vapour below 0°, A., ii, 643.

Scheele, M. H. See Charles Hugh Neilson.

Scheffer F. E. C., heterogeneous equilibria of dissociating compounds, A., ii, 985.

Scheffer, F. E. C. See also Andreas Smits.

Scheiber, Johannes, action of chlorides of dibasic acids on ethyl sodiomalonate, A., i, 363.

action of phthalylglycyl chloride on ethyl sodioacetoacetate, A., i, 390. cuprous acetylide in analysis, A., ii, 765.

Scheiber, Johannes, [with H. Fleischmann and Rudolf Flebbe], appearance of stereoisomerism in N-substituted aldoximes, A., i, 391.

Scheibler, Helmuth. See Emil Fischer.

Scheid, Karl, a lecture demonstration of lime-burning, A., ii, 308.

Scheljapin, A. See Leo Pissarjewsky. Scheller, E. See Andreas Lipp.

Schemtschuschny, S. F., and I. Schepeleff, phosphorus compounds of cobalt. A., ii, 892, 1019.

Schemtschuschny, S. F. See also Nicolai S. Kurnakoff.

Schenck, Rud., preparation of tetranitromethane, A., i, 689.

Schenk, Konrad. See August Michaelis. Schenke, Vincent, estimation of total nitrogen by E. A. Mitscherlich's method, A., ii, 699.

estimation of nitrogen in nitrates and

nitrites, A., ii, 1051.

See S. F. Schepeleff, I. Schemtschuschny.

Scherenziss, F. See Robert Kremann. Scheringa, K., separation of benzoic and cinnamic acids, A., ii, 191.

Schern, Kurt, the Schardinger reaction for milk, A., ii, 708.
Scheuer, Otto, density of hydrogen

chloride; atomic weight of chlorine, A., ii, 991.

Scheunert, Arthur, and Ernst Lötsch, can the dog digest cellulose or raw fibre? A., ii, 905.

Scheunert, Karl. See Friedrich Kehr-

Schiller, Emil, thionyltartaric acid esters, A., i, 552. Schiller, Emil. See also Otto Rüff.

Schimmel & Co., essential oils, A., i, 112,

Schindler, J., and H. Svoboda, comparison of the indide and lime methods for the estimation of glycerol in wine,

Schirm, Erik, quantitative precipitation of aluminium, chromium, and iron, A., ii, 834.

Schittenhelm, Alfred, the metabolic changes of nucleic acid in the organism of the dog under normal and pathological conditions, A., ii, 906.

Schittenhelm, Alfred, and Karl Wiener, carbonyldicarbamide as an oxidation product of uric acid, A., i, 775.

Schittenhelm, Alfred. See also Emil Abderhalden.

Schlenk, O., estimation of bismuth in " bismuthum tribromophenylicum,

A., ii, 705. Schlenk, Wilhelm, [with Hugo Keller and Angelo Knorr], quinonoid derivatives of diphenyl. II., A., i, 808. Schlenk, Wilhelm, [with Angelo Knorr],

quinonoid derivatives of diphenyl. Ī., A., i, 36.

Schlenk, Wilhelm, [with Angelo Knorr], nature of quinhydrones and triphenylmethane dyes, A., i, 807.

Wilhelm, [with Schlenk, Weickel], analogues of triphenylmethyl in the diphenyl series, A., i,

Schlesinger, Hermann, specific heats of solutions. I., A., ii, 375.

Schlesinger, N., 2:5-dimethylpyrroline-5-carboxylic acid, A., i, 412.

Schlicht, A., estimation of potassium as phosphomolybdate, A., ii, 94.

Schloss, Ernst, the biological action of salts. I., A., ii, 598.

the biological action of salts. fluence of salts on metabolism, A., ii, 1032.

Schlossmann, Artur, and Hans Murschhauser, influence of age and size on the gaseous metabolism of children, A., ii, 679.

Schlossmann. Artur, Carl Oppenheimer, and Hans Murschhauser, experiments on the gaseous metabolism of infants carried out by means of Zuntz and Oppenheimer's modification of the Regnault-Reiset respiration apparatus, A., ii, 67.

Schlotterbeck, Fritz, synthesis of Bketonic esters by means of ethyl diazoacetate. II., A., i, 550.

conversion of aldehydes into ketones II., by diazomethane. A., i, **553.**

chluederberg, Carl George, actinic electrolysis, A., ii, 6. Schluederberg,

Schlumberger, Ernest, colour reaction of fats, A., ii, 447.

Schmerda, Fritz, hexabenzylethane and its derivatives, A., i, 563.

Schmidlin, Julius, and Paul Massini, the dinaphthylmethane series, A., i, 561.

the trinaphthylmethane series, A., i, 563.

Schmidt, Ernst [Albert], scopoline, A., i, 173.

alkaloids of the tubers of Corydalis cava, A., ii, 85.

Schmidt, Ernst, [with G. Bümming and A. Goehring], ephedrine and ψ -ephedrine, A., i, 322.

Schmidt, Ernst, and R. Gaze, morphine hydrochloride, A., i, 50.

Schmidt, Ernst, [with Arthur Schwantke and K. Schwantke], aconitine, A., i, 669.

Schmidt, Franz. See Karl Bernhard Lehmann.

Schmidt, Fr., electrolysis with magnesium cathodes, A., ii, 787.

Schmidt, Hans, examination of the laws of radiation of the Bunsen flame, A., ii, 789.

Schmidt, Heinrich Willy, radiation of uranium-X, A., ii, 206.

Schmidt, Heinrich Willy, and Paul Cermak, influence of temperature on the transformation of radioactive substances, A., ii, 9.

Schmidt, Julius, and Ernst Fischer, fluorene perhydride; reply to Spiegel, A., i, 19.

preparation of 9:10-dihydrophenanthrene, A., i, 19.

Schmidt, Julius, and Hermann Lumpp, phenanthrene series. XXV. Phenanthrene derivatives from 9:9-dichloro-

10-phenanthrone, A., i, 34. Schmidt, Julius, and Karl Th. Widmann, ethyl nitrososuccinate, A., i,

true nitroso-derivatives of the esters of aliphatic carboxylic acids, A., i, 453. new synthesis of iso-oxazoles, A., i,

Schmidt, Julius. See also Joh. Biber-

Schmidt, Ludwig. See Ernst Mohr.

Schmidt, Marg., fused mixtures of oligoclase with enstatite and augite, A., ii,

Schmidt, Maximilian. See Hans Theodor Bucherer.

Schmidt, M. R., and Harry Clary Jones, conductivity and viscosity in mixed solvents containing glycerol, A., ii,

Schmidt, Theodor. See Fritz Ephraim. Schmidt, W. A., precipitin reactions, A., ii, 69.

Schmidt-Nielsen, Signe, and Schmidt-Nielsen, destruction of rennet by light, A., i, 75.

Schmidt-Nielsen, Sigval. See SigneSchmidt-Nielsen.

Schmitt, Karl, viscosity of certain gases and gas mixtures at different temperatures, A., ii, 867.

Schmitz & Co., preparation of camphor, A., i, 246.

Schmitz, Fritz. See Richard Anschütz.
Schmutzer, J., rocks from Central
Borneo, A., ii, 156.
Schneider, B. See Otto Kühling. from Central

Schneider, Josef. See Johannes Thiele. Schneider, Wilhelm, cheiroline, the alkaloid containing sulphur obtained from wallflower seeds, A., i, 118,

Schneider, Wilhelm. See also Frederick George Donnan, Hermann Leuchs and Paul Rabe.

Schneidewind, Wilhelm, Diedrich Meyer, H. Frese, F. Münter, and J. Graff, action of sodium nitrate, ammonium salts, calcium cyanamide, and Norwegian calcium nitrate, A., ii, 697.

Schnitzler, Joseph. See Victor Henri. Schoch, Eugene P., electromotive force of nickel and the effect of occluded hydrogen, A., ii, 370.

behaviour of the nickel anode and the phenomena of passivity, A., ii,

370.

Schoeller, Walter, and Walter Schrauth, synthesis of α-hydroxymercuri-fatty acids. II. Methyl hydroxymercurimethylmalonate and its product of hydrolysis, a-hydroxymercuripropionic anhydride, A., i, 218. [preparation of the mercury derivatives

of fatty acids], A., i, 464.

Walter. See also Walter Schoeller, Schrauth.

Schön, P. See Leopold Rügheimer. Schöndorff, Bernhard, Georg Francke, PeterJunkersdorf, glycogen analyses by the use of dilute potassium hydroxide, A., ii, 443.

Schöndorff, Bernhard, Victor Hessen, and Peter Junkersdorf, estimation of

glycogen, A., ii, 354. Schöndorff, Bernhard, Paul Heyden, and Peter Junkersdorf, estimation of glycogen. A., ii, 354. Schöttle, S. See Pavel Petrenko-Krit-

schenko.

Scholes, S. R. See Harry Ward Foote. Schoorl, Nicolaas, microchemical analysis. IV. Mercury, bismuth, lead, copper, cadmium, A., ii, 96.

V. Analysis microchemical analyses.

of the iron group, A., ii, 521. microchemical analysis. earths group (barium, strontium, calcium), A., ii, 762.

microchemical analysis. VII. last group [magnesium, lithium, potassium, and sodium], A., ii, 831. microchemical analysis. VIII. The insoluble substances, A., ii, 938.

Schorigin, Paul P., crystalline form of 3:4-dimethylbenzophenone, A., i, 165.

Schott, E. See Erich Ebler.

Schottmüller, Arnold. See Josef Houben. Schrauth, Walter, and Walter Schoeller, [organo-mercury compounds], A., i, 93.

Schrauth, Walther. See also Walther Schoeller.

Schreinemakers, Franz Antoon Hubert, the system: water, ammonium, barium, and cupric chlorides, A., ii, 30.

XCVI. ii.

Schreinemakers, Franz Antoon Hubert, solubility of manganese sulphate in mixtures of water and alcohol, A., ii, 317.

double salts of ammonium sulphate and manganese sulphate, A., ii, 317.

the system: copper sulphate, copper ammonium sulphate, chloride, ammonium chloride and water at 30°, A., ii, 403.

certain deductions for quaternary

systems, A., ii, 559.

equilibria in quaternary systems; the system : sodium oxide, barium oxide, hydrochloric acid, and water, A., ii, 986.

Schreinemakers, Franz Antoon Hubert, and (Fräulein) W. C. de Baat, equilibria in quaternary systems; the system: water-ethyl alcohol-sodium chloride-sodium sulphate, A., ii, 872.

Schreinemakers, Franz Antoon Hubert, and P. H. J. Hoenen, double salts of ammonium sulphate and ammonium

nitrate, A., ii, 236. Schreinemakers, Franz Antoon Hubert, and D. J. Meyeringh, casium chromates, A., ii, 41.

Schreiner, O. See Joh. D'Ans.

Schreiner, Oswald, and Howard Sprague Reed, rôle of oxidation in soil fertility, A., ii, 1048.

Schreiner, Oswald, and Edmund C. Shorey, agrosterol: a cholesterol substance in soils, A., i, 152.

Schreiner, Oswald, and Michael Xavier Sullivan, soil fatigue, A., ii, 428.

Schreyer, F. See Karl Bornemann.

Schroeder, Johannes, behaviour of ethyl ether on the passage of an electric current, A., ii, 462.

apparatus for the determination of solubilities at the boiling point of the solvent, A., ii, 646.

simple apparatus for extraction in the cold and for the determination of solubility at room temperature, A., ii, 647.

Schroeder, Johannes, and Hans Steiner, molecular weights of inorganic salts in methyl acetate, A., ii, 212.

Schröder, K., influence of copper on the titration of iron by the Zimmermann-Reinhardt method, A., ii, 186.

volumetric estimation of thiocyanic acid and the causes of the low results, A., ii, 948.

Schroeter, Georg, [with Carl Caspar], the Hofmann-Curtius, Beckmann, benzilic acid intermolecular rearrangements, A., i, 617.

Schroeter Georg, and O. Eisleb, bi-molecular anhydrides of anthranilic acid, A., i, 575.

Schroeter, Georg, [with Motschmann],

rearrangements, A., i, 773.

Schryver, Samuel Barnett, toxicology of tin with special reference to the metallic contamination of canned foods, A., ii, 1043.

Schtvan, W., bromination of certain tetrahydropyrone compounds, A., i,

Schubert, Alwin. See Eberhart Rimbach.

Schucht, Ludwig, volumetric estimation of water-soluble phosphoric acid in

superphosphates, A., ii, 92.

Schütz, Julius, the influence of pepsin and the amount of hydrochloric acid on the intensity of digestion, especially in the absence of free hydrochloric acid, A., ii, 1031.

Schuler, Josef. See Emil Abderhalden. Schulte, Willy, precipitation of antimony from thioantimonate solutions, A., ii, 522.

Schultz, Gustav [Theodor August Otto], and Heinrich Beyschlag, action of sulphur on m-tolylenediamine. I. and II., A., i, 269. Schultz, Gustav, [with J. Führer, E.

Hartogh, E. Herzfeld, and A. Perl], constituents of coal tar. II.-V., A., i, 897.

Schultz, Gustav, and Oskar Löw, behaviour of 3-nitro-p-cresol towards sulphuric acid, A., i, 222.

Schultz, Gustav, and A. Sander, constituents of coal tar; ethylbenzene, A., i, 639.

Schultz, Roland. See Robert Behrend. Schulz, Ernst. See Adolf Riedel.

Schulz, E. See Ernst Beckmann.

Schulz, Ferdinand, detection of nitronaphthalene in mineral oils, A., ii, 943.

a device for preventing over-titrating, A., ii, 1049.

Schulze, Arnold. See Max Conrad.

Schulze, Ernst, choline, betaine, and trigonelline from plants, and the methods for the preparation and estimation of these bases, A., ii, 605.

Schulze, Ernst, and Ch. Godet, the amounts of calcium and magnesium in plant seeds, A., ii, 83.

carbohydrates contained in plant seeds. A., ii, 824.

Schulze, Ernst, and G. Trier, stachydrine, A., i, 323.

Schulze, Günther, maximum voltage of electrolytic valve cells, A., ii, 371.

Schumann, August, electrolytic estimation of nickel, A., ii, 97.

Schumm, Otto, clinical methods for the detection of the colouring matters of blood and some related colouring matters, A., ii, 195.

a new bunsen spectroscope for the investigation of absorption spectra

of liquids, A., ii, 279. Schupp, W. See Gerhard Preuner. Schurigin, M. See Wilhelm Strecker.

Schuyten, M. C., activity of the halogens, chlorine, bromine, and iodine in relation to salts in general, A., ii,

Schwabacher, M. See Franz Sachs. Schwabe, Franz. See Theodor Zincke.

Schwalbe, Carl Gustav, formation of hydrocelluloses by means of sulphuric acid, A., i, 136, 366.

decomposition of diazo-solutions, A., i, 193.

p-nitrobenzenediazonium chloride, A., i, 445.

Schwantke Arthur, calcium in potashfelspar, and the formation of myrmekite, A., ii, 588.

Schwantke, Arthur. See also Ernst Schmidt.

Schwantke, K., crystallography of the ephedrine, damascenine, and aconitine

groups, A., i, 177.
Schwantke, K. See also Ernst Schmidt.
Schwarz, F., and O. Weber, estimation of formic acid in fruit juices, A., ii, 355.

Schwarz, Oswald. See Ernst Peter Pick.

Schwarz, Robert, action of nitric acid on triphenylmethane, A., i, 561.

Schwedhelm, H. See A. Kunkler.

Schweitzer, Alfred, radioactivity of the mineral springs of Switzerland; emanation content of the water. A., ii, 363.

Schweitzer, A., electrochemical haviour of nickel, A., ii, 784.

Schwenkenbecher and Inagaki, chloride metabolism in typhoid fever, A., ii, 332.

Schwers, F., physico-chemical properties of ethylene glycol and of its solutions in water, A., i, 80.

density of mixtures of water and ethyl alcohol, A., ii, 794.

Scott, Alexander, the molecular weight of tetraethylammonium bromide and the atomic weight of carbon, T., 1200; P., 173; discussion, P., 174.

the correction of weights of substances weighed in air to weights in a vacuum, P., 286. ott, Alexander, the combustion of naphthalene and other organic substances and the atomic weight of carbon, P., 310.

Scott, Frederick Hughes. See Robert Henry Aders Plimmer.

Scott, Margaret. See Stella Deakin.

Scurti, Francesco, phosphorus and the formation of amino-acids in higher plants, A., ii, 173.

Scurti, Francesco, and G. de Plato, the chemical processes of ripening; the ripening of oranges; presence of asparagine and glutamine in the juice, A., ii, 174.

Schmitt's process for the estimation of the total esters in wine, A., ii,

Scurti, Francesco.See also Gaspare

Ampola.

Sebelien, John, A. Brynildsen, and O. Haavardsholm, some modifications of Kjeldahl's nitrogen estimation, A., ii, 757.

Sebelien, John, and Einar Sunde, sugar

from colostrum, A., ii, 78.
Seebach, Max [Paul Wilhelm], studies of garnet, A., ii, 493.

Sehnal, J., solubility of lead sulphate,
A., ii, 575.

Seib, Carl. See Otto Diels.

Seidell, Atherton, solubilities of salicylates of the United States pharmacopœia in aqueous alcohol solution

at 25°, A., i, 929. estimation of salicylates, A., ii,

Seissl, Josef, phosphoric acid in plant leaves, A., ii, 824.

Selle, Victor, weathering and formation of kaolinite in the Halle quartzporph**yry, A.**, 1**i, 6**3.

Selter, production of indole by bacteria, A., ii, 921.

Selvaggi, Giambattista. See Domenico Pugliese.

Selvatici, Ettore, estimation of total sulphur in animal charcoal, A., ii,

Semmler, Friedrich Wilhelm, constituents of essential oils; constitution of umbellulone, A., i, 38.

constituents of ethereal oils; carvenene, C₁₀H₁₆, and "pure" terpinene, A., i, 110.

constituents of ethereal oils; constitution of camphene; its oxidation with ozone, A., i, 170.

constituents of ethereal oils; inversion of carvenene, C₁₀H₁₆ (terpinene?), into isocarvenene, $C_{10}H_{16}$ (isoterpinene?), A., i, 171.

Semmler, Friedrich Wilhelm, constituents of ethereal oils: further decomposition of eksantalal; enolisation of aldehydes by conversion into the corresponding unsaturated esters; enol-phenylacetaldehydemonoacetate, A., i, 239.

constituents of essential oils; enolcamphenilanaldehyde acetate and further derivatives of camphenilanaldehyde; production of terpinolene by the inversion of carvenene (terpinene ?), A., i, 312.

constituents of ethereal oils; enol-nheptanal acetate and enol-n-octanal

acetate, A., i, 364.

constituents of ethereal oils; enol-isovaleraldehyde acetate and enolcitronellal acetate, and the conversion of the latter into isopulegol acetate, A., i, 594.

constituents of ethereal oils; carvenene, C₁₀H₁₆, and "terpinene," A., i, 942. Friedrich Wilhelm, Semmler, EdmundAscher, constituents

of ethereal oils; carlina oxide, A., i, 597. Semper, Leopold. See Heinrich Wieland. Senderens, Jean Baptiste, new method

for preparation of ethers, A., i, 127. catalytic preparation of ketones, A., i, 286.

catalysis of saturated fatty acids, A., i, 627.

Senft, Emanuel, microscopical detection

of lichen acids, A., ii, 273.
Senier, Alfred, and Arthur Compton, the synthesis of acridines: tetramethylacridines, dimethylnaphthnaphthaquinacridines, acridines,

diquinacridines, T., 1623; P., 220. Senier, Alfred, and Frederick George Shepheard, salicylidene-m-toluidine, a new phototropic compound; salicylideneamines : salicylamides, T., 441; P., 61.

thiotetrahydroquinazolines, methylenecarbamides, dicarbanilomethylenediamines and their homologues, T., 494; P., 72.

studies in phototropy and thermotropy. Part I. Arylidene- and naphthylidene-amines, T., 1943; P., 246.

Senst, Richard. See Hermann Emde. Senter, George, reactivity of the halogens Part III. in organic compounds. of bromoacetic, Interaction anda-bromobromopropionic, butyric acids and their sodium salts with water and with alkali, T., 1827; P., 236.

viscosity and association in binary mixtures of liquids, P., 292.

Sera, Y. See Y. Kotake.

Serger, Hermann. See HermannMatthes.

Serkoff, S. W., electrical conductivity of solutions of electrolytes in water, methyl or ethyl alcohol, acetone, or in binary mixtures of these solvents, A., ii, 372.

Serra, Aurelio, investigations on the eruptive basic rocks of Northern Sardinia, A., ii, 156.

Sardinian minerals: mimetite from the cupriterous strata of Bena(d)e Padru (Ozieri), A., ii, 492.

basalts from the plateau round Tiesi, Northern Sardinia, A., ii, 494.

Seton, R. S., [composition of rainwater collected at Garforth], A., ii,

Sevestre. See Paul Freundler.

Sewerin, S. A., decomposition of nitrates by bacteria, A., ii, 255.

Seyde, Franz. See Hans TheodorBucherer.

Seydel, K. See Heinrich Biltz.

Seyewetz, Alphonse, and L. Poizat, formation of hydrogen cyanide in the action of nitric acid on phenols and quinones, A., i, 146.

oxidation of aromatic nitro- and nitroso-derivatives by ammonium

persulphate, A., i, 376.

Seyler, Clarence Arthur, the solvent action of carbon dioxide on the carbonates of the heavy metals, A., ii, 42.

Seyler, Clarence Arthur, and Percy Vivian Lloyd, studies of the carbonates. Part I. The equilibrium between calcium carbonate and carbonic acid, T., 1347; P., 199.

Shackell, L. F., an improved method of

desiccation, A., ii, 600.

Shaffer, Philip A., destruction of bodyprotein in fever, A., ii, 507.

Shaklee, A. O., and Samuel J. Meltzer, mechanical destruction of pepsin, A., i, 277.

the destructive effects of shaking on proteolytic enzymes, A., i, 980.

Shaw, L. I. See Hermon C. Cooper. Shdanovitsch, M. L., action of zinc on a mixture of esters of a-bromoisobutyric and carbonic acids, A., i, 9.

Shenstone, William Ashwell, obituary notice of, T., 2206.

Shepheard, Frederick George. See Alfred Senier.

Shepherd, Earnest S., George A. Rankin, and Fred. Eugene Wright, binary systems of alumina with silica, lime, and magnesia, A., ii, 1015.

Sheppard, Samuel Edward, the optical and sensitising properties of the isocyanine dyes, T., 15.

influence of their state in solution on the absorption spectra of dissolved

dyes, A., ii, 531.

de-accelerating action of bromides in the photographic developers, A., ii, 632.

Shetterly, F. F. See Arthur Wesley Browne.

Shibata, Yūji, the action of the Grignard reagent on phthalic esters, T., 1449; P., 209.

Shiomi, Tsutomu, solubility of disodium hydrogen phosphate in water, A., ii, 573.

See RichardShores, Jeff. Henry. Anschütz.

Shorey, Edmund C. See OswaldSchreiner.

Shrewsbury, HerbertSutcliffe, and Arthur William Knapp, detection and estimation of formaldehyde in

milk, A., ii, 192.

Shukoff, Alexis A., the oxidation of organic compounds by means of the compounds of nitric acid with alde-

hydes or ketones, A., i, 238. Shukoff, Alexis A., and F. S. Kasatkin, compounds of ketones and aldehydes

with acids, A., i, 397.
Shukoff, Iwan I., thermal effect of the magnetic transformation of nickel and cobalt, A., ii, 209.

Shutt, Frank Thomas, nitrogen compounds in rain and snow, A., ii, 429.

influence of environment on the composition of wheat, A., ii, 514.

Sicuriani, Ferruccio, estimation of uric acid in urine, A., ii, 627.

Sidgwick, Nevil Vincent, and Sidney Moore, the rate of reaction of the triphenylmethane dyes with acid and alkali. Part II. Brilliant green and malachite-green, T., 889; P., 123.

Sidgwick, Nevil Vincent, and Albert Cherbury David Rivett, the rate of reaction of the triphenylmethane dyes with acid and alkali. Part III. Diaminotriphenylcarbinol, T., 899; P., 124.

Sidorenko, K. W. See Nicolaus J. Demjanoff.

Siebeck, Richard, the absorption of nitrous oxide by the blood, A., ii, 679.

Sieben, Julius. See Richard Anschütz. Sieber, Nadine, the lipoids of the lung, A., ii, 909.

Sieber, (Mme.) Nadine, and W. Dzierzgowski, the composition of the lung, A., ii, 909.

the purines of the lung, A., ii, 909. the enzymes of the lung, A., ii, 909.

Siegfried, Max, and S. Howwjanz, union of carbon dioxide with alcohols, sugars, and hydroxy-acids, A., i, 352.

Siegfried, Max, and O. Pilz, hydrolysis of glutokyrin, A., i, 124.

Siegmund, Wilhelm, quinhydrones, A., i, 109.

Siegrist, Hans. See Louis Pelet-Jolivet. Sieveking, H., induced activity on the high sea, A., ii, 635.

Sieverts, Adolf, formation of fulminating silver, A., ii, 142.

Sieverts, Adolf, and Joh. Hagenacker, absorption of hydrogen by metallic

nickel, A., ii, 242. solubility of hydrogen and oxygen in

solid and fused silver, A., ii, 1004. Sieverts, Adolf, [with Wilhelm Krumbhaar, and Moriz Major], reductions with phosphorous and hypophosphorous acids. A., ii, 883.

Wilhelm, enzymes which Sigmund, hydrolyse (1) salicin and (2) arbutin, A., i, 277.

Sikes, A. W. See William Dobinson Halliburton.

Silber, Paul. See Giacomo Luigi Ciamician.

T., and H. Ozorovitz, Silbermann, complex salts of gallic acid; ferrigallic inks, A., i, 32.

T., Silbermann. and N. Ozorovitz. identification of dihydric phenols; a delicate reaction for resorcinol, A., ii,

Siller, Rud., chemistry of hops, A., i,

Simonis, Hugo, and K. Arand, action of organic magnesium compounds on dicarboxylic acids and a method of converting a 'CO₂H group into 'CO R, A., i, 932.

Simonsen, John Lionel, and Robert Storey, syntheses with the aid of monochloromethyl ether. Part II. The action of monochloromethyl ether on the sodium derivative of ethyl aceto-

acetate, T., 2106; P., 290. Simonsen, John Lionel. See also William Henry Perkin, jun., and RobertRobinson.

Simmons, John P. See Arthur E. Hill. Simpson, Edward S., analysis of tantalum ores, A., ii, 622.

Sington, James. See Emil Abderhalden. Sinnige, L. R. See Ernst Cohen.

Sirkar, Anukul Chandra, and Jatindra Mohon Dutta, the reaction between potassium permanganate and manganese sulphate in acid solution, P., 249.

Sirkar, Anukul Chandra. See also Edwin Roy Watson.

Sirker, J. N., lime factor for oats, A., ii, 926.

application of carbon disulphide in mulberry culture, A., ii, 927.

Sisley, Paul, artificial preparation and constitution of ellagic acid, A., i, 587.

Sittig, Otto, carbohydrates in pathological fluids and the question of residual nitrogen, A., ii, 914. Sivré, A. See E. S. London.

Sjollema, Bouwe, signification of colloidal solutions of manganese oxide in biochemical oxidations, A., ii, 484.

Skinder, Wladimir A., ancient copper objects from Transcaucasia, A., ii, 238.

Skita, Aladar, reduction of aB-unsaturated ketones and aldehydes, A., i, 479.

Skita, Aladar. See also Georg Merling. Skrabal, Anton, hypohalogenous acids and hypohalogenites. II. Kinetics of the hypobromites in weak alkaline solution, A., ii, 224.

Skrabal, Anton, and Paul Artmann, the newly discovered element of the tin group, A., ii, 243.

Skrabal, Anton, and F. Buchta, aqueous solutions of hypoiodous acid, A., ii, 992. Skraup, Zdenko Hanns, capillary phe-

nomena, A., ii, 868.

Skraup, Zdenko Hanns, and A. von Biehler, constitution of gelatin, A., i,

Skraup, Zdenko Hanns, and F. Hummelburger, hydrolysis of egg-albumin by sodium hydroxide, A., i, 340.

Skraup, Zdenko Hanns, and E. Krause, action of methyl iodide on casein. A., i, 748.

Skraup, Zdenko Hanns, and W. Türk, hydrolysis of casein with hydrochloric and with sulphuric acid, A., i, 447.

Skraup, Zdenko Hanns, and A. Wöber, partial hydrolysis of edestin, A., i, 446.

Skraup, Zdenko Hanns. See also H. Lampel.

Skopnik, A. von. See Adolf Grün.

Skrjischevsky. See W. Sventoslavsky. Slagle, E. A. See Salomon Farby See Salomon Farby Acree.

Slator, Arthur, and Douglas Frank Twiss, chemical dynamics of the reactions between sodium thiosulphate and organic halogen compounds. Part III., T., 93.

František, whewellite Slavík, from Schlan, Bohemia, A., ii, 154.

Slavu. See Emil Abderhalden.

Slowtzoff, B., the gaseous exchange in insects, and its relations to the temperature of the air, A., ii, 902. the comparative physiology of hunger metabolism. V., A., ii, 907.

Slyke, Donald D. van. See Phoebus A. Levene.

Smedley, (Miss) Ida, the relation between the chemical constitution and optical properties of the aromatic a- and γ-diketones, T., 218; P., 17.

note on the constitution of the carboxyl group, T., 231; P., 16.

the stereoisomeric modifications of a8dibromobenzylacetophenone, 259.

Smet, Guillaume de. See Georges de Voldere.

Smiles, Samuel. See Edward de Barry Barnett, Hans Thacher Clarke, and Thomas Percy Hilditch.

Smirnoff, Wladimir A., l-pinene and its isomeric change into dipentene, A., i,

Smirnoff, Wladimir I., and Nicolai S. Kurnakoff, hardness of magnesiumsilver alloys, A., ii, 402.

Smith, Alexander, and Alan W. C. Menzies, solubilities of orthophosphoric acid and its hydrates; a new ĥydrate, A., ii, 998.

electrical conductivity and viscosity of concentrated solutions of orthophos-

phoric acid, A., ii, 999.

Smith, (Miss) Alice Emily, and Kennedy Joseph Previté Orton, acids as acceleiators in acetylation. Part II., T., 1060; P., 166.

Clarence. Smith, See Alec Duncan Mitchell.

Smith, Edgar Fahs. See Jacob S. Goldbaum.

Smith, George McPhail, phenomenon observed in the action of hydrochloric acid on very dilute alkali amalgams, A., ii, 235.

Smith, George McPhail, and H. C. Bennett, electrolytic preparation of amalgams of the alkali and alkali-earth

metals, A., ii, 663
Smith, Samuel Walter Johnson, action between metals and acids and the conditions under which mercury causes evolutions of hydrogen, A., ii, 579.

Smith, Warren Rufus, sodium alum, A., ii, 239.

estimation of a dissolved substance in presence of suspended material, A., ii, 755.

Smits, Andreas, the P-T-X space figure for a system of two components which are miscible in all proportions in the solid or liquid crystalline phase, A., ii, 802.

phenomena occurring when the plaitpoint curve meets the three-phase line of a dissociating binary com-

pound, A., ii, 802.

retrogressive melting-point lines, A., ii, 971.

P, T, X-spacial representation of the system, ether-anthraquinone, A., ii, 987.

Smits, Andreas, and S. Postma, compounds of ammonia and water, A., ii, 997.

Smits, Andreas, and F. E. C. Scheffer, influence of dissociation on the vapour pressure of solids, A., ii, 21.

Smits, Andreas, and J. P. Wuite, the system, water-sodium sulphate, A., ii, 985.

Smolenski, K., vegetable phosphatides. V., A., ii, 338.

the parent substance which is the cause of the Cammidge reaction in urine, A., ii, 598 Smolenski, K. See also Ernst Winter-

stein.

Smythe, John Armstrong, benzyl sulphoxide: a possible example of dynamic isomerism, T., 349.

Snelling, Walter O., Munroe crucible, A., ii, 431.

Sobecki, Wladislaw, synthesis of tertiary pyridylalkines [pyridyldialkylcarbinols and their derivatives, A., i, 51. Sobecki, W. See Albert Ladenburg.

Société Chimique de L'Avanchet, preparation of 4-dimethylamino-1-phenyl-2:3-dimethyl-5-pyrazolone,

Soddy, Frederick, formation of helium from uranium, A., ii, 207. product and rays of uranium-X, A., ii,

rays of uranium-X, A., ii, 460. multiple atomic disintegration; a suggestion in radioactive theory, A., ii,

Soddy, Frederick, and Alexander S. Russell, γ-rays of uranium, A., ii, 460.

y-rays of uranium and radium, A., ii, 851.

Soden, Hugo von, composition of the oil of an African balsam, A., i, 401.

Söderbaum, Henrik Gustav, vegetation experiments with precipitated calcium phosphate, A., ii, 930.

Sölling, Julius. See Gustav Heller.

Soellner, J., cossyrite from Pantelleria, A., ii, 814.

Sörensen, Sören Peter Lauritz, studies on enzymes. II. Measurement and meaning of the concentration of the hydrogen ions in enzymatic processes, A., i, 861.

Sofianopoulos, Ath. J., new process for the preparation of aluminium nitr-

ide, A., ii, 580.

direct estimation of two co-existent substances without separation, A., ii,

Sokoloff, W. See Leo Tschugaeff. Solimene, Mauro. See Gino Abati. Sollmann, Torald. See Paul Hanzlik. Soloweitschik, Max. See Eugen Khotinsky.

Sonstadt, Edward, obituary notice of,

T., 2209.

Sorger, Carl, preparation of iron salts of arsenitartaric and arsenicitric acids, A., i, 464.

preparation of magnesium phospho-

tartrate, A., i, 695. preparation of iron hydrogen phosphotartrates and phosphocitrates, A., i, 879.

Sornay, P. de, estimation of potassium in soils, A., ii, 618.

estimation of potassium in soils as phosphomolybdate, A., ii, 618.

Soury, dissociation of sodium hydrogen

carbonate, A., ii, 140.

Southcombe, James E., composition of Shea butter; analysis of the oil from the seeds of Symphonia globulifera, A., ii, 604.

Souza, D. H. de, effects of temperature on the osmotic properties of muscle, A.,

ii, 819.

Wladimir.See Emil Alder-Spack, halden.

Spencer, F. Grace C. See Richard Sydney Curtiss.

Spencer, James Frederick, modification of the Hempel gas burette, A., ii, 609.

Speransky, Alexander W., vapour pressure of saturated solutions, A., ii,

Spezia, Giorgio, the growth of quartz crystals, A., ii, 311.

metallic sodium as the supposed cause of the natural blue colour of rocksalt, A., ii, 675.

hydrogenation Spiegel, Leopold, of

fluorene, A., i, 297.

Spielmann, Percy Edwin. See Richard Lorenz.

Spilker, Adolf, and Alfred Dombrowsky, indene in coal tar, A., i, 219.

Spiro, Karl, and Lawrence Joseph Henderson, ionic equilibrium in the animal organism. II. The influence of carbon dioxide on the division of electrolytes between the blood-corpuscles and plasma, A., ii, 157,

Spiro, Karl. See also Lawrence Joseph

Henderson.

Spitz, C. See Hermann Finger.

Splawa-Neyman, Hans von. Dietrich Harries.

Spring, Walthère [Victor], the detergent action of soap solutions, A., i, 628.

Springer, Alfred, jun. See Springer, sen.

Springer, Alfred, sen., and Alfred Springer, jun., anti-putrescent effects of copper salts, A., ii, 509.

Staal, J. Ph., the effect of hydrochloric acid on the composition of the subcutaneous connective tissue of rabbits, A., ii, 76.

Stadnikoff, George L., iminodicarboxylic acids, A., i, 106, 772. interaction of derivatives of imino-

dicarboxylic acids and a-hydroxy-

nitriles, A., i, 771.
action of ammonia on unsaturated

acids, A., i, 772.

molecular refractions of esters of iminoacids and their nitroso-derivatives, A., ii, 842.

Staedel, Wilhelm, chlorination of ethyl chloride, A., i, 753.

Stähler, Arthur, action of calcium oxide on hydrazine hydrate, A., i, 769. reduction of perchlorates by titanium

sesquisulphate, A., ii, 699. volumetric estimation of hydroxyl-

amine, A., ii, 758. Stähler. Arthur. See also H. Alders

and Hans Goerges. **Stahl**, Boris, absorption spectra of solutions of neodymium, A., ii, 775.

Stahlschmidt, Alex. See Emil Fischer. Stanék, Vladimir, gluconic acid from an efflorescence on the walls of a sugar magazine, A., i, 454.

Stanisch, Theophil. See Erich Müller. Staniszkis, W., phosphorus metabolism

in the plant, A., ii, 923.

Stansbie, John Henry, influence of small quantities of elements in copper on its reactions with nitric acid, A., ii, 403.

Starck, G., estimation of alkalis in silicates, A., ii, 761.

Stark, Johannes, thermal and chemical absorption in banded spectra, A., ii, 106.

disintegrating action of light and optical sensitisation, A., ii, 109.

Stark, Johannes, emission of light in banded spectra, A., ii, 530.

release of valency electrons by collision, A., ii, 654.

theory of volatilisation by atomic rays, A., ii, 718.

ionisation of gases by light, A., ii, 778.

positive charge of the canal rays, A., ii, 955.

Stark, Otto, constitution of acetylacetone-(4:6-dimethyl-2-pyrcarbamide imidone). II. Action of bromine on acetylacetonecarbamide and on its benzylidene derivatives, A., i, 259. constitution of acetylacetonecarbamide

(4:6-dimethyl-3-pyrimidone). densation with aromatic aldehydes. I., A., i, 260.

Stark, Otto, [with Felix Hoffmann], new quinoline derivatives and examples of steric hindrance, A., i, 255.

Starkenstein, Emil, the relationships of

cycloses to the animal organism, A., ii, 77.

Staubach, Franz. See Ludwig Knorr. Staudinger, Hermann, oxalyl chloride. III. Its action on carbonyl compounds, A., i, 905.

Staudinger, Hermann, and St. Bereza, ketens. XI. New method of formation of carbon suboxide, A., i,

Staudinger, Hermann, and J. Kubinsky, ketens. XII. Preparation of keten, A., i, 880.

Staudinger, Hermann, and H. Stockmann, oxalyl chloride. II. Action of oxalyl chloride on dimethylaniline, A., i, 796.

Stebutt, Alexander, influence of some calcium compounds on the manurial value of ammonium sulphate and calcium cyanamide, A., ii, 177.

Steele, Bertram Dillon, and Kerr Grant, sensitive micro-balances and a new method of weighing minute quantities, A., ii, 876.

Steele, Bertram Dillon. See also Stella Deakin.

Steglich, Br., manurial experiments with the two commercial forms of calcium cyanamide and with calcium nitrate, A., ii, 260.

See I. W. Bissegger and Stegmann, L. Ernst Winterstein.

Steinbach, A. See Hans Rupe. Steinbrenck, A. See Paul Jacobson. Steiner, Hans. See Johannes Schroeder. See Karl von der Heide. Steiner, H. Steiner, M. See Franz Sachs. Steingroever, Joseph. See Emil Fischer. Steinkopf, Wilhelm, preparation of nitromethane, A., i, 78.

nitroacetonitrile. IV., A., i, 216. nitroacetonitrile. V. Nitroacetic acid, A., i, 559.

apparatus for the preparation of acetylene, A., i, 753.

aliphatic nitro-compounds. VI. Free nitroacetic acid, A., i, 874.

Steinkopf, Wilhelm, and Georg Kirchhoff, preparation of nitromethane. II., A., i, 754.

Steinmetz, H., crystallographic examination of some thiocyano-compounds, A., i, 461.

Stenger, E. See Louis Lewin. Stenzel, S. See Br. Radziszewski.

Stěp, Josef, [the radioactivity of pitchblende from St. Joachimstal], A., ii,

Stépanoff, A. See Friedrich Kehrmann. Stepanoff, N. J., electrical conductivity of magnesium-lead alloys, A., ii, 12.

Stephan, Erich. See Otto Diels. Stephenson, J. See (Earl of) Berkeley. Stern, Ernst, the microscopic structure of Portland cement, A., ii, 733.

Stern, Joh. Georg Leonh., new form of platinum resistance thermometer, and inolecular-weight determinations in fused potassium nitrate, A., ii, 376.

Stern, (Mlle.) Lina. See Fr. Battelli. Stevenson, (Sir) Thomas, obituary notice of, T., 2213.

Stewart, Al. See Henri Wuyts. Stewart, H. W. See Amos W. Peters. Stiasny, Edmund, colloidal reaction for some metallic salts, A., ii, 186.

Stich, Conrad, detection of mercury in urine according to Almén, A., ii, 1055.

Stiezel, Fritz. See Karl Löffler.

Stiles, Percy G. See Marie M. Harlow. Stillesen, Morten, fatty oil from the fruits of Aesculus hippocastanum, A., ii, 513.

Stobbe, Hans, photochemical reactions of the white and yellow diphenyloctatetrenes, A., i, 219.

colour of fluorescence and solvent, A., ii, 282.

Stobbe, Hans, [with Robert Georgi, and Richard Härtel], methods for the preparation of stereoisomeric benzylideneanisylidenecyclopentanones similar unsymmetrical derivatives of cyclic ketones, A., i, 309.

Stobbe, Hans, and Otto Horn, indoneacetic acids. IV. Configuration of phenylitaconic and phenylaticonic acids, A., i, 31.

the colours of indoneacetic acids and their carbazones, A., i, 102.

Stobbe, Hans, [with Otto Horn and Phokion Naoúm], phenylitaconic acid, A., i, 105.

Stock, Alfred [Eduard], the mercury bath, a too-little known, useful expedient in gas-analytical work, A., īi, 89.

the sintering-point curve: a simple means of detecting chemical compounds between two components, A., ii, 543.

Stock, Alfred, [with H. von Bezold, B. Herscovici, and M. Rudolph], the compounds of sulphur and phosphorus. IV. The existence of phosphorus disulphide, P₃S₆, A., ii, 569.

Stock, Alfred, Willy Böttcher, and Walter Lenger, preparation and properties of solid hydrogen phosphide, P₁₂H₆, A., ii, 727.

a new solid hydrogen phosphide, P9H2, A., ii, 727.

action of liquefied ammonia on the two solid hydrides of phosphorus, A., ii,

Stock, Alfred, and Hans Heynemann, permeability of glass for gas, A., ii, 563.

the sun as a source of heat for chemical experiments, A., ii, 720.

volatility of the bromides of radium, barium, strontium, and calcium, A., ii, 1004.

Stockhausen, J., chemical composition of the dog's body, A., ii, 1034.

See Hermann Stau-Stockmann, H.

Stoddard, John T., rapid electroanalysis with stationary electrodes, A., ii, 347.

Stoddart, Charles W., phosphate availability in relation to soil activity, A., ii, 1048.

Stodel, G. See Victor Henri.

Stocklin, E. de, a new artifical peroxydase, A., i, 196.

oxidation of alcohols by simultaneous action of ferrous tannate and hydrogen peroxide, A., i, 198.

Stoeklin, E. de, and E. Vulquin, oxidation of polyhydric alcohols by a peroxydase system, A., i, 451.

Störmer, K., action of carbon disulphide and similar substances on soils, A., ii,

Stoermer, Richard, coumarandione, the analogue of isatin in the coumarone series, A., i, 174.

conversion of aromatic acid azoimides into arylearbimides, A., i, 785.

Stoermer, Richard, and H. Fincke, new synthesis of cinnoline derivatives, A., i, 841.

Stohr, Eduard. See Kurt Brand.

Stoklasa, Julius, the accelerating effect of potassium on sugar degradation; alimentary glycosuria, A., ii,

the glycolytic enzymes of the pancreas, A., ii, 907.

can sodium nitrate be replaced by calcium nitrate for sugar beet? A., ii, 1049.

Stoklasa, Julius, Vladimir Brdlik, and Adolf Ernest, the phosphorus content of chlorophyll, A., i, 248.

Stoklasa, Julius, and Adolf Ernest, chemical nature of root secretions, A. ii, 256.

Stollé, Robert, conversion of hydrazine derivatives into Heterocyclic com-XXV. N-Amino-osotripounds. azoles, A., i., 123.

derivatives of osotetrazines and osotri-

azoles, A., i, 337. Stoltzenberg, H., new forms of condenser, A., ii, 306.

improved form of safety valve, A., ii,

Stolz, Friedrich, dimethylaminoazoantipyrine, A., i, 70.Storck, J. See Gustav Wimmer.

Storey, Robert. See John Lionel Simon-

Stortenbeker, Willem, gaps in miscibility of isomorphous substances; zinc silicofluoride and stannifluoride, A., ii,

Stoyanoff, N., measurement of the intensity of the field along the axis of a coil of wire by weighing, and its application to the deduction of absolute values of the Verdet constant of certain liquids, A., ii, 638.

Strache, Hugo, explanation of the periodic system of the elements on the basis of the electron theory, A., ii, 34.

Strada, Ferdinando, nucleo-protein of pus, A., i, 274.

Stranak, Fr., assimilation of nitrogen of the air by soil micro-organisms, A., ii,

Straube, Erich. See Adolf Riedel. Straughn, M. N., and Walter Jones, the nuclein ferments of yeast, A., ii,

Straus, Fritz, course of the addition of bromine to conjugated ethylene link-

ings, A., i, 638. Straus, Fritz, and A. Ackermann, dibenzylideneacetone and tripnenyi-methane. III. Ketochloride and chlorocarbinol of p,p-dichlorobenzylideneacetophenone [p-chlorophenyl p-chlorostyryl ketone], A., i, 489.

Straus, Fritz, and Werner Hüssy, dibenzylideneacetone [distyryl ketone] and triphenylmethane. ΙV. Differences in the reactivity of halogens in

the - CCl₂-group, A., i, 490. Straus, J., carbohydrate ferments in lepidoptera and diptera in different stages of development, A., ii,

Strauss, Eduard, detection of urobilin in urine, A., ii, 195.

Strausz, David, preparation of formic acid, A., i, 693.

Strecker, Wilhelm, and M. Schurigin, the action of phosphorus haloids on platinum metals, A., ii, 585.

Stritt, Walter, the poisonous action of the cyanogen compounds employed as artificial manures, A., ii, 690.

Strömholm, Daniel, and The Svedberg, the radioactive elements. I. and II., A., ii, 200, 849.

Stroman, H., a demonstration of atmospheric humidity and cold produced by evaporation, A., ii, 308.

Strong, W. W., radioactivity of compounds of erbium, potassium, and

rubidium, A., ii, 715.

Strong, W. W. See also Harry Clary Jones.

Stroschein, Fritz. See Ernst Mohr. Strochalkovsky, M., action of a mixture of ethyl α -bromopropionate and p-tolualdehyde on zinc, A., i, 304.

Strum, S. See Erich Beschke.

Struthers, Robert de Jersey Fleming. See James Ernest Marsh.

Strutt, (the Hon.) Robert John, leakage of helium from radioactive minerals, A., ii, 457.

spontaneous luminosity of a uranium mineral, A., ii, 951.

Strzelecka, (Mile.) Marie, xylene thiocyanates, A., i, 791.

Stüting, Leander, red region of the arc spectra of nickel, cobalt, andchromium, A., ii, 359.

Stumpf, F., test of Beer's law of absorption, A., ii, 198.

Stutzer, Albert, action of calcium cyanamide on carrots, kohl-rabi, and mangolds under damp climatic conditions, A., ii, 260.

manurial experiments with calcium

nitrate on potatoes, A., ii, 261. manurial experiments with calcium nitrate on tobacco and tomatoes, A., ii, 929.

Sudborough, John Joseph, and Morton James Pryce Davis, esterification constants of substituted acrylic acids. Part IV., T., 975; P., 147.

Sudborough, John Joseph, and James Mylam Gittins, esterification constants of substituted acrylic acids. III., T., 315; P., 31.

Sudborough, John Joseph, and Harold Hibbert, estimation of primary, secondary, and tertiary amines. Part I., T., 477; P., 75.

Sudborough, John Joseph. See also Thomas Campbell James.

Süchting, H., a stirrer for vacuum-distillation flasks, A., ii. 35.

Suida, Wilhelm. See P. Gelmo.

Sullivan, Michael Xavier, action of fertilising salts on plant enzymes, A., ii, 514.

Sullivan, See also Michael Xavier. Oswald Schreiner.

Sulzberger, Nathan, [esters of salicylic acid and the higher aliphatic acids], A., i, 304.

Sunde, Einar. See John Sebelien. Surgunoff, N. I., crystallography of the anhydride of menthyl xanthate, A.,

monoclinic variety of sodium alums, A., ii, 1001.

Sutherland, William, molecular diameter, A., ii, 222.

Sutō, Kenzō, elementary analysis of organic substances, A., ii, 270.

Sutthoff, W., the nature of the cutin contained in "crude fibre," A., ii, 695. Sutthoff, W. See also Josef König.

Suwa, A., the extractives from fish flesh, A., ii, 77.

extracts of selachian organs. tracts of acanthias muscle, A., ii,

organ-extracts of selachian fishes. II., A., ii, 819.

Suzuki, Umetaro, K. Yoshimura, and S. Fuji, proteins of rice seeds, A., ii, 927.

Suzuki, Umetaro, K. Yoshimura, and R. Inouye, hydrolysis of wild silk, A., i, 859.

Suzuki, Umetaro, and K. Yoshimura, [with M. Yamakawa, and Y. Irie], extractives of fish muscle, A., ii, 910.

Svedberg, The, new proof of the existence of molecules. I., A., ii, 277; II., A., ii, 561; III., A., ii, 723.

equilibrium in the system, colloidal sulphur-solution of crystalloid, A., ii, 309.

existence and properties of dispersive systems in the region between colloidal and crystalloidal solutions, A., ii, 389.

diffusion-velocity and size of particles in disperse systems, A., ii, 645.

See also Daniel Ström-Svedberg, The. holm.

Sventoslavsky, W., thermochemical investigations of organic pounds: aliphatic series, A., ii, 23. thermochemical investigations

organic compounds: aromatic series,

A., ii, 213.

investigations thermochemical organic compounds. III. Nitrogen compounds, A., ii, 547.

heat of the reaction of formation of quinone dichloroimides, A., ii, 862. thermochemical investigations

nitro-compounds, A., ii, 863. calorimetric investigation

formation of azo-compounds, A., ii, 864.

thermochemistry of nitroso-compounds, A., ii, 864.

Sventoslavsky, W., [in part, with S. Gerich, W. Ossmulsky, Skrjischevsky, and S. Tschegoleff], thermochemistry of nitrous acid, A., ii, 794.

Svoboda, Hanno, phosphoric acid with different citric acid solubility as manure

for meadows, A., ii, 177.

Svoboda, Hanno. See also J. Schindler. Swann, W. F. G., specific heats of air and carbon dioxide at atmospheric pressure by the continuous electrical method at 20° and 100°, A., ii, 465.

Swarts, Frédéric, difluoroethyl bromide and tetrafluorodiethyl hydrogen phosphate, A., i, 202.

fluorodibromoethane and as-fluorobro-

moethylene, A., i, 689. heat of formation of aniline and some of its derivatives, A., ii, 296.

heat of formation of some organic fluorine compounds. III., A., ii, 297. Swett, Otis D., solvents for use with the

Munroe crucible, A., ii, 755.

Swinne, R. See Oscar Lutz. Swinton, Alan Archibald Campbell, conversion of diamond into coke in high vacuum by cathode rays, A., ii, 458.

Széki, Tibor, abnormal behaviour of asarylaldehyde, A., i, 919.

Szelinski, Bruno, [the interaction of hydroaromatic ketones and magnesium aryl halides], A., i, 246.

Szilárd, Béla, actinium and ionium, A., ii, 663.

isolation and relative activity of uranium-X, A., ii, 715.

a method of registering the length of the path of α -rays, and a peculiarity of the path, A., ii, 716.

principal uranium thorium minerals, A., ii, 815.

Szili, Alexander, poisoning with inorganic and organic acids, A., ii, 1042.

Szreter, I., action of pure hydrogen peroxide on crystallised oxyhæmoglobin, A., i, 620.

Szymanowski, Z. See J. Dunin-Bor-

kowski.

T.

Taboury, Felix, presence of selenium in mineral waters from La Roche-Posay, A., ii, 902.

Taboury, Felix. See also F. Bodroux. Tafel, Julius, electrolytic reduction of methyl isoamyl ketone to isoheptane, A., i, 766.

Tafel, Julius, and Edward P. Frankland, diamino-acids from deoxyxanth-

ines, A., i, 829.

Tafel, Julius, and Wilhelm Jürgens. preparation of hydrocarbons by electrolytic reduction of acetoacetic esters, A., i, 545.

Tagliavini, Achille, new salts of guaiacolsulphonic acid, A., i, 224.

Taipale, K. A., action of potassium cyanide on isobutaldehyde, A., i, 764. Takeda, detection of trimethylamine in

urine, A., ii, 837.

Takeuchi, \hat{T} ., differences of susceptibility of plants to stimulation, A., ii, 922. urease in higher plants, A., ii, 925.

yield of leaves of Polygonum tinctorium with abundant nitrogenous manure, A., ii, 927.

improvements in sand culture, A., ii, 928.

secondary calcium phosphate as a manure, A., ii, 930.

Takeuchi, T., and R. Inouye, an enzyme in the silkworm which produces ammonia as a cleavage product of aminocompounds, A., ii, 912.

Tamaru, S., alloys of silicon with tin, lead, and thallium, A., ii, 149. alloys of calcium and silicon, A., ii,

400.

Tambor, Josef. See Stanislaus von Kostanecki.

Tammann, Gustav [Heinrich Johann Apollon], magnetic properties of the alloys of ferromagnetic metals, A., ii, 16.

ice [modification]. III., A., ii, 878. crystals which are absolutely stable only at high pressures, A., ii, 983.

Tammann, Gustav, [with G. Masing], conglomerates obtained by compressing mixtures of the powders of two metals, A., ii, 669.

Tammann, Gustav. See also Walter Fraenkel and Rudolf Vogel.

Tanatar, Sebastian, peroxides, A., ii, 484.

Tanatar, Sebastian M., and E. K. Kurovski, complex salts of glucinum and zirconium, Ā., ii, 887.

Tani, T. See Karl Bernhard Lehmann. Tanret, Charles, soluble starch, A., i, 556.

a new base isolated from ergot of rye, ergothionine, A., i, 671.

Tanret, Georges, two new carbohydrates from asparagus, A., i, 634

Tarbouriech, P. Joseph, derivatives of hydroxyhexahydrobenzoic[cyclohexan-1-ol-1-carboxylic] acid, A., i, 796.

Tarbouriech, P. Joseph, and P. Saget, an organic vegetable compound of iron, A., ii, 339.

Tarugi, Nazareno, and A. Magri, thiocarbonates, A., ii, 481.

Tarugi, Nazareno, and G. Vitali, action of hydrogen peroxide on thiosulphates in presence of metallic salts, A., ii, **4**78.

Tasker, Hubert Sanderson, and Humphrey Owen Jones, the action of mercaptans on acid chlorides. Part II. The action chlorides of phosphorus, sulphur, and nitrogen, T., 1910; P., 247.

Tasker, Hubert Sanderson. See also Humphrey Owen Jones.

Tassin, Wirt. See George P. Merrill. Tatlock, C. S., electrolytic estimation of nickel in nickel ores, steel, etc., A., ii, 766.

Taurke, Fritz, estimation of [ammoniacal] nitrogen, A., ii, 91.

Tausent, Max. See Emil Fromm.

Taylor, Alonzo Englebert, composition and derivation of protamine, A., i, 344.

synthesis of protamine through ferment action, A., i, 344.

are pepsin and rennin identical? A., i, $3\bar{4}5.$

inversion of sucrose and maltose by ferments, A., i, 346.

cytolysis, A., ii, 69. conversion of glycogen into sugar by

the liver, A., ii, 73. antagonism of alcohol alcohol and carbolic

acid, A., ii, 81.

Taylor, C. E. See Floyd Jay Metzger. Taylor, Robert Llewellyn, production of white ferrous ferrocyanide, A., i, 142.

some colour demonstrations of the dissociating action of water, A., ii, 796.

Taylor, T. Smith, retardation of a-rays by metals and gases, A., ii, 850.

Tebb, (Miss) M. Christine. See Otto Rosenheim.

Teclu, Nicolae, streams of gases through vessels, A., ii, 392.

determination of the heating and illuminating values of gas, A., ii, 441.

Tedesco, Fritz. See Hans Eppinger. Tenani, Mario, effect of light on the conductivity of nitrogen tetroxide vapour, A., ii, 783.

Tereschin, S., relation between density and degree of dissociation of aqueous

solutions, A., ii, 552.

Ter-Gazarian, G., relation between the orthobaric densities of homologues, A., ii, 551.

revision of the atomic weight of phosphorus; density of hydrogen phosphides, A., ii, 568.

Termier, Pierre, alunite from Réalmont, dep. Tarn, A., ii, 59.

Terroine, Emile F., action of electrolytes on the hydrolysis of fats by the pancreatic secretion, A., ii, 497.

Terroine, Émile F. See also L. Morel.

Terry, O. P., effect of hydrogen peroxide on gonionemus, A., ii, 422. Teufel, C. See A. Kolb.

Thaer, Willi, deposition of through amides, A., ii, 608.

Theusner, M., the constitution of blastfurnace slags, A., ii, 240.

Thiel, Alfred, minimum of conductivity in the titration of acids, A., ii, 115.

Thiel, Alfred, and H. Ohl, the precipitation of nickel sulphide from aqueous solutions, A., ii, 318.

Thiel, Fritz. See Karl Löffler.

Thiele, Johannes, hydrazo- and azomethane, A., ii, 560.

Thiele, Johannes, and Hermann Haakh. aliphatic compounds of polyvalent iodine. III. Derivatives of ethylene with tri- and quinqui-valent iodine, A., i, 865.

Thiele, Johannes, and Hermann Landers, ε-nitro-γ-ketohexoic acid and its trans-

formation products, A., i, 876.

Thiele, Johannes, and Willi Peter, aliphatic compounds of polyvalent iodine. V. Simple alkyl iodochlorides, A., i, 866.

aliphatic compounds of polyvalent iodine. I. Iodochlorides and iodosocompounds from chloroiodofumaric acid, A., i, 879.

Thiele, Johannes, and Josef Schneider, condensation products of o-phthalaldehyde. II., A., i, 929.

Thiele, Johannes, and Anna Umnoff, aliphatic compounds of polyvalent iodine. IV. Decomposition of aliphatic and iodonium aliphatic-aromatic pounds, A., i, 866.

Thiers, Friedrich. See Emil Abder-

halden.

See Georg Lockemann. Thies, J.

Thiesen, Max, specific heat of solid substances, A., ii, 117.

vapour pressure of ice, A., ii, 791.

Thirot, A. J. M., electrolytic production of tin, A., ii, 320.

Thole, Ferdinand Bernard, note on the anomalous viscosity of nitrobenzene, P., 198.

Thole, Ferdinand Bernard. See also Albert Ernest Dunstan and JohnTheodore Hewitt.

Thomas, Frederick, William Popplewell Bloxam, and Arthur George Perkin, Part III., T., 824; P., indican. 126.

Thomas, Frederick. See also Arthur George Perkin and William Henry Perkin, jun.

Thomas, John, the isolation of the aromatic sulphinic acids, T., 342; P.,

Thomas, Victor, reduction of the thiophen nucleus, A., i, 251.

reduction of the thiophen nucleus; a

correction, A., i, 600.

Thomas, William. See John Theodore Hewitt.

Thomlinson, John C., thermochemistry of phosphorus, A., ii, 212.

the metalloids arsenic and antimony; thermochemical point of view, A., ii, 380.

quadrivalency of oxygen, A., ii, 395. affinities of the nitrogen atom, A., ii,

thermochemistry of the halogens, A., ii, 862.

Thompson, Herbert Bryan. See Norman Leslie Gebhard.

Thomson, (Sir) Joseph John, carriers of the positive charges of electricity emitted by hot wires, A., ii, 290.

Thomson, William, reducing action of electrolytic hydrogen on arsenious and arsenic acids when liberated from the surface of different elements, A., ii, 292.

See Martin Onslow Thornley, Tom. Forster.

Thorpe, Jocelyn Field, the formation and reactions of imino-compounds. XI. The formation of 1-imino-2-cyanocyclopropane from adiponitrile, T., 1901; P., 243, discussion, P., 243.

Thorpe, Jocelyn Field, the transformation of aliphatic nitriles into alicyclicimino-compounds; preliminary note, P., 17.

the preparation of methyl 1:1-dimethylcyclopentan-3:4-dione-2:5-dicarboxylate, P., 94.

the nomenclature of imino compounds and of compounds exhibiting iminoamino-isomerism, P., 309.

Thorpe, Joselyn Field. See also Stanley Robert Best.

Thorpe, (Sir) Thomas Edward, note on the detection of white or ordinary phosphorus in the igniting composition of lucifer matches, T., 440; P., 73.

note on Dr. Scott's paper on the molecular weight of tetraethylammonium bromide and the atomic weight of carbon, P., 285

Thouvenot, M. See Paul Thiebaud Muller.

Threlfall, Richard, apparatus for experiments at high temperatures and pressures, and its application to the study of carbon; a correction, P., 153.

Thugutt, Stanislaus Joseph, errors in the determination of water in zeolites, A., ii, 1027.

Tibbals, Charles Austin, jun., tellurides, A., ii, 728.

Tichomiroff, Vladimir A., glycogen of ascomycetes and its relation to trehalose, A., ii, 84.

Tichomiroff, N. P. See B. P. Babkin. Tichwinsky, Michael M., new dephlegmators: fractional distillation of substances of high boiling points, A., ii, 378.

dephlegmator with heated jacket, A. ii, 544.

Tiede, Erich. See Theodore William Richards.

Tiedtke, H., tetrahydroacridone, A., i, 255.

Tilley, George S. See Gregory Paul Baxter.

Timmermans, Jean, the density of liquids below zero, A., ii, 121.

theory of concentrated solutions, A., ii, 388.

Timmermans, Jean, and Philipp Kohnstamm, influence of pressure on the miscibility of two liquids, A., ii, 981.

Tingle, Alfred, action of coke on ferric chloride and auric chloride in solution, A., ii, 405.

Tingle, John Bishop, and S. J. Bates, amic acids. V. Action of amines on dibasic aliphatic acids, A., i, 909.

Tingle, John Bishop, and B. F. Parlett Brenton, intramolecular rearrangement of phthalamic acids. IV., A., i, 798.

Tingle, John Bishop, and Ernest E. Gorsline, the Claisen condensation. III. Mechanism of the reaction, A., i, 8.

Tingle, John Bishop, and H. F. Rolker, rearrangement intramolecular phthalamic acids. III., A., i, 28.

Tinkler, Charles Kenneth, the colour and constitution of the alkyl iodides of cyclic bases, T., 921; P., 128.

Tisza, Eduard. See Otto A. Oesterle.

Titherley, Arthur Walsh, and William labile Longton Hicks, isomerism among the acylsalicylamide, acylhydroxyamine, and phenylbenz metoxazine groups, T., 908; P., 95. phenylbenzo-

Titherley, Arthur Walsh, and (Miss) Elizabeth Worrall, the action of phosphorus pentachloride on benzamide, T., 1143; P., 150. Todd, George W., thermal conductivity

of air and other gases, A., ii, 966.

Togami, action of peroxides on the

digestive organs, A., ii, 161.

Toggenburg, F. See C. Hartwich.

Tollens, Bernhard, supposed permeability of glass for iodine vapour, A., ii, 654.

Tollens, Bernhard, and F. Rorive, fucose, A., i, 555.

Tollens, Carl, quantitative estimation of glycuronic acid in urine by the furfuraldehyde-hydrochloric acid distillation method, A., ii, 836.

Tolmacz, Bernard, tap pipettes, A., ii,

Tombrock, W. See Ernst Cohen. Tommasi, G. See Nicola Parravano.

Tonegutti, Mario, disappearance of arsenic in the form of gaseous or volatile compounds during putrefaction, A., ii, 700.

Tornani, E., lecithin and other components of egg-yolks, A., ii, 818.

Torrey, Henry Augustus, and E. D. Clarke, vanillidene- and piperonylidene-benzidines, A., i, 421.

Torrey, Henry Augustus, and Warren MacPherson, some azo-dyes from paminoacetophenone, A., i, 445.

Totani, Ginzaburo, presence of adenine in bamboo shoots, A., ii, 925.

T6th, Julius, estimation of the relative amounts of the organic acids occurring in tobacco before and after fermentation, A., ii, 446.

free nicotine in tobacco smoke, A., ii, 839.

Tottingham, W. E. See Edwin Bret Hart.

Touplain, F. See Fréd. Bordas.

Toyosumi, H., the action of cells of different organs on bacterial extracts, A., ii, 912.

Traetta-Mosca, F., use of silver salts in sterilising water, A., ii, 256.

Traetta-Mosca, F. See also Emanuele Paternò.

Trannoy, R. See Camille Matignon.

Traube, Isidor, cohesion pressure (Haftdruck). The theory of solutions, A., ii, 216.

parthenogenesis, A., ii, 325.

cohesive and electrical forces; contact

electricity, A., ii, 467 van der Waals' equation of condition and the solid state, A., ii, 550.

diminution of the cohesion pressures and of the solubilities of salts by nonelectrolytes, A., ii, 647. square root of the atomic weights, A.,

ii, 874.

Traube, Wilhelm, action of ammonia on methyl ethyl ketone, A., i, 12.

evolution of hydrogen occurring when glyoxylic acid is warmed with barium hydroxide, A., i, 761.

action of ammonia on the homologues of acetone, A., i, 773.

Margherita, Traube-Mengarini, and Alberto Scala, the chemical permeability of living algæ and protozoa to inorganic salts and the specific action of the latter, A., ii, 603.

colloidal silver solutions obtained by the action of pure distilled water on

silver, A., ii, 731.

solutions of colloidal metals obtained by the action of boiling distilled water. II., A., ii, 809.

Traumann, Viktor.See Hermann Pauly.

Trautmann, Woldemar, analysis of molybdenite, A., ii, 942.

Trautz, Max, triboluminescence, A., ii, 454.

temperature-coefficient of reaction velocities. II. chemical The physical meaning of the chemical reaction velocity in gases and its calculation from purely thermal data pertaining to the reacting substances, A., ii, 557.

temperature-coefficient of chemical III. reaction velocities. Physical meaning of the velocity constant, and its replacement by thermal data and the time unit for dilute solutions, A., ii, 651. Treadwell, W. See Erich Müller.

Treboux, O., starch formation from adonitol in the leaves of Adonis vernalis, A., ii, 922.

Trephilieff, Hyppolyt A., and B. V. Mangubi, peculiarities in the decomposition of furan derivatives, A., i, 821.

Tretzel, Friedrich, a sensitive reagent for ammonia, A., ii, 757.

Treutlein, Adolf. See Karl Bernhard Lehmann.

Trevor, Joseph Ellis, thermo-dynamic equilibrium and stability, A., ii, 296. Tribot, J., accelerating influence of mag-

nesium on sugar inversion, A., i, 73. the influence of magnesia on the inversion of sucrose [by invertase] at different temperatures, A., i, 346.

Trier, G. See Ernst Schulze.
Trillat, J. Auguste, the action of iron

on wine, A., ii, 429. various destinations of acetaldehyde in

red wine, A., ii, 606.
influence of the aldehyde of red wine
on the formation of deposits, A., ii,

mechanism of the fixation of the aldehyde residue on the colouring matter

of wine, A., ii, 607.

Trivelli, A. P. H., Warnerke's modification of the Herschel effect and the preparation of the substance of the latent image, A., ii, 141.

photochemistry of silver (sub-)halides,

A., ii, 455.

Trobridge, Frederick George, bases contained in the tar from Otto-Hilgenstock coke-ovens, A., ii, 324.

Tröger, Julius, and Georg Puttkammer, condensation of 2:3'-dimethylazobenzene-4-hydrazinesulphonic acid, formed by the action of sulphurous acid on diazo-m-toluene sulphate, with aldehydes and ketones, A., i, 68.

additive products of 2:3'-dimethylazobenzene-4-hydrazones with acids, A., i, 69.

Trommsdorff, Richard, the reducing properties of milk; Schardinger's reaction, A., ii, 330.

Tropp, Willi. See Theodor Zincke. Truchsäss, H. See Carl Liebermann.

Tsakalotos, Demetrius E., the binary system; nicotine and water, A., i, 412.

theory of organic bases based on the viscosity of their solutions, A., ii, 553.

internal friction in the critical zone, A., ii, 975.

Tsakalotos, Demetrius E. See also Philippe Auguste Guye. Tschegoleff, S. See W. Sventoslavsky. Tschelinzeff, Wladimir W., and W. K. Konowaloff, oxonium dibromides of simple ethers and their constitution, A., i, 353.

Tschermak, Gustav, the silicic acids, A., ii, 884.

Tschernik, G. P., chemical investigation of a Caucasian pyrochlore, A., ii, 411.

chemical investigation of mosandrite and wöhlerite, occurring together, and of certain minerals of the matrix, A., ii, 1028.

Tschilikin, M., estimation of tungsten, A., ii, 522.

assay of sodium sulphide, A., ii, 761.

Tschirch, Alexander, and S. Gauchmann, glycyrrhizin, A., i, 318.
occurrence of glycyrrhizic acid in

occurrence of glycyrrhizic acid in plants, A., ii, 85.

Tschirwinsky, Peter N., artificial and natural hydrated calcium carbonates;

A., ii, 492.

Tschitschibabin, Alexei E., existence of two isomeric magnesium triphenyl-

methyl chlorides, A., i, 778. phenyl-o-tolylcarbinol, A., i, 919.

Tschugaeff, Leo, selenomercaptans and their derivatives, A., i. 129.

their derivatives, A., i, 129. complex compounds. II. Compounds showing the biuret reaction, A., i,

anomalous rotatory dispersion, A., ii, 631.

Tschugaeff, Leo, and W. Sokoloff, d-propylenediamine and derivatives of the optically active propylenediamines, A., i, 137.

Tschunke, Reinhold. See Karl Löffler.
Tsuda, S., different forms of phosphoric
acid in organic manures, A., ii,
930.

Tuck, William Bradshaw, the constitution of hydroxyazo-compounds. Part II., T., 1809; P., 230.

Tucker, Samuel A., preparation of a boron carbide, A., ii, 398.

Türk, W. See Zdenko Hanns Skraup.
Türkel, Rudolf, lactic acid formation in the body. I., A., ii, 908.

Tunmann, O., micro-chemical detection of alkaloids, particularly in the leaves of Pilocarpus pennatifolius, A., ii, 711.

Tuomikoski, Y., absorption of the γ-rays of radium by lead, A., ii, 533.

Tuomikoski, Y. See also Ernest Rutherford.

Turnau, Richard. See Hans Meyer.
Turner, Benjamin B., limiting conductivity and degree of ionisation of alcoholic solutions, A., ii, 13.

William Ernest Stephen, a possible intramolecular change in the inactive phenylalkyloxyacetic acids; preliminary note, P., 201.

Turner, William Ernest Stephen. also Alexander Findlay

Turrentine, J. W., modified oxy-hydrogen gas coulometer, A., ii, 537. graphite cathode dish, A., ii, 641.

Tutin, Frank, isoamygdalin and the resolution of its hepta-acetyl derivative, T., 663; P., 118.

Tutin, Frank, Frederic William Caton, and Archie Cecil Osborn Hann, syntheses in the epinephrine series, T.,

2113; P., 289.

Tutin, Frank, and Hubert William Bentley Clewer, chemical examination of eriodictyon. Part II., T., 81; P., 12.

the constitution of chrysophanic acid and of emodin; preliminary note, P., 200.

the constituents of Rumex Ecklonianus, P., 302.

Tutin, Frank. See also Marmaduke Barrowcliff and Frederick Belding

Tuveri, S., the action of thorium on the normal and on the fatty-degenerated

heart, A., ii, 1041.

Tweedy, M. See J. Sydney Edkins.

Twiss, Douglas Frank. See Thomas Slater Price and Arthur Slator.

Twort, F. W., the influence of glucosides on the growth of acid-fast bacilli, with a new method of isolating human tubercle bacilli directly from tuberculous material contaminated with other micro-organisms, A., ii, 600.

U.

Ubbelohde, Leo, optical activity of mineral oils in an optically transparent state; paraffin content of mineral oils as criterion for judging their relative geological age, A., ii, 899.

Udby, Olaf. See Heinrich Goldschmidt. Uhlenhuth, Paul, andManteufel, chemo-therapeutic experiments with some new atoxyl preparations in spirochaete diseases, with special reference to experimental syphilis, A., 421.

Uhlmann, A. See Hans Theodor Bucherer. Ullmann, Fritz, preparation of benzenesulphonyl chloride, A., i, 465.

Ullmann, Fritz, and Karl Brittner, preparation of hydroxyuvitaldehyde from p-cresol, A., i, 590.

Ullmann, Fritz, and Walter Bruck, 2:4dinitro-a-naphthol, A., i, 21.

styphnic acid, A., i, 23.

Ullmann, Fritz, [with Gadient Engi, Erich Herre, Emil Kuhn, and Nicolas Wosnessensky], aromatic compounds with labile halogen, A., i, 473.

Ullmann, Fritz, and Karl Jüngel, aminohydroxydiphenylamine, A., i, 375.

Ulpiani, Celso, preparation of guanidine, A., i, 701.

Ulrich, H. See Ernst Mohr.

Ulrich, M. See Heinrich Ley.

Ultèe, A. J., cyanohydrins. I., A., i, 293; II. and III., A., i, 704.

Umnoff, Anna. See Johannes Thiele. Underhill, Frank Pell, and Warren W. Hilditch, thyroidectomy and carbohydrate metabolism, A., ii, 917.

Unna, P. G., and L. Golodetz, the cutaneous fats, A., ii, 910.

Upton, George B., nature of the cast irons, A., ii, 581.

Urano, Fumihiko, salts of muscle, A., ii,

Urbain, B., and Gustav Jantsch, magnetism of the rare earths, A., ii, 116. Urbain, Edouard. See Albert Verley.

Urbain, Georges, law of the optimum of cathodic phosphorescence in binary systems, A., ii, 112.
revision of the atomic weights of the

rare earths, A., ii, 316.

new method of isolating terbium, A., ii,

spectrographic analysis of blende, A., ii, 1026.

Urbain, Georges, François Bourion, and Maillard, extraction of lutecium from gadolinite earths, A., ii, 735.

Urban, Josef, manurial action of sodium nitrate, calcium nitrate, and calcium cyanamide with sugar beet, A., ii, 609.

Urban, Josef. See also Karl Andrlik. Usher, Francis Lawry, the influence of non-electrolytes on the solubility of carbon dioxide in water, P., 303; discussion, P., 303.

Usher, Francis Lawry. See also (Sir) William Ramsay.

Utz, Franz, estimation of alkaloids; bitter principles and glucosides with the Zeiss immersion refractometer, A., ii, 193.

the detection of mineral acids in vinegar, A., ii, 443.

Vaccarino, A. See Giorgio Errera. Vageler, Hans, phosphatides in animal and vegetable materials, A., ii 504.

Vahlen, Ernst, ergot of rye, A., i, 118. action of certain hitherto unknown constituents of the pancreas on sugar. I., A, ii, 414.

Vaillant, Pierre, evaporation of aqueous solutions, A., ii, 544.

Valeur, Amand, action of acids on diiodo-α-methylsparteine, A., i, 119. relation between α-methylsparteine and isosparteine; reciprocal transformation of these bases. II. iso-Sparteine methosulphate and some salts of this base. III. Action of alkalis on isosparteine methosul-

oxide, A., i, 119.

Vandam, L., estimation of essences in liqueurs, A., ii, 623.

phate; methylisosparteinium hydr-

Vandernotte, L., rocks from the eastern border of the Armorican Massif, A., ii, 591.

Vandevelde, Albert Jacques Joseph, the amount of chlorine in leaves, A., ii, 337.

Vanino, Ludwig, and Emilie Zumbusch, carbonates and oxalates of bismuth, A., ii, 56.

Bolognian stones, A., ii, 731.

 Vanjukoff, V., burning of admixtures on refining copper in a reverberatory furnace, A., ii, 237.
 decomposition of copper sulphate in a

decomposition of copper sulphate in a current of dry air in relation to the temperature, A., ii, 809.

Vanstone, Ernest, the miscibility of solids, T., 590; P., 30.

Vanzetti, Bartolo Lino, diffusion of electrolytes in aqueous solutions, A., ii, 978.

existence of a glucoside in the olive, A., ii, 1047.

Vasilieff, Alexis, cryo-acetates of potassium, sodium, and lithium acetates, A., i, 756.

hydrates of magnesium and zinc nitrates, A., ii, 887.

investigation of the interactions between the hydrates of zinc or magnesium nitrate by the method of cooling mixtures, A., ii, 888.

Vasiliu, Haralamb, fate of the non-hydroxylated benzene ring of protein in the animal body, A., ii, 250.

parent substance of hippuric acid, A., ii, 252.

fate of the non-hydroxylated benzene ring of protein in the animal body; phenaceturic acid as an important constituent of urine, A., ii, 906.

Vaubel, Wilhelm, estimation of acetone in urine by means of extraction, A., ii, 769.

XCVI. ii.

Vaubel, Wilhelm, estimation of zinc, copper, and cobalt by means of ammonium hydroxide, A., ii, 832.

loss [of weight] of heavy spar on heating, A., ii, 1005.

Vavon, G. See Émile Henriot and Robert Lespieau.

Vegard, L., free pressure in osmosis, A., ii, 300.

Velden, R. von den, distribution of iodine [in the body], A., ii, 911.

Veley, Victor Herbert, the affinity values of tropine and its derivatives, T., 1. the affinity values of certain alkaloids, T., 758; P., 115; discussion, P., 116. the rate of formation of azo-derivatives

from benzenoid diamines, T., 1186; P., 175.

Vender, Vezio, preparation of mixed glycerol esters, A., i, 692.
Verda, A., estimation of uric acid in

urine, A., ii, 446. Vergari, Ernesto. See Gino Abati.

Vereinigte Chemische Werke Aktiengesellschaft, preparation of quinine and cinchonine p-aminophenylarsinates, A., i, 252.

[preparation of persulphates], A., ii, 312.

Vereinigte Chininfabriken Zimmer & Co., preparation of santalyl allophanate, A., i, 247.

preparation of easily soluble double salts of sodium theobromine, A., i, 505.

preparation of an allophanic ester of castor oil, A., i, 696.

Verley, Albert, Edouard Urbain, and André Feige, preparation of isobornyl esters from camphene and monobasic organic acids, A., i, 311.

Vermorel and Dantony, use of ferrous arsenate against insect parasites of plants, A., ii, 261.

Vernadsky, Wladimir I., distribution of scandium, A., ii, 146.

gaps in isomorphous mixtures, A., ii, 302.

cæsium in felspar, A., ii, 412.

Verneuil, Auguste, reproduction of the blue colour of oriental sapphires, A., ii, 47.

Vernon, Horace Middleton, action of poisons on tissue respiration, A., ii, 1042.

Verploegh, H. See C. J. C. van Hoogenhuyze.

Vervuert, G. See J. Höfle.

Verzár, Fritz, action of methyl and ethyl alcohol on muscle, A., ii, 688.

Vèzes, Maurice, turpentine of Aleppo pine, A., i, 818.

79

Vèzes, Maurice, and Alexis Duffour, complex iridium compounds; iridiodichloro-oxalates, A., i, 762.

Videgren, E. V., improved process for the iodometric estimation of copper, A., ii, 765.

Vieser, Emmy. See Viktor Grafe.

Vignon, Léo, colouring and dyeing properties of picric acid, A., i, 298.

electric conductivity of certain dyebaths, A., i, 526.

influence of the colloidal state on dyeing, A., ii, 474.

dyeing properties of lead chromate, A., ii, 576.

Vigouroux, Emile, action of antimony trichloride on nickel; formation of

NiSb, A., ii, 149.
Vigouroux, Emile, and F. Ducelliez, reducing action of silicon, A., ii,

Vigreux, Henri, apparatus for the estimation of ammonia, A., ii, 615. apparatus for intermittent or con-

tinuous extraction, A., ii, 655.

Viguier, P. L., ethyl acetal of tetrol-

aldehyde [diethoxybutinene], A., i, 691.

Viguier, P. L. See also Robert Lespieau. Vila, Antony. See Alexandre Etard.

Ville, Jules, and Eugène Derrien, explanation of the colour reactions of sugars; reactions due to the formation of 2-hydroxy-4-methylfurfuraldehyde; reactions of Pettenkofer and Seliwanoff, A., ii, 946.

Villedieu, detection of nitrates in the presence of bromides, A., ii, 699.

Villiger, *Victor*, dichlorophthalic and dichloroanthranilic acids, A., i, 930.

Villiger, Victor, and Louis Blangey, tetrachloroanthranilic acid, A., 922.

Vintilesco, J., action of ferments on stachyose, A., i, 751.

stachyose from white jasmine, A., ii, 427.

Virgili. See Fages Virgili.

Virgin, Erik. See Oskar Widman.

Vitali, G. See Nazareno Tarugi. Vitri, G. See Henri Labbé.

Vlahuta, E. See A. Bacovescu.

Vodden, Leonard. See David Leonard

Chapman. Voegtlin, Carl, and I. King, antagonistic action of ammonium and calcium salts,

A., ii, 508. Völtz, W. See Emil Abderhalden.

Voerkelius, G. A., production of hydrocyanic acid from ammonia and wood charcoal, and also from di- and trimethylamine, A., i, 776.

Vogel, Rudolf, magnesium-silicon alloys, A., ii, 143.

gold magnesium alloys, A., ii, 896.

Vogel, Rudolf, and Gustav Tammann, transformation of diamond into graphite, A., ii, 1000.

the preparation of vanadium by the aluminothermic method, A., ii, 1022.

Vogt, Hans. See Th. Boettcher. Vogt, Johan H. L., labradorite-norite with porphyritic labradorite crystals, A., ii, 678.

Voinitsch-Sjanoschentzky, S., Guldberg and Waage's law from the point of view of the theory of probabilities, A., ii, 218.

Voisenet, E., condensation of 2-methylindole with formaldehyde, A., i, 607.

Voit, F. See Hermann Hohlweg.

Wilhelm, Voit, the occurrence lævulose in diabetic urines, A.,

diabetic lævulosuria and the detection of lævulose in urine, A., ii, 821.

Voldere, Georges de, and Guillaume de Smet, analysis of combustible gases, A., ii, 755. Volk, W. See Karl Fries.

Vollhase, Ernst. See Franz Kunckell. Vongerichten, Eduard, and A. Köhler, petroselic acid; a new acid of the oleic acid series, A., i, 454.

Vorbrodt, J. See Ludwik Bruner.

Vorisek, Anton, detection of methyl alcohol in ethyl alcohol, A., ii, 834.

Vorländer, Daniel, action of cyanogen on sulphurous acid, A., i, 142.

change of colour in additive reactions, A., i, 194.

Voss, Arthur. See Franz Sachs.

Voswinckel, Hugo, bisdiketohydrindene, A., i, 166.

the naphthacene series. II., A., i, 166.

Votoček, Emil, and Cyrill Krauz, new kind of isomerism in the hydroxyand alkyloxy-malachite-green series, A., i, 518.

furfuraldehydephloroglucide, A.,

Votruba, Karl, the determination of calcium carbonate in soils by the methods of Bernard and of Treitz, and its significance in the selection of soils [for vineyards], A., ii, 95.

Vries, Henri Johan Frederik de, porcelain Gooch crucibles with a layer of spongy platinum, A., ii, 1050.

Vries, O. de, homocatechol and its methyl ethers, A., i, 712.

Vries, O. dc. See also Alfred Werner.

Vuaflart, L., estimation of mineral constituents in vegetable substances, A., ii, 182.

hydrogen cyanide in cassava flour, A., ii, 925.

Vulquin, E. See L. Roger and E. de Stoecklin.

Wacker, Leonhard, colorimetric determination of the molecular weights of carbohydrates; differentiation primary from secondary and tertiary alcohols. II., A., i, 633.

Wada, Tsunashirō, naegite, A., ii, 60. Wade, John, and Horace Finnemore, ethyl ether. Part I. The influence of water and alcohol on its boiling point, T., 1842; P., 236.

Wade, John, and Richard William Merriman, the correction of the specific gravity of liquids for the buoyancy of

air, T., 2174; P., 290. Waerden, H. van der. See Willem J. van Heteren.

Wagner, Joseph. See Richard Anschütz.

Wagner, H. See Karl A. Hofmann.

Wahl, André, preparation of nitromethane, A., i, 198.

indigoid dyes derived from phenylisooxazolone, A., i, 261. Wahl, André, and P. Bagard, a new

isomeride of indigotin, A., i, 330. isoindogenides, A., i, 735.

Wahl, Walter, [hypersthene-augite from Lake Onegal, A., ii, 65.

Wahlgren, Valdemar, the significance of the tissue as a chlorine depot, A., ii, 911.

Waidner, Charles W., and George H. Burgess, melting point of platinum, A., ii, 584.

Wakeman, Alfred J., and Henry Drysdale Dakin, decomposition of Bhydroxybutyric acid and acetoacetic acid by enzymes of the liver, A., ii, 908.

Walbum, L. E., a new albuminometer, A., ii, 195.

quantitative estimation of cantharidin, A., ii, 839.

Wald, Franz, are the stoicheiometric laws intelligible without the atomic hypothesis? A., ii, 134.

Walden, Paul, relation between the capillary constants and the latent heat of vaporisation of the solvent, A., ii, 119.

expansion coefficient, specific cohesion, surface tension, and molecular weight of solvents, A., ii, 122.

Walden, Paul, relation of the surface tension to the internal pressure and to van der Waals' constants, a and b, A., ii, 547.

Walden, Paul, and Mieczyslaw Centnerszwer, kinetics of the reaction between alkyl sulphates and inorganic salts, A., ii, 649.

Waldenberg, Heinrich. See Ruldolf [Otto Anselm] Höber.

Waldmüller, Martin. See WilhelmWislicenus.

Waliaschko, Nicolai A., completely methylated flavonol derivatives, A., i, 248.

the kaempferol from robinin, A., i, 948. Waliaschko, Nicolai A., and N. Krasowsky, constituents of the fruit of Rhamnus cathartica, A., ii, 174.

Walker, E. W. Ainley. See Georges Dreyer.

Walker, G. W. See George Bell Frankforter.

Walker, James, and Thomas Blackadder, combustion analysis, A., ii, 93.

Walker, James Wallace, optical activity and the product of asymmetry, A., ii,

Walker, James Wallace, and Vernon K. Krieble, the hydrolysis of amygdalin by acids. Part I., T., 1369; P., 203. the amygdalins. Part I., T., 1437; P., 208.

Walker, Percy H., estimation of reducing sugars, A., ii, 102.

Walker, Sydney. See Albert Prescott Mathews

Walker, William H., the electrolytic theory of the corrosion of iron, A., ii, 485.

Wallace, Robert C., the binary systems of sodium metasilicate with lithium, magnesium, calcium, strontium, and barium metasilicates, of lithium metasilicate with potassium, magnesium, calcium, strontium, and barium metasilicates, and the ternary system, $Na_2O-Al_2O_3-SiO_2$, A., ii, 665.

Wallach, Otto, [with Max Behnke, Alfred Homberger, Werner Lange, Friedrich Ritter, and Heinrich Wienhaus], terpenes and ethereal oils. CI.,

A., i, 811.

Wallach, Otto, [with Erich Grosse], terpenes and ethereal oils. C., A., i, 726.

Wallach, Otto, [with Kurt von Martius, and Mahlon Rentschler], terpenes and ethereal oils. XCIX. Preparation of unsaturated cyclic acids and hydrocarbons with a semicyclic linking, A., i, 383.

Wallach, Otto, [with Adolf Rosenbach and Rudolf Müller], terpenes and ethereal oils. XCVIII. Transformation of pulegone into isopulegone during oximation in alkaline solution, A., i, 399.

Wallach, Otto. See also William Henry

Perkin, jun.

Waller, Augustus Désiré, comparative effect of alcohol, ether, and chloroform on striped muscle; effects of muscarine and atropine on striped muscle, A., ii, 75.

action of digitalin and allied substances on striated muscle, A., ii,

254.

Wallerant, Frédéric, biaxial liquid crystals, A., ii, 529.

Walpole, George Stanley, a simple gasdrying apparatus for use with a mechanical exhaust pump, P., 97.

Walpole, George Stanley. See also

George Barger.
Walter, L. H., the metal tungsten as valve electrode, A., ii, 858.

Walter, Paul. See Richard Anschütz. Walther, Oskar, formation of indigotin

in plants, A., ii, 514. Walther, Reinhold von, preparation of cyanuric acid from carbamide, A., i,

Walther, Reinhold von, and A. Grossmann, amidines. LXXXVIII., A., i, 55.

Walton, James H., jun., crystallisation through membranes, A., ii, 649.

Walton, W. See Frederic William Richardson.

Waniczek, \underline{A} . See Paul Askenasy.

Warburg, Emil [Gabriel], and G. Leithäuser, measurements of the efficiency of ozone tubes. VII., A., ii, 226.

production of ozone from oxygen and atmospheric air by means of ozonisers. VIII., A., ii, 227.

Warburg, Harry. See Karl Bernhard Lehmann.

Warburg, Otto, oxidation in the egg. II., A., ii, 684.

estimation of small quantities of carbon dioxide, A., ii, 830.

Warcollier. See Maurain.

Ward, H. L. See Frank Austin Gooch.

Ward, R. Ogier, alveolar air on Monte Rosa, A., ii, 66.

Wartenberg, H. von, determination of the density of small quantities of liquids, A., ii, 466.

heat of formation of cuprous and cupric sulphides, A., ii, 794.

Warynski, T., resistance of ferrous solutions to oxidation by the air, A., ii. 242.

Wassiljewa, Alexandra. See Alfred Coehn.

Waters, J. W., radioactive minerals in common rocks, A., ii, 848.

Watson, Edwin Roy, the relation between the chemical constitution of monoazodyes and their fastness to light, P., 224.

Watson, Edwin Roy, Anukul Chandra Sirkar, and Jatindra Mohon Dutta, the relation between the chemical constitution of monoazo-dyes and their fastness to light, P., 290.

Watson, Herbert Edmeston, wave-lengths of lines in the secondary spectrum of hydrogen, A., ii, 453.

spectrum of radium emanation, A., ii,

Watson, Herbert Edmeston. See also Edward Charles Cyril Baly.

Watson, W. N. West, reaction of bloodserum in malignant disease, A., ii, 507.

Watt, Henry Edgar, the alkaloids of Senecio latifolius, T., 466; P., 68.

Watteville, Charles de, flame spectra of certain metalloids, A., ii, 629.

Watteville, Charles de. See also Antoine de Gramont.

Watts, William Marshall, atomic weight of radium from spectroscopic data, A., ii, 780.

Webb, H. See G. B. Pegram.

Weber, Fritz. See Carl Bülow.

Weber, Lothar E. See Hermann Leuchs. Weber, O. See F. Schwarz.

Webster, W., choline in animal tissues and fluids, A., ii, 526.

Webster, W. H. See Eustace H. Gane. Wechsler, Elkan. See Arthur Lapworth. Weckowicz, Romuald, desylanthranilic acid, A., i, 28.

Wedekind, Edgar [Leon Waldemar Otto], asymmetric nitrogen. XXXV. Onesided addition of a tertiary base to

a dihalogenide, A., i, 184. an ammonium model, A., ii, 532. magnetic character of compounds prepared from non-magnetic elements, A., ii, 541.

Wedekind, Edgar, and Heinrich Baumhauer, colloidal thorium, A., 895.

Wedekind, Edgar, and Samuel Judd Lewis, analytical investigation of zirconium metal, T., 456; P., 60.

chlorine generated by potassium permanganate; its preparation and purity, P., 59; discussion, P., 59.

Wedekind, Edgar, and Woldemar Meyer, asymmetric nitrogen. XXXVI. Quaternary aminoammonium salts, a new type of asymmetric nitrogen, A., i, 186.

Wedekind, Edgar, and Moriz Miller, ketenium compounds, A., i, 459.

Wedekind, Edgar, and F. Ney, another case of stereoisomerism of compounds containing asymmetric nitrogen and active asymmetric carbon, A., i, 514.

Wedekind, Edgar, [with F. Oberheide], behaviour of unsaturated groups in quaternary ammonium salts and tertiary sulphonamides, A., i, 904.

Wedekind & Co., R., preparation of anthraquinone-a\beta-sulphonic acids, A., i, 242.

preparation of 4-chloro-1-hydroxy-anthraquinone, A., i, 243. [the sulphonation of alizarin and anthraflavic acid], A., i, 496. preparation of 1:2-dihydroxyanthra-quinone-3:5- and 3:8-disulphonic acids, A., i, 811.

Weerman, R. A., a synthesis of aldehydes and indole. III., A., i, 589.
Weevers, Th., the physiological signifi-

cance of certain glucosides, A., ii, 1047.

Wegelius, Henrik, and Sulo Kilpi, method for the estimation of mercury in solutions containing iodides, A., ii, 350.

Weger, Adolf. See Karl Bernhard Lehmann.

Wegscheider, Rudolf [Frans Johann], formation of benzyl ether, A., i,

catalytic displacement of equilibrium in the vaporisation of ammonium chloride from the point of view of thermodynamics, A., ii, 23.

formation of esters, A., ii, 305.

anomaly of strong electrolytes and the limits within which the dilution law is valid, A., ii, 965.

Wegscheider, Rudolf, and Paul Lux, sulphonic acids and Ostwald's dilution law, A., ii, 649.

Weichardt, Wolfgang. Sec EmilAbderhalden.

Weickel, Tobias. See Wilhelm Schlenk. Weidel, Arno. See Ludwig Knorr.

Weigert, Fritz, photochemical reactions. IV. Thermodynamic theory of photochemical processes, A., i, 219. calculations of photochemical processes, A., ii, 532.

Weiller, Paul. See Siegfried Hilpert. Weimarn, P. P. von, forms of matter. II., A., ii, 132, 134, 221, 306, 666.

Weimarn, P. P. von, physical and chemical properties as functions of the magnitude of the granules (number of molecules in the granule) of the solid and liquid phases, A., ii, 135.

ultramicroscopic observations on crystalline liquids, A., ii, 301.

classification and nomenclature of disperse systems, A., ii, 646.

Weinland, Ernst. See Otto Krummacher. Weinland, Rudolf Friedrich, and Ernst Bames, stannithiocyanates, A., i, 462.

Weinland, Rudolf Friedrich, and P. Dinkelacker, salts of a hexa-acetato-(formato)-trichrome base. II., A., i, 757.

action of hydrochloric acid on per-

manganates, A., ii, 48.

Weinland, Rudolf Friedrich, and E. Gussmann, salts of an acetatoferri-base and of two acetatochromiferri-bases.

III., A., i, 872.
Weinland, Rudolf Friedrich, and Ferdinand Reischle, hydrate of iodine oxyfluoride, fluoroiodates, and iodoxyfluorides, A., ii, 36.

Weis, Fr., production of nitric acid in humus and peat soils, A., ii, 428.

Weiss, Arno. See Max Guthzeit. Weiss, Fr., salts of inactive ornithine,

A., i, 542. Weiss, Fr. See also Albrecht Kossel.

Weiss, Ludwig, and Max Landecker, estimation of [tantalic and columbic] acids, A., ii, 942.

Weiss, Pierre. See A. Cotton.

Weissgerber, Rudolf, sodium derivative of indene, A., i, 219.

Weitbrecht, W., detection of acetone in urine by Lieben's test, A., ii, 447.

Weizmann, Charles, and The Clayton Aniline Co., preparation of isobornyl esters of fatty acids, A., i, 311.

Weizmann, Charles. See also (Miss) Dorothy Harrop.

Welde, Robert. See Georg Merling.

Welecki, St., the influence of adrenaline on the excretion of carbon dioxide and urine, A., ii, 506.

Welker, William H., Barfoed's test, A., ii, 524.

Welker, William H. See also Julia T. Emerson.

Wellik, Albert, radioactive behaviour of the water of Gratz and its environs, A., ii, 202

Wellisch, E. M., laws of mobility and diffusion of the ions formed in gaseous media, A., ii, 299.

Wells, Harry Gideon, and Harry J. Corper, uricolysis, A., ii, 749.

Wells, Harry Gideon, and Harry J. Corper, purines and purine metabolism of the human feetus and placenta, A., ii, 1034.

Wells, Harry Gideon. See also Lafayette Benedict Mendel.

Wells, Roger C., electrical conductivity of ferric sulphate solutions, A., ii,

Welsch, A. See Adolf Windaus. Welwart, N. See F. Wittels.

Wendt, Georg von, the variability of milk; the influence of the addition of various salts to fodder on the composition and quantity of the milk, A., ii, 164.

Wenk, Walther. See Robert Marc.

Wenzel, Franz, the resolution of ytterbium, A., ii, 891.

Wenzel, Franz. See also Franz Haiser. Werchowsky, W. See Wladimir N. Ipatieff.

Werncken, Gerhard, theory of the curdling of milk by rennet, A., i, 278.

Werner, Alfred, complex metal ammo-nias. VIII. Transformation of hexamminetrioldicobalt salts into octamminedioldicobalt salts, A., ii, 49.

complex metal ammonias. IX. Decammine-\(\mu\)-aminodicobalt salts, A.,

theoretical basis of structural formulæ for inorganic substances, A., ii, 990.

Werner, Alfred, and W. Costachescu, chromium compounds. VII. Hydrates of chromium fluoride and an example of co-ordinate isomerism among hydrates, A., ii, 51.

Werner, Alfred, and O. de Vries, complex iridium compounds, A., ii, 151.

Werner, G. See Otto Dimroth.

Werschinin, N., action of the digitalin group on the heart, A., ii, 599.

Wertenstein, Louis, action of gravity on the induced activity of radium, A., ii,

Wester, D. H., chitin, A., i, 659. Westhoff, F. See Hermann Ost.

Weston, Frank Edwin, detection of sodium sulphite in the presence of sodium sulphate and sodium thiosulphate, A., ii, 934.

ton, Frank Edwin, and Henry Russell Ellis, heats of combustion Weston, of aluminium, calcium, and magnesium, A., ii, 46, 484.

modified apparatus for estimation of nitrogen by the Kjeldahl process, A., ii, 828.

See J. Franck. Westphal, W. Wetterkamp, H. See Adolf Grün. Wetzel, Johannes, new apparatus for the distillation of mercury, A., ii,

Wheeler, Alvin Sawyer, 5-bromo-2aminobenzoic acid; new method of preparation, A., i, 382.

Wheeler, Alvin Sawyer, and Stroud Jordan, condensation of chloral with primary aromatic amines. i, 673.

Wheeler, Henry Lord, and Treat Baldwin Johnson, pyrimidines. XLIII. Preparation of 3-methyl- and 3-benzyluracil, A., i, 677.

Wheeler, Henry Lord, and Leonard M. Liddle, pyrimidines. XL. Thio-derivatives of uracil and the preparation

of uracil in quantity, A., i, 60.

Wheeler, Henry Lord, and David F. McFarland, pyrimidines. XLIV. Preparation of 1:4-dimethyluracil and of the monobenzyl derivatives of 4-methyluraiol, A., i, 677. yrimidines. XLVII. Acti

pyrimidines. Action methyl iodide and of benzyl chloride 6-methylthiol-4-methyl-2-pyr-

imidone, A., i, 969.

Wheeler, Sybil May, chemistry of the bacterial cellular proteins, A., i, 979. Wheldale, (Miss) M., nature of antho-

cyanin, A., ii, 604.

Wherry, Edgar T., and William H. Chapin, occurrence of boric acid in vesuvianite, A., ii, 57. estimation of boric acid in insoluble

silicates, A., ii, 92.

Whitby, George Stafford. See Gilbert Thomas Morgan.

White, Charles P., fatty acid combinations with cholesterol, A., i, 152.

Walter P., specific heats of silicates and of platinum, A., ii,

determination of melting points, A., ii, 970.

melting-point methods at high temperatures, A., ii, 970.

White, W. P. See Eugene T. Allen. Whitehead, R. H., fat absorption, A., ii, 498.

Whiteley, (Miss) Martha Annie, and Harold Mountain, studies in the barbituric acid series. Part II. 1:3-Diphenyl-2-thiobarbituric acid and some coloured derivatives, P., 121.

Whitley, Edward. See Benjamin Moore. Wibaut, J. P., equilibriums in the system: ammonium sulphate, ammonium chloride, ethyl alcohol, and water, A., ii, 558.

Wichern, Heinrich. See Georg Lockemann.

Widemann, Max, replacement of the platinum capillaries in the estimation of carbon in iron by the chromic acid method, A., ii, 1053.

Widman, Oskar, constitution of the socalled halogendiphenacyls, A., i,

cinnoline compounds, A., i, 970.

Widman, Oskar, and Erik Virgin, attempts to convert oxalyldiacetophenone and other oxalyl compounds into hexaketones, A., i, 656.

Widmann, Karl Th. See Julius Schmidt.

Wiechowski, Wilhelm, the decomposition of uric acid in the human body, A., ii, 329.

allantoin in normal urine and its metabolic significance, A., ii, 749.

Wiegand, Gustav. See Conrad Will-

gerodt.

Wiegner, Georg, estimation of nitrogen by Kjeldahl's method, especially in milk, A., ii, 517.

Wieland, Heinrich, fulminic acid. II. Two new methods of preparation of

nitrile oxides.

fulminic acid, A., i, 215.
trile oxides. II., A., i, 216.
trile oxides. III. The salts of Graul nitrile oxides. and Hantzsch's leuconitrolic acid, A., i, 217.

hydrazine derivatives of triphenylmethane, constitution of triphenylmethyl, A., i, 836.

hydrazide-oximes, A., i, 884. fulminic acid. IV. Action of halogens on mercury fulminate, A., i, 892.

nitrile oxides. IV. Relations of nitrile oxides to the reactions of Hofmann and Curtius, A., i, 923.

Wieland, Heinrich, and Erwin Gmelin, III. Behaviour of ethyl furoxans. furoxandicarboxylate towards ammonia and amines, A., i, 610.

Wieland, Heinrich, and Hermann Hess, fulminic acid. III. Polymerisation of fulmeric acid, A., i, 369.

methylnitrosolic acid and allied com-

pounds, A., i, 882. Wieland, Heinrich, Leopold Semper, and Erwin Gmelin, furoxans. II. Degradation of ethyl furoxandicarboxylate glyoximeperoxide-dicarboxyl-(ethyl ate), A., i, 609.

Wiemers, Franz, osmosis of the alkali haloids, A., ii, 126.

Wien, Wilhelm, positive rays of mer-

cury, A., ii, 956. Wiener, Karl. See Alfred Schittenhelm.

Wienhaus, Heinrich. See Otto Wallach. Wienhaus, Otto, the biochemistry of

phasin, A., ii, 682.

Wigand, Albert, statics of liquid sulphur in the dark and under the influence of light, A., ii, 228.

Wilcox, Wendell G., validity of Faraday's law at low temperatures, A., ii,

540.

Wildermann, Meyer, velocity of molecular and chemical reactions in heterogeneous systems. I., A., ii, 556.

Wilenko, G. G., and Sigmund Motylewski, action of sodium and amyl alcohol on cholesterol, A., i, 228.

Wilfarth, Hermann. See Gustav Wim-

Wilhelmj, A., pectins, A., i, 768.

Wilhoit, A. D. See George Bell Frankforter.

Wilkie, John M., volumetric estimation of phosphoric acid, mono-alkali and di alkali phosphates, A., ii, 266.

colorimetric estimation of lead in the presence of iron; preparation of lead-free reagents by means of ferric hydroxide, A., ii, 703.

Wilks, William Arthur Reginald, double fluorides of sodium, A., ii, 618. Wilks, William Arthur Reginald.

also Henry John Horstman Fenton. Willers, Fr. A. See Emil Bose.

[Heinrich] ConradWillgerodt, [Christoph], preparation of acids and amides by the action of ammonium sulphide on aliphatic aromatic ketones, A., i, 716.

Willgerodt, Conrad, and Gustav Hilgenberg, derivatives of 4':4'-di-iododiphenyl with polyvalent iodine and the iodination of diphenyl, A., i, 908.

Willgerodt, Conrad, and Franz Hubert Merk, preparation of acids and amides from phenyl alkyl ketones by means of yellow ammonium sulphide, A., i, 716.

Willgerodt, Conrad, and Gustav Wiegand, derivatives of aromatic p-monoiodophenyl ethers with polyvalent iodine, A., i, 912.

Williams, Horatio B., and Charles George Lewis Wolf, protein metabolism in cystinuria, A., ii, 820.

Williams, R. Stenhouse. See Benjamin Moore.

Willstätter, Richard [Martin], linking of the iron in the colouring matter of the blood, A., i, 979.

calcium and magnesium in plant seeds, A., ii, 336.

Willstätter, Richard, and Stefan Dorogi, quinonoid compounds. XIII. Anil-II. and III., A., i, 535, ine-black. 975.

Willstätter, Richard, and Emil Hauenstein, Caro's acid, A., ii, 566.

Willstätter, Richard, and Heinrich Kubli, durene, A., i, 899 polymerisation of quinonedi-imines,

A., i, 976.

Willstätter, Richard, and Jean Piccard, quinonoid compounds. XVIII. meri-Quinoneimines. III., A., i, 517.

Richard, and Theodor Willstätter, Wirth, thioformamide, A., i, 459.

Wilner, E. See Hermann Finger. Wilson, Andrew, efficiency of Berkefeld

filters. I., A., ii, 509.
Wilson, F. B. See Frederick Hutton

Getman.

Wilson, Frederick P. See Benjamin Moore.

Wilson, G. Haswell, detection of protein in urine, A., ii, 452.

Wilson, G. Haswell. See also Carl Hamilton Browning.

Wilson, W., radioactive products present in the atmosphere, A., ii, 202.

effect of pressure on the natural ionisation in a closed vessel, and the ionisation produced by the γ -rays,

A., ii, 205.

Wimmer, Gustav, Gerhard Geisthoff,
W. Krüger, O. Ringleben, Hermann
Roemer, J. Storck, and Hermann
Wilfarth, assimilation of potassium from soils, A., ii, 340.

Windaus, Adolf, cholesterol as an antidote to the saponins, A., i, 172. synthetical experiments in the iminazole [glyoxaline] group, A., i, 258.

XII., A., i, 920. cholesterel.

Windaus, Adolf, and A. Welsch, phytosterol from rape seed oil, A., i, 228.

See Emil Abder-Windrath, Heinrich. halden.

Winkler, H. See Heinrich Ley.

Winmill, Thomas Field. See John Theodore **Hewitt**.

See George Druce Winter, H. W. Lander.

Winternitz, Milton C., and Walter Jones, nuclein metabolism, and its relationship to the nuclein ferments in the human organism, A., ii, 594.

Winterstein, Ernst [Heinrich], constitution of phytin, A., i, 5.

vegetable phosphatides. III., A., ii, **3**38.

Winterstein, Ernst, and Albert Küng, homologues of arginine, A., i, 293.

constituents of Emmenthal cheese. IV., A., ii, 423.

Winterstein, Ernst, and R. Smolenski, vegetable phosphatides. IV., ii, 338.

Winterstein, Ernst, and L. Stegman, vegetable phosphatides. VI., A., ii, 338.

Winterstein, Hans, alterations in the oxygen in sea-water collected in the dark, A., ii, 746.

blood gases of invertebrate marine animals, A., ii, 746.

Winther, Chr., calculation of photochemical reactions, A., ii, 283.

Wirth, Fritz. See Otto Hauser. Wirth, Theodor. See Richard Willstätter.

Wise, Archibald. See Harold Hibbert. Wislicenus, Hans. See Georg Büttner.

Wislicenus, Wilhelm, Emil Böklen, and Felix Reuthe, ethyl formylsuccinate and its relationship with aconic acid, A., i, 9.

Wislicenus, Wilhelm, and Heinrich Elvert, condensation of ethyl nitrate and p-bromobenzyl cyanide, A., i, 29. preparation and reactivity of 3-methyl-

quinoline, A., i, 420. licenus, Wilhelm, Wislicenus, and Rudolf Grützner, condensation of alkyl nitrates or nitrites with ethyl phenyl-

acetate, A., i, 477.

Wislicenus, Wilhelm, and Emil Kleisinger, synthesis of ethyl quinaldineoxalate and lepidineoxalate by means of potassium ethoxide, A., i, 419.

Wilhelm, and Wislicenus, RobertSchäfer, preparation of benzoyl eyanide, A., i, 99.

Wislicenus, Wilhelm, and Martin Waldmüller, 9-formylfluorene. I., A., i,241. Witt, Johannes. See Einar Biilmann.

Witt, Otto Nikolaus, diazotisation of feebly basic, sparingly soluble primary amines, A., i, 855.

Wittels, F., and N. Welwart, detection of biliary acids, lævulose, glycuronic acid, and pentoses in urine, A., ii, 1057.

Wittich, Walter J. See Louis Kahlenberg.

See Gottfried Kümmel. Wobig, F.

Wöber, A. See Zdenko Hanns Skraup. Wöhler, Lothar, the platinum compound analogous to purple of Cassius, A., ii,

Wöhler, Lothar, and W. Frey, solid solutions in the dissociation of cupric oxide, A., ii, 238.

solid solutions in the dissociation of the oxides of platinum, A., ii, 322.

Wöhler, Lothar, and Friedrich Martin, platinum trioxide; a new oxide of platinum, A., ii, 898.

the decomposition of platinous hydroxide into platinum dioxide and metal, A., ii, 1024.

Wöhler, Lothar, and Friedrich Martin, tervalent platinum. I., A., ii, 1024; II., A., ii, 1024.

Wöhler, Lothar, and G. Rodewald, old and new subhalides, A., ii, 141.

Wöhler, P. See Wilhelm Kerp. Woelfel, Albert, the transfer of protein

in inanition, A., ii, 497.

Wörmann, A., temperature-coefficient of the electrical conductivity of certain acids and bases in aqueous solution, A., ii, 462.

Woernle. M. See Alexander Gutbier. Wohl, Alfred, and Rudolf Maag, resolution of the racemic cincholeuponic acids into their active forms, A., i, 254.

Wohlgemuth, Henri. See Jules Minguin.

Wohlgemuth, Julius, the hæmolysin of human pancreatic juice. II., A., ii,

III. The behaviour of the diastases. diastase in the blood, A., ii, 1036. diastases. V. The behaviour of the diastase of the urine, A., ii, 1037.

VI. The influence of the diastases.

bile on diastases, A., ii, 1038.

Wohlgemuth, Julius, and J. Benzur, diastases. VII. The diastase content of different organs of the rabbit under normal and pathological conditions; a contribution to the subject of the nature of phloridzin diabetes, A., ii, 1038. Wohlgemuth, Julius. See also S. Loe-

wenthal and R. Ehrmann.

Woldenberg, M. See Adolf Grün.

Wolf, Charles George Lewis, and Emil Osterberg, protein metabolism in carbon monoxide poisoning, A., ii, 422.

estimation of urea in urine, A., ii, 448.

Wolf, Charles George Lewis. See also Horatio B. Williams.

Wolff Jules, some new properties of the oxydases of Russula Delica, A., i, 279.

new analogies between natural and artificial oxydases, A., i, 347.

specific action of oxydases, A., i, 862. Wolff, Ludwig, and Richard Marburg, diacetalylamine and triacetalylamine, A., i, 14.

Wolff, S. See Hans Theodor Bucherer.

Wolgast, Karl. See Arthur Michael. Wollenberg, W. See Theodor Zincke. Wologdine, S., magnetic properties of certain compounds of iron, A., ii, 374.

Wologdine, S. See also Henri Le Chatelier.

Wolokitin, A. See Conway von Girsewald.

Wolter, H. See Otto Fischer.

Woltereck, Hermann, synthesis ammonia by means of peat, A., ii, 138.

Wood, John Kerfoot, and (Miss) Emma Alexander Anderson, the constitution of the salts of barbituric acid, T., 979; P., 154.

Wood, Robert Williams, extension of the principal series of the sodium

spectrum, A., ii, 106.

absorption, fluorescence, magnetic rotation, and anomalous dispersion of mercury vapour, A., ii, 713.

ultra-violet absorption, fluorescence, and magnetic rotation of sodium vapour, A., ii, 845.

Wood, Thomas Barlow, and William B. Hardy, electrolytes and colloids; the physical state of gluten, A., i, 341.

Woodbridge, R. G., jun., cellulose esters, A., i, 768.

Woodbury, J. C. See Daniel Francis Calhane.

Woodhouse, John Obins. See William Robert Lang.
Wolley, V. J. See John Mellanby.

Wootton, William Ord, amides and imides of camphoric acid; preliminary note, P., 308. Worms. See *Emil* Abderhalden.

Worrall, (Miss) Elizabeth. See Arthur Walsh Titherley.

Wosnessensky, Nicolas. See Fritz Ullmann.

Woudstra, H. W., reaction radiation, A., ii, 9.

the hydrosol of chromium oxide, A., ii, 582.

Wren, Henry, some derivatives of l-benzoin, T., 1583; P., 219.

racemisation phenomena observed in the study of l-benzoin and its derivatives, T., 1593; P., 219.

Wright, Fred Eugene, contact minerals (gehlenite, spurrite, and hillebrandite) from Mexico, A., ii, 61.

Wright, Fred Eugene. See also Eugene T. Allen and Earnest S. Shepherd.

Wroczynski, A. See E. Briner.

Wünsch, Donald Frederick Sandys. See Frederick Daniel Chattaway.

Wüst, Friedrich, influence of manganese on the system, iron—carbon, A., ii, 241.

Wüst, Friedrich, [with N. Gutowsky], the equilibrium diagram of ironcarbon alloys, A., ii, 1017.

Wüstenfeld, Hermann, arrangement for preventing an overflow in open waterfed gas-holders, A., ii, 394.

Wüstenfeld, Hermann. See also Eduard Buchner.

Wugk, E. See Theodor Zincke.

Wuite, J. P. See Andreas Smits.

Wulf, Theodor, atmospheric radiation of high penetrating power, A., ii, 285.

Wulf, Theodor. See also Albert Gockel. Wulff, Georg, the nature of liquid ("flüssige" and "fliessende") crystals, A., ii, 473.

Wulzen, Rosalind, cytolysis in parameecium, A., ii, 748.

Wuyts, Henri, mechanism of the action of sulphur and of selenium on organo-magnesium derivatives, A., i, 380.

formation of peroxides in the oxidation of organo-magnesium compounds, A., i, 448.

Wuyts, Henri, and Al. Stewart, preparation of hydrogen selenide, A., ii, **2**29.

Wyrouboff, Gregoire, chromic acid, A., ii, 740.

Wysoczański, Br. See Br. Radziszewski.

Y.

Yamakawa, M. See Umetaro Suzuki. Yates, Joseph. See Robert Howson Pickard.

Yégounoff, Michel, molecular weight and form of substances; work of molecular weight, A., ii, 387.

Yokoyama, H., is artificial calcium carbonate more effective than limestone meal? A., ii, 926.

Yoshida, Tanzo, hydrochloric acid content of gastric juice in anchylostomiasis, with special reference to its relationship to anæmia and appetite, A., ii, 167.

Yoshida, Y. See Keijiro Aso. Yoshikawa, Junji. See Takeo Saito. Yoshimoto, S., autolysis, A., ii, 250.

chemistry of cancer, A., ii, 1040. Yoshimura, K., the chemical composition of tamari-schōyu, A., ii, 928.

Yoshimura, K. See also Umetaro Suzuki. Young, William John. See Arthur Harden.

Z.

Zachariades, N. See Philippe Auguste Guye.

Zahn, Kurt. See Carl Paal. Zaleski, W., the effect of light on the formation of protein in plants, A., ii,

the changes undergone by the nucleoprotein phosphorus in plants, A., ii, 604.

Zalinski, E. R., [a mineral associated with turquoise in New Mexico], A., ii,

Zambonini, Ferruccio, study of hydrated silicates, A., ii, 154.

Zambonini, Ferruccio, [with George Thurland Prior], identity of guarinite and hiortdahlite, A., ii, 677.

Zamorani, M. See Ciro Ravenna.

Zaribnicky, Franz, peritoneal exudation in a carp, A., ii, 686.

Zavrieff, D., dissociation of calcium

carbonate, A., ii, 401. Zawadski, J. See Ludwik Bruner.

Zawidzki, Jan von, forms of the partial and total vapour pressure curves of binary mixtures, A., ii, 968. Zedner, Julian. See Otto Ruff.

Zedtwitz, (Graf) Armin. See Karl A. Hofmann.

Zegla, Paul, the diastatic ferment of the

Zegga, Faut, the dissente termine of the liver, A., ii, 329.
Zeh, W. See Hermann Finger.
Zeitschel, Otto, [preparation of bornyl acetate], A., i, 245.
Zeitschel, Otto. See also A. Blumann.
Zelinsky, Nicolai D., and N. Izgaryscheff, electrolytic dissociation contents of evolenine time aids. A. i. 26 stants of cycloaliphatic acids, A., i, 26.

Zeller, T., simple method of estimating the nitrogen as nitrates and nitrites in mixtures and in presence of organic matter, A., ii, 264.

Zellner, Julius, chemistry of the higher III. Fungus diastase, A., fungi. i, 543.

chemistry of the higher fungi. Polyporus ignarius, A., ii, 175.

chemistry of the higher fungi. Maltases and ferments which decompose glucosides, A., ii, 922.

Zemplén, Géza. See Emil Fischer and Hans Pringsheim.

Zengelis, Constantin, conservation of weight, A., ii, 134.

Ziegler, J. See Heinrich Bechhold.

Ziersch, Paul, carbazole derivatives, A., i, 961.

Zimányi, Karl, vashegyite, a new basic aluminium phosphate from Hungary, A., ii, 900.

Zimmermann, Richard. See Leon Asher. Zincke, [Ernst Carl] Theodor, and W. Broeg, pentachloro- and heptachloro-

m-hydroxy benzaldehyde, A., i, 33.

Zincke, Theodor, and W. Frohneberg, dithioquinol, A., i, 643.

Zincke, Theodor, [with K. Henke, W. Wollenberg, and E. Wugk], action of bromine on the alkyl and aryl derivatives of di-p-hydroxydiphenylmethane, A., i, 23.

Zincke, Theodor, and P. Jörg, p-aminothiophenol[p-aminophenylmercaptan], A., i, 789.

Zincke, Theodor, and Kurt H. Meyer, transformation of cyclopentene derivatives into indene derivatives, A., i, 591.

Zincke, Theodor, and Franz Schwabe, tribromoresoquinone, A., i, 241.

Zincke, Theodor, and Willi Tropp, diacetophenone, dideoxybenzoin, and dibenzil, A., i, 35.

Zincke, Theodor, and E. Wugk, action of chlorine, bromine, and nitric acid on p-hydroxytetraphenylmethane, A., i, 22.

Zink, William A. H. See Arthur E. Hill.

Zitek, A. See Robert Kremann. Zoellner, Clemens. See Walter Kropp. Zoethout, William D., the influence of sodium chloride and calcium chloride in the potassium contraction, A., ii, 251.

Zoja, Ludwik, physico-chemical investigation of the reactions between eggalbumin and acetic acid, A., ii, 180.

Zopf, Wilhelm, compounds from lichens. XVII. Substances present in lobulated lichens (Peltigeraceæ), A., i, 237.

Zumbusch, Emilie. See Ludwig Vanino.
 Zumbusch, Leo Ritter von, analysis of vernix caseosa. I., A., ii, 505.

Zunino, Virgilio, action of potassium hydroxide on epichlorohydrin in presence of monohydric phenols, A., i, 299.

Zunz, Edgard, surface tension and adsorption, A., ii, 976.